





Austin-Healey Sprite (Mark III)



M.G. Midget (Mark II)




Austin-Healey Sprite (Mark IV)




M.G. Midget (Mark III)

# EXPLANATORY

- The range of parts in this List covers all serviceable components on model/models to the standard specification. Where the part is confined to one specification this is clearly defined in the Description or Remarks column, and where the part listed is not serviced, this is indicated by the letters NSP in the Part No. column.

- This List is provided with a Group Index on the title-page, and also more detailed indexes at the beginning of each separate Section. Additionally, Alphabetical and Part Number Indexes are also provided in the preface pages.

- The Part Number Index will be issued twice yearly.

- Items comprising an assembly (or sub-assembly) are inset for easy reference. This principle is followed in all Parts Lists, typical examples being given below.

Examples:

**Crankshaft** ..... AMK 2254
Plug ..... AMK 97
**Panel assembly—rear lower** ..... CZA 418
Angle—attachment—rear bumper ..... CZA 147
Bracket—rear bumper support ..... CZA 164

- The word 'Quantity' as shown in the heading of all text pages is intended to convey that all figures appearing in that column are quantities used on a particular application and not quantities used per vehicle.

- The assemblies and components in the plate illustrations are identified by numbers which correspond with the illustration references appearing on the facing text page in the column immediately following the Part Number. Note the use of squares, rectangles, and circles on the Illustration Plates. The square/rectangle indicates an assembly which comprises all component parts shown enclosed. The components can, in turn, be supplied separately providing Illustration Numbers are shown against them. A circle embracing certain components is used to give a magnified view of the items which are too small to show up in detail if illustrated on the same scale as the other parts on the plate.

- It is essential first to identify the part against the illustration in the appropriate Section of the List, and then make use of the illustration reference number to locate the correct Part Number and official description on the adjacent page, taking into account Engine, Car, and Commission Numbers, etc.

- ABBREVIATIONS: Standard abbreviations are employed. The complete range of abbreviations covering all lists is given below.

| | |
|---|---|
| A | Ambulance |
| A/R | As required |
| (B) | Body number |
| (BP) | Belt pulley number |
| B.R.S. | British Road Services |
| C | Chassis number |
| (C) | Car number |
| (CB) | Cab number |
| (CN) | Commission number |
| CP | Chrome-plated |
| D | Coupe |
| (D) | De-luxe |
| DC | Double-coil |
| D/E | Double-ended |
| dia | Diameter |
| E | G.P.O. Engineering |
| (E) | Engine number |
| EP | G.P.O. Planning |
| EXP | Export |
| (FA) | Front axle number |
| G | G.P.O. Postal |
| (G) | Gearbox number |
| GP | General Purpose Carrier |
| H | Hearse |
| HC | High compression |
| (HU) | Hydraulic unit number |
| ID | Inside diameter |
| I.P.T.O. | Independent Power Take-off |
| J | Convertible |
| K | Truck |
| KPH | Kilometres per hour |
| L | Hire Car |
| LC | Low compression |
| LH | Left-hand |
| LHD | Left-hand drive |
| LHT | Left-hand thread |
| LWB | Long wheelbase |
| M | Limousine |
| MB | Minibus/Omnicoach |
| MPH | Miles per hour |
| N | 2-seater Tourer |
| No. | Number |
| NSP | Non-serviceable part |
| OD | Outside diameter |
| (OD) | Overdrive number |
| O/S | Oversize |
| P | Hard Top |
| pr | Pair |
| psi | Pounds/square inch |
| PSV | Public Service Vehicle |
| P.T.O. | Power Take-off |
| Q | Chassis and Cab |
| R | Chassis and Scuttle |
| (RA) | Rear axle number |
| RH | Right-hand |
| RHD | Right-hand drive |
| RHT | Right-hand thread |
| (RP) | Rear pulley number |
| S | 4-door Saloon |
| (S) | Super de-luxe |
| ST | Soft Top |
| STD | Standard |
| SWB | Short wheelbase |
| 2S | 2-door Saloon |
| T | 4-seater Tourer |
| T.I.B. | Technical Information Bulletin |
| U | Pick-up |
| UK | Gt. Britain and Northern Ireland |
| U/S | Undersize |
| V | Van |
| W | Dual-purpose (wood framing) |
| WB | Wheelbase |
| Ws | Dual-purpose (all-metal) |
| X | Taxi |

## EXPLANATORY—*continued*

- Amendments to this List will be effected by means of revised pages. Should it be necessary to add an additional page or pages to interrupt the existing sequence of page numbers, the added pages will be numbered as in the following examples, which illustrate what would happen if it became necessary (A) to extend the information on a text page beyond the limits of that page or (B) to add an illustration page between existing illustration pages. Use of the decimal notation avoids the necessity of re-numbering and reprinting all pages in any section after the newly introduced page.

Example (A)

| | |
|---|---|
| Existing text pages ... ... ... ... | BA 5, BA 6, BA 7, etc. |
| Added text pages ... ... ... ... | BA 5·1, BA 5·2, BA 5·3 |
| Page sequence will then read ... ... | BA 5, BA 5·1, BA 5·2, BA 5·3, BA 6, etc. |

Example (B)

| | |
|---|---|
| Existing plates ... ... ... ... ... | A 5, A 6, A 7, etc. |
| Added plates ... ... ... ... ... | A 5·1, A 5·2, A 5·3 |
| Plate sequence will then read ... ... | A 5, A 5·1, A 5·2, A 5·3, A 6, etc. |

- When information on a page has been revised this is shown by the inclusion of a dagger †, indicating what has been revised at that issue.

- As revised pages are issued an Index showing the Issue Number will be added to the List and reprinted with each circulation of revised pages.

**Claims under Warranty**

Claims for the replacement of material or parts under Warranty must always be submitted to the supplying Distributor or Dealer, or when this is not possible to the nearest Distributor or Dealer, informing them of the vendor's name and address.

# BMC Service Parts List Spine Labels


These have been designed with a colour code to enable users to file or find Parts Lists readily. The system is as follows:

**Coloured rectangles at top of spine**

'Families' of passenger cars will always have a common colour (e.g. Lilac for the B.M.C. Minis).

Heavy commercial vehicles will have a common colour throughout—Red.


Light commercial vehicles will have a common colour throughout—Grey.



**Second coloured rectangle**

This indicates what the List deals with, as under:

| | | | |
|---|---|---|---|
| Red ... ... | Mechanical. | Tan ... ... | Power Unit (Diesel). |
| Light Blue ... | Body. | Magenta ... | C.V. Chassis. |
| Brown ... | Power Unit (Petrol). | Deep Yellow ... | C.V. Body and Cab. |
| Pink ... ... | Engines. | | |



**Coloured circles**

These indicate the franchises covered by the List. For any particular franchise the circle will always appear at the same height on the spine label. Additionally, it will be coloured as under:

| | | | |
|---|---|---|---|
| Blue ... ... | Austin. | Pink ... ... | Wolseley. |
| White ... ... | Morris. | Maroon ... ... | Vanden Plas. |
| Yellow ... | M.G. | Stone ... ... | Austin Commercial. |
| Grey ... ... | Riley. | Green ... ... | Morris Commercial. |



**Title-page**

For easy identification when the List is lying flat, the colour of the text of the title-page repeats that on the spine label indicating whether the List is Mechanical, Body,

**Coloured circles**

These indicate the franchises covered by the List. For any particular franchise the circle will always appear at the same height on the spine label. Additionally, it will be coloured as under:

| | | | |
|---|---|---|---|
| Blue ... ... | Austin. | Pink ... ... | Wolseley. |
| White ... ... | Morris. | Maroon ... ... | Vanden Plas. |
| Yellow ... | M.G. | Stone ... ... | Austin Commercial. |
| Grey ... ... | Riley. | Green ... ... | Morris Commercial. |



# IMPORTANT TO OWNERS

BRITISH LEYLAND

**BMC SERVICE**

## BMC SERVICE PARTS

Owners are strongly advised to insist on the use of BMC Genuine Parts. These may readily be identified by the label below and many are packed in characteristic cartons. They are available through any Distributor or Dealer, who can also provide details of the wide range of BMC Approved Accessories not covered by this publication.




Replacement parts that are not of genuine BMC manufacture cannot be relied upon to be of BMC specification, material, and workmanship, and therefore BMC cannot be expected to extend their Warranty to vehicles which have been fitted with parts not of their manufacture.

BMC reserve the right to make changes or improvements in the construction or equipment of their products at any time.

In order to ensure prompt and correct execution of your orders it is essential to quote:

1. The relative **Unit Number,** together with prefixes, suffixes, and specification reference where applicable:
   e.g.: Axle, Body, Cab, Car, Chassis, Commission, Engine, and Gearbox Numbers, etc.
2. The **Part Number** and **description** (prefix letters to Part Numbers must always be quoted).
3. The **quantity** required, bearing in mind that the quantities shown are those used in the application actually illustrated on the Parts List in question. Sometimes only minimum packaged quantities are available. These packs may well contain more parts than are required for a single job; for details of packaged quantities, see the confidential Service Parts Price List.
4. Always state the **colour** of carpets, painted items, trim items, etc.

# Vehicle Identification
# Serial Number Prefix Code

The car number prefix comprises a series of letters and numbers, presenting in code the make, the engine type, the body type, the series, and, where applicable, left-hand-drive.


| 1st PREFIX LETTER—Name | 2nd PREFIX LETTER—Engine type |
|---|---|
| G—M.G.<br>H—Healey | A |

**3rd PREFIX LETTER—Body type**

N—2-seater Tourer

| 4th PREFIX—Series of model | 5th PREFIX (used to denote car is different to standard right-hand drive) |
|---|---|
| 3—3rd series } M.G.<br>4—4th series }<br>8—8th series } Healey<br>9—9th series } | L—Left-hand drive |

**CODE EXAMPLE**




Always quote these prefixes with Car Serial Numbers

# Key to Body Exterior and Main Trim Colour Combinations, from Start of Vehicle Production

## Austin-Healey Sprite (Mark III)

†The B.M.C. Colour Code numbers quoted in the following text relate to the Paint Colour samples in the "B.M.C. Service Paint Scheme" publication ref.: AKD 1482.
In the case of two-tone body exterior colours the colour below the break line is quoted first.
In the case of two-tone body exterior colours where a principal colour appears above and below the central band of another colour this also is suitably indicated.

**MODEL CODE**
HN — SPRITE TOURER
GN — MIDGET TOURER

| Body Exterior and B.M.C. Paint Code | Model | Seats | Seat Piping | Liners | Hood Tonneau Cover Hard Top | Door Seals | Carpet Mats |
|---|---|---|---|---|---|---|---|
| BLACK (BK.1) | HN, GN | Red | Grey | Red | Black | Red | Red |
| | GN | Black | ,, | Black | ,, | Black | Black |
| RIVIERA BLUE (BU.44) | HN, GN | Blue | ,, | Blue | A\<br>B/Blue<br>C Riviera Blue | Blue | Blue |
| BRITISH RACING GREEN (GN.29) | ,, | Black | ,, | Black | Black | Black | Black |
| DOVE GREY (GR.26) | ,, | Red | ,, | Red | A Grey<br>B Red<br>C Black | Red | Red |
| TARTAN RED (RD.9) | ,, | ,, | ,, | ,, | A \Red<br>B /<br>C Tartan Red | ,, | ,, |
| | ,, | Black | ,, | Black | ,, | Black | Black |
| OLD ENGLISH WHITE (WT.3) | ,, | ,, | ,, | ,, | A \<br>B /Black<br>C Old English White | ,, | ,, |
| | ,, | Red | ,, | Red | A Grey<br>B Red<br>C Old English White | Red | Red |
| FIESTA (YL.11) | HN | Black | ,, | Black | Black | Black | Black |
| †PALE PRIMROSE (YL.12) | ,, | ,, | ,, | ,, | ,, | ,, | ,, |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

A HOOD
B TONNEAU COVER
C HARD TOP

†Revised information Issue 5

# Identification Data

## Austin-Healey

| Model | | Commencing | Finishing |
|---|---|---|---|
| Sprite Mark III | Engine No. | 10CC-DA-H101 | |
| | Car No. | H-AN8-38829 | H-AN8-64734 |
| | Body No. | ABL030580 | ABL055245 |
| Sprite Mark IV | Engine No. | 12CC-DA-H101 | |
| | Car No. | H-AN9-64735 | |
| | Body No. | ABL055500 | |

## MG

| Model | | Commencing | Finishing |
|---|---|---|---|
| Midget Mark II | Engine No. | 10CC-DA-H101 | |
| | Car No. | G-AN3-25788 | G-AN3-52389 |
| | Body No. | GBE025654 | GBE052153 |
| Midget Mark III | Engine No. | 12CC-DA-H101 | |
| | Car No. | G-AN4-52390 | |
| | Body No. | GBE052400 | |

# Key to Body Exterior and Main Trim Colour Combinations, from Start of Vehicle Production

The B.M.C. Colour Code numbers quoted in the following text relate to the Paint Colour samples in the "B.M.C. Service Paint Scheme" publication ref.: AKD 1482.

In the case of two-tone body exterior colours the colour below the break line is quoted first.

In the case of two-tone body exterior colours where a principal colour appears above and below the central band of another colour this also is suitably indicated.

**MODEL CODE**

H-AN8 — SPRITE Mk. III
G-AN3 — MIDGET Mk. II
H-AN9 — SPRITE Mk. IV
G-AN4 — MIDGET Mk. III

| Body Exterior and B.M.C. Paint Code | Model | Seats | Seat Piping | Liners | Hood Tonneau Cover Hard Top | Door Seals | Carpet Mat |
|---|---|---|---|---|---|---|---|
| BLACK (BK.1) | H-AN8, G-AN3 H-AN9, G-AN4 | Red | Grey | Red | Black | Red | Red |
| | G-AN3 H-AN9, G-AN4 | Black | ,, | Black | ,, | Black | Black |
| BASILICA BLUE (BU.11) | H-AN9, G-AN4 | ,, | ,, | ,, | ,, | ,, | ,, |
| RIVIERA BLUE (BU.44) | H-AN8 G-AN3 | Blue | ,, | Blue | A, B } Blue<br>C Riviera Blue | Blue | Blue |
| BRITISH RACING GREEN (GN.29) | H-AN8, G-AN3 H-AN9, G-AN4 | Black | ,, | Black | Black | Black | Black |
| DOVE GREY (GR.26) | H-AN8 G-AN3 | Red | ,, | Red | A Grey<br>B Red<br>C Black | Red | Red |
| TARTAN RED (RD.9) | ,, | ,, | ,, | ,, | A, B } Red<br>C Tartan Red | ,, | ,, |
| | G-AN4 | ,, | ,, | ,, | Black | ,, | ,, |
| | H-AN8, G-AN3 H-AN9, G-AN4 | Black | ,, | Black | ,, | Black | Black |
| OLD ENGLISH WHITE (WT.3) | H-AN8 G-AN3 | ,, | ,, | ,, | A, B } Black<br>C Old English White | ,, | ,, |
| | H-AN9 G-AN4 | ,, | ,, | ,, | Black | ,, | ,, |
| | H-AN8 G-AN3 | Red | ,, | Red | A Grey<br>B Red<br>C Old English White | Red | Red |
| | H-AN9 G-AN4 | ,, | ,, | ,, | Black | ,, | ,, |

A HOOD
B TONNEAU COVER
C HARD TOP

# Key to Body Exterior and Main Trim Colour Combinations, from Start of Vehicle Production *—continued*

| Body Exterior and B.M.C. Paint Code | Model | Seats | Seat Piping | Liners | Hood Tonneau Cover Hard Top | Door Seals | Carpet Mats |
|---|---|---|---|---|---|---|---|
| FIESTA (YL.11) | H-AN8 | Black | Grey | Black | Black | Black | Black |
| PALE PRIMROSE (YL.12) | H-AN8<br>H-AN9 | " | " | " | " | " | " |

# Part Number Index

**The following is a complete index of parts in this List, giving the page reference of each part number**


| Part Number | Page | Part Number | Page | Part Number | Page | Part Number | Page | Part Number | Page |
|---|---|---|---|---|---|---|---|---|---|
| 2A 5509 | BA 3 | AHA 5487 | BA 6 | AHA 5888 | BA 4 | AHA 7070 | BH 2 | AHA 7415 | BN 3 |
| 2A 5509 | BA 5 | AHA 5465 | BA 3 | AHA 5888 | BL 4 | AHA 7071 | BH 2 | AHA 7416 | BG 3 |
| 2A 5524 | BA 3 | AHA 5465 | BA 5 | AHA 5888 | BL 5 | AHA 7074 | BH 2 | AHA 7417 | BG 3 |
| 2A 5524 | BA 5 | AHA 5466 | BA 3 | AHA 6205 | BA 3 | AHA 7075 | BH 2 | AHA 7422 | BA 3 |
| | | AHA 5466 | BA 5 | AHA 6206 | BA 3 | AHA 7076 | BH 2 | AHA 7422 | BA 5 |
| 14A 866 | BB 2 | AHA 5499 | BO 2 | AHA 6206 | BA 5 | AHA 7077 | BH 2 | AHA 7423 | BA 3 |
| 14A 764 | BN 2·1 | AHA 5500 | BO 2 | AHA 6207 | BD 2 | AHA 7078 | BF 4 | AHA 7423 | BA 5 |
| 14A 1162 | BP 2 | AHA 5512 | BJ 2 | AHA 6213 | BD 2 | AHA 7080 | BH 2 | AHA 7428 | BF 2 |
| 14A 3823 | BH 3 | AHA 5513 | BJ 2 | AHA 6216 | BA 3 | AHA 7081 | BH 2 | AHA 7429 | BF 2 |
| 14A 4497 | BO 2 | AHA 5514 | BJ 2 | AHA 6216 | BA 5 | AHA 7084 | BF 4 | AHA 7431 | BG 2 |
| 14A 4497 | BO 6 | AHA 5515 | BJ 2 | AHA 6217 | BA 3 | AHA 7085 | BF 4 | AHA 7434 | BN 2 |
| 14A 4684 | BB 2 | AHA 5517 | BB 3 | AHA 6217 | BA 5 | AHA 7086 | BH 3 | AHA 7435 | BN 2 |
| 14A 4766 | BP 2 | AHA 5518 | BB 2 | AHA 6223 | BA 3 | AHA 7089 | BH 2 | AHA 7436 | BM 2 |
| 14A 4778 | BO 2 | AHA 5521 | BK 2 | AHA 6223 | BA 5 | AHA 7091 | BH 2 | AHA 7437 | BM 2 |
| 14A 4790 | BA 6 | AHA 5523 | BK 2 | AHA 6252 | BD 2 | AHA 7092 | BH 2 | AHA 7438 | BM 2 |
| 14A 4791 | BA 6 | AHA 5533 | BK 3 | AHA 6257 | BB 2 | AHA 7098 | BH 3 | AHA 7439 | BM 2 |
| 14A 5519 | BO 2 | AHA 5543 | BB 3 | AHA 6296 | BA 6 | AHA 7094 | BH 3 | AHA 7463 | BG 3 |
| 14A 5519 | BO 4 | AHA 5546 | BC 2 | AHA 6314 | BD 2 | AHA 7095 | BG 3 | AHA 7464 | BG 3 |
| 14A 5542 | BB 2 | AHA 5549 | BA 3 | AHA 6315 | BD 2 | AHA 7096 | BG 3 | AHA 7465 | BG 3 |
| 14A 5772 | BP 4 | AHA 5549 | BA 5 | AHA 6352 | BC 2 | AHA 7140 | BF 3 | AHA 7466 | BG 3 |
| 14A 6536 | BL 2 | AHA 5552 | BA 3 | AHA 6353 | BB 2 | AHA 7144 | BF 3 | AHA 7467 | BG 3 |
| 14A 6537 | BL 2 | AHA 5552 | BA 5 | AHA 6355 | BL 6 | AHA 7145 | BF 3 | AHA 7468 | BG 3 |
| 14A 6745 | BN 2·1 | AHA 5553 | BA 3 | AHA 6355 | BL 7 | AHA 7157 | BF 3 | AHA 7469 | BG 4 |
| 14A 6797 | BF 2 | AHA 5553 | BA 5 | AHA 6357 | BD 2 | AHA 7158 | BG 2 | AHA 7470 | BG 4 |
| 14A 7074 | BB 2 | AHA 5617 | BB 2 | AHA 6399 | BD 2 | AHA 7159 | BG 2 | AHA 7473 | BG 3 |
| | | AHA 5620 | BA 3 | AHA 6429 | BP 2 | AHA 7162 | BG 2 | AHA 7474 | BG 4 |
| 24A 836 | BO 3 | AHA 5620 | BA 5 | AHA 6498 | BK 2 | AHA 7189 | BF 3 | AHA 7475 | BG 4 |
| 24A 836 | BO 5 | AHA 5622 | BA 3 | AHA 6521 | BN 3 | AHA 7190 | BA 2 | AHA 7476 | BG 4 |
| 24A 836 | BO 6 | AHA 5622 | BA 5 | AHA 6617 | BN 4 | AHA 7192 | BF 2 | AHA 7477 | BG 4 |
| 24A 1078 | BO 3 | AHA 5624 | BA 3 | AHA 6618 | BN 4 | AHA 7198 | BF 2 | AHA 7478 | BG 4 |
| 24A 1078 | BO 5 | AHA 5624 | BA 5 | AHA 6620 | BN 4 | AHA 7212 | BA 2 | AHA 7480 | BG 3 |
| 24A 1078 | BO 6 | AHA 5626 | BA 3 | AHA 6625 | BN 4 | AHA 7213 | BA 2 | AHA 7481 | BG 3 |
| | | AHA 5626 | BA 5 | AHA 6626 | BN 4 | AHA 7229 | BA 2 | AHA 7482 | BG 3 |
| AAA 743 | BN 5 | AHA 5642 | BA 3 | AHA 6628 | BN 4 | AHA 7229 | BA 4 | AHA 7483 | BG 3 |
| AAA 836 | BP 2 | AHA 5642 | BA 5 | AHA 6641 | BN 4 | AHA 7230 | BA 2 | AHA 7484 | BG 4 |
| AAA 1524 | BD 2 | AHA 5653 | BB 3 | AHA 6642 | BN 4 | AHA 7230 | BA 4 | AHA 7485 | BG 4 |
| AAA 1645 | BK 2 | AHA 5654 | BB 2 | AHA 6644 | BN 4 | AHA 7235 | BA 3 | AHA 7487 | BN 3 |
| AAA 2398 | BB 2 | AHA 5664 | BJ 2 | AHA 6645 | BN 4 | AHA 7235 | BA 5 | AHA 7503 | BN 3·1 |
| | | AHA 5673 | BK 2 | AHA 6646 | BN 4 | AHA 7236 | BA 3 | AHA 7504 | BN 3·1 |
| ACA 5172 | BP 2 | AHA 5674 | BB 2 | AHA 6648 | BN 4 | AHA 7236 | BA 5 | AHA 7505 | BN 2·1 |
| ACA 5173 | BP 2 | AHA 5675 | BK 2 | AHA 6649 | BN 4 | AHA 7237 | BA 3 | AHA 7506 | BN 2·1 |
| ACA 5455 | BP 2 | AHA 5677 | BK 3 | AHA 6650 | BN 4 | AHA 7237 | BA 5 | AHA 7509 | BO 2 |
| ACA 5456 | BP 2 | AHA 5678 | BK 3 | AHA 6652 | BN 4 | AHA 7238 | BA 3 | AHA 7510 | BO 2 |
| | | AHA 5679 | BK 3 | AHA 6653 | BN 4 | AHA 7238 | BA 5 | AHA 7520 | BN 2 |
| ACH 9287 | BK 2 | AHA 5683 | BD 2 | AHA 6654 | BN 4 | AHA 7239 | BA 3 | AHA 7521 | BN 2 |
| ACH 9373 | BM 2 | AHA 5686 | BK 2 | AHA 6656 | BN 4 | AHA 7239 | BA 5 | AHA 7523 | BO 4 |
| | | AHA 5695 | BK 2 | AHA 6772 | BN 2 | AHA 7240 | BA 2 | AHA 7524 | BL 2 |
| ADA 833 | BO 2 | AHA 5696 | BK 2 | AHA 6773 | BN 2 | AHA 7240 | BA 4 | AHA 7535 | BF 4 |
| ADA 1874 | BN 2 | AHA 5699 | BD 2 | AHA 6780 | BN 2 | AHA 7241 | BA 2 | AHA 7536 | BM 2 |
| ADA 1874 | BN 3 | AHA 5699 | BM 2 | AHA 6781 | BN 2 | AHA 7241 | BA 4 | AHA 7537 | BM 2 |
| ADA 2493 | BA 6 | AHA 5700 | BB 2 | AHA 6784 | BN 3 | AHA 7248 | BA 2 | AHA 7541 | BM 2 |
| | | AHA 5701 | BB 2 | AHA 6785 | BN 3 | AHA 7289 | BA 2 | AHA 7543 | BG 4 |
| ADB 503 | BF 2 | AHA 5701 | BN 3 | AHA 6881 | BN 2·1 | AHA 7300 | BA 2 | AHA 7544 | BG 3 |
| ADB 509 | BM 2 | AHA 5702 | BB 2 | AHA 6882 | BN 2·1 | AHA 7301 | BA 2 | AHA 7553 | BG 4 |
| ADB 557 | BG 2 | AHA 5729 | BA 2 | AHA 6886 | BO 4 | AHA 7304 | BA 2 | AHA 7554 | BG 3 |
| ADB 709 | BG 2 | AHA 5730 | BA 2 | AHA 6887 | BO 4 | AHA 7304 | BA 4 | AHA 7601 | BN 3 |
| ADB 4811 | BH 2 | AHA 5731 | BA 2 | AHA 6906 | BN 5 | AHA 7305 | BA 2 | AHA 7602 | BN 3 |
| ADB 4811 | BL 2 | AHA 5732 | BA 2 | AHA 6922 | BO 2 | AHA 7305 | BA 4 | AHA 7604 | BN 3 |
| ADB 4811 | BL 3 | AHA 5750 | BA 2 | AHA 6923 | BO 2 | AHA 7315 | BG 4 | AHA 7605 | BN 3 |
| ADB 4811 | BL 4 | AHA 5750 | BA 4 | AHA 7033 | BF 3 | AHA 7326 | BG 2 | AHA 7606 | BN 3 |
| ADB 4811 | BL 5 | AHA 5755 | BA 2 | AHA 7034 | BF 3 | AHA 7327 | BG 2 | AHA 7615 | BN 2 |
| ADB 4811 | BN 4 | AHA 5756 | BA 2 | AHA 7035 | BF 4 | AHA 7350 | BL 2 | AHA 7616 | BN 2 |
| | | AHA 5757 | BA 2 | AHA 7036 | BF 4 | AHA 7350 | BL 3 | AHA 7617 | BN 2 |
| ADE 539 | BN 5 | AHA 5765 | BK 3 | AHA 7037 | BF 3 | AHA 7350 | BL 6 | AHA 7618 | BN 2 |
| | | AHA 5791 | BK 3 | AHA 7038 | BG 2 | AHA 7350 | BL 7 | AHA 7619 | BN 2 |
| ADG 474 | BK 3 | AHA 5804 | BK 3 | AHA 7039 | BG 2 | AHA 7368 | BL 2 | AHA 7629 | BA 3 |
| ADG 1683 | BF 3 | AHA 5807 | BD 2 | AHA 7040 | BF 3 | AHA 7370 | BL 2 | AHA 7629 | BA 5 |
| | | AHA 5810 | BD 2 | AHA 7041 | BF 3 | AHA 7371 | BL 2 | AHA 7632 | BN 2·1 |
| ADH 884 | BF 3 | AHA 5811 | BD 2 | AHA 7042 | BG 2 | AHA 7377 | BF 3 | AHA 7634 | BF 2 |
| ADH 2475 | BD 2 | AHA 5817 | BC 2 | AHA 7044 | BO 2 | AHA 7378 | BF 4 | AHA 7635 | BF 2 |
| ADH 2476 | BD 2 | AHA 5817 | BF 2 | AHA 7045 | BO 2 | AHA 7379 | BF 4 | AHA 7640 | BB 2 |
| ADH 4492 | BD 2 | AHA 5818 | BC 2 | AHA 7056 | BG 2 | AHA 7393 | BC 2 | AHA 7642 | BG 4 |
| ADH 5481 | BG 2 | AHA 5822 | BC 2 | AHA 7057 | BG 2 | AHA 7402 | BG 3 | AHA 7645 | BL 2 |
| | | AHA 5823 | BF 2 | AHA 7060 | BH 2 | AHA 7403 | BG 3 | AHA 7646 | BL 2 |
| AHA 5211 | BK 3 | AHA 5824 | BF 2 | AHA 7061 | BH 2 | AHA 7404 | BF 4 | AHA 7688 | BN 3·1 |
| AHA 5213 | BP 2 | AHA 5825 | BC 2 | AHA 7063 | BH 2 | AHA 7408 | BF 4 | AHA 7689 | BN 3·1 |
| AHA 5215 | BP 2 | AHA 5837 | BA 2 | AHA 7064 | BH 2 | AHA 7412 | BN 3 | AHA 7696 | BG 4 |
| AHA 5217 | BL 2 | AHA 5837 | BA 4 | AHA 7065 | BH 2 | AHA 7413 | BN 3 | AHA 7698 | BH 2 |
| AHA 5219 | BO 2 | AHA 5838 | BA 2 | AHA 7067 | BH 2 | AHA 7414 | BN 3 | AHA 7701 | BL 4 |

# Part Number Index—*continued*


| Part Number | Page | Part Number | Page | Part Number | Page | Part Number | Page | Part Number | Page |
|---|---|---|---|---|---|---|---|---|---|
| AHA 7702 | BL 4 | AHA 7964 | BN 4 | AHA 8329 | BO 4 | AHA 8787 | BO 5 | AHH 6439 | BL 2 |
| AHA 7703 | BG 2 | AHA 7965 | BN 4 | AHA 8330 | BO 4 | AHA 8790 | BM 4 | AHH 6439 | BL 3 |
| AHA 7704 | BL 2 | AHA 7966 | BN 4 | AHA 8331 | BP 2 | AHA 8826 | BO 6 | AHH 6495 | BH 2 |
| AHA 7705 | BL 2 | AHA 7967 | BN 4 | AHA 8355 | BL 3 | AHA 8827 | BO 5 | AHH 6848 | BH 4 |
| AHA 7709 | BL 2 | AHA 7968 | BN 4 | AHA 8355 | BL 7 | AHA 8860 | BA 5 | AHH 6940 | BH 3·1 |
| AHA 7709 | BL 3 | AHA 7990 | BO 3 | AHA 8387 | BA 3 | AHA 8878 | BA 4 | AHH 6948 | BH 3·1 |
| AHA 7709 | BL 6 | AHA 7991 | BO 3 | AHA 8387 | BA 5 | AHA 8896 | BO 6 | AHH 6951 | BH 3·1 |
| AHA 7709 | BL 7 | AHA 7992 | BO 3 | AHA 8401 | BA 6 | AHA 8897 | BO 6 | AHH 7188 | BH 2 |
| AHA 7719 | BF 2 | AHA 7998 | BO 3 | AHA 8405 | BG 2 | AHA 8899 | BN 4 | AHH 7196 | BL 6 |
| AHA 7720 | BF 2 | AHA 7994 | BO 3 | AHA 8415 | BP 3 | AHA 8905 | BN 2 | AHH 7196 | BL 7 |
| AHA 7730 | BN 2 | AHA 7995 | BO 3 | AHA 8416 | BP 3 | AHA 8906 | BN 2 | AHH 8177 | BK 3 |
| AHA 7731 | BN 2 | AHA 7996 | BO 3 | AHA 8417 | BP 3·1 | AHA 8909 | BN 3 | AHH 8319 | BA 6 |
| AHA 7732 | BN 2 | AHA 7997 | BO 3 | AHA 8431 | BG 2 | AHA 8939 | BO 4 | AHH 8394 | BP 2 |
| AHA 7733 | BN 2 | AHA 7998 | BO 3 | AHA 8432 | BG 2 | AHA 8941 | BO 5 | AHH 8715 | BF 4 |
| AHA 7734 | BN 2 | AHA 8004 | BK 3 | AHA 8433 | BF 3 | AHA 8948 | BO 5 | AHH 8716 | BF 4 |
| AHA 7735 | BN 2 | AHA 8007 | BH 2 | AHA 8436 | BF 2 | AHA 8945 | BO 5 | AHH 8749 | BH 2 |
| AHA 7746 | BG 4 | AHA 8008 | BH 2 | AHA 8437 | BF 2 | AHA 8947 | BO 6 | AHH 8758 | BH 2 |
| AHA 7747 | BG 4 | AHA 8011 | BA 4 | AHA 8446 | BG 4 | AHA 8949 | BO 6 | AHH 8799 | BN 3·1 |
| AHA 7749 | BN 2 | AHA 8014 | BA 4 | AHA 8447 | BG 4 | AHA 8963 | BL 3 | AHH 8846 | BH 2 |
| AHA 7750 | BN 2 | AHA 8015 | BA 4 | AHA 8456 | BN 2 | AHA 8964 | BN 2 | AHH 8918 | BL 7 |
| AHA 7751 | BN 2 | AHA 8020 | BA 4 | AHA 8457 | BN 2 | AHA 8969 | BN 2 | AHH 8971 | BP 3·1 |
| AHA 7768 | BM 2 | AHA 8021 | BA 4 | AHA 8458 | BN 2 | AHA 8970 | BN 2 | AHH 9239 | BF 4 |
| AHA 7773 | BG 4 | AHA 8023 | BA 4 | AHA 8459 | BN 2 | AHA 8975 | BN 2 | AHH 9295 | BO 5 |
| AHA 7774 | BG 4 | AHA 8024 | BA 4 | AHA 8476 | BH 2 | AHA 8976 | BN 2 | AHH 9295 | BO 6 |
| AHA 7775 | BG 3 | AHA 8025 | BA 4 | AHA 8479 | BH 2 | AHA 8998 | BN 3 | AHH 9441 | BO 5 |
| AHA 7779 | BH 3 | AHA 8033 | BA 4 | AHA 8483 | BH 2 | AHA 9000 | BN 3 | AHH 9441 | BO 6 |
| AHA 7783 | BL 4 | AHA 8034 | BA 44 | AHA 8484 | BH 2 | AHA 9004 | BN 2 | AHH 9711 | BO 5 |
| AHA 7784 | BL 4 | AHA 8035 | BA 4 | AHA 8486 | BH 2 | AHA 9006 | BN 2 | AHH 9711 | BO 6 |
| AHA 7785 | BL 4 | AHA 8036 | BA 4 | AHA 8491 | BL 3 | AHA 9028 | BN 3 | | |
| AHA 7786 | BL 4 | AHA 8037 | BA 4 | AHA 8491 | BL 7 | AHA 9049 | BN 2·1 | AJA 5112 | BD 2 |
| AHA 7787 | BL 4 | AHA 8055 | BA 2 | AHA 8501 | BP 3 | AHA 9051 | BL 3 | AJA 5117 | BB 2 |
| AHA 7788 | BL 4 | AHA 8055 | BA 4 | AHA 8502 | BL 7 | AHA 9054 | BL 3 | AJA 5118 | BA 3 |
| AHA 7789 | BL 4 | AHA 8058 | BN 3 | AHA 8503 | BA 4 | AHA 9061 | BL 3 | AJA 5118 | BA 5 |
| AHA 7789 | BL 5 | AHA 8064 | BL 7 | AHA 8505 | BA 4 | AHA 9086 | BL 5 | | |
| AHA 7792 | BL 4 | AHA 8082 | BL 7 | AHA 8506 | BA 2 | AHA 9087 | BL 5 | AJD 1092 | BF 3 |
| AHA 7792 | BL 5 | AHA 8083 | BL 7 | AHA 8506 | BA 4 | AHA 9089 | BO 5 | AJD 7721 | BN 3·1 |
| AHA 7796 | BH 2 | AHA 8084 | BL 7 | AHA 8517 | BG 2 | AHA 9089 | BO 6 | AJD 7722 | BD 2 |
| AHA 7814 | BL 6 | AHA 8085 | BL 7 | AHA 8518 | BF 2 | AHA 9102 | BO 6 | AJD 8012N | BF 3 |
| AHA 7815 | BL 6 | AHA 8086 | BL 7 | AHA 8519 | BF 2 | AHA 9116 | BO 6 | AJD 8012Z | BF 3 |
| AHA 7816 | BL 6 | AHA 8087 | BL 7 | AHA 8520 | BO 3 | AHA 9117 | BO 6 | AJD 8012Z | BH 4 |
| AHA 7817 | BL 6 | AHA 8090 | BP 2 | AHA 8520 | BO 5 | AHA 9124 | BO 5 | AJD 8014Z | BM 2 |
| AHA 7818 | BL 6 | AHA 8091 | BP 3 | AHA 8521 | BO 3 | AHA 9125 | BO 5 | | |
| AHA 7819 | BL 6 | AHA 8092 | BP 3·1 | AHA 8522 | BO 3 | AHA 9125 | BO 6 | AKE 5125 | BO 2 |
| AHA 7825 | BL 6 | AHA 8098 | BJ 2 | AHA 8526 | BF 3 | AHA 9126 | BO 5 | AKE 5126 | BO 2 |
| AHA 7826 | BL 6 | AHA 8140 | BN 3·1 | AHA 8527 | BF 3 | AHA 9126 | BO 6 | AKE 5204 | BO 2 |
| AHA 7834 | BL 6 | AHA 8141 | BN 3·1 | AHA 8530 | BF 3 | AHA 9144 | BO 5 | AKE 5205 | BO 2 |
| AHA 7837 | BL 6 | AHA 8150 | BL 7 | AHA 8531 | BF 4 | AHA 9145 | BO 5 | AKE 5221 | BL 2 |
| AHA 7838 | BF 2 | AHA 8162 | BN 2·1 | AHA 8532 | BF 4 | AHA 9153 | BL 5 | AKE 5223 | BL 2 |
| AHA 7843 | BL 6 | AHA 8163 | BN 2·1 | AHA 8533 | BG 2 | AHA 9156 | BL 5 | AKE 5224 | BL 2 |
| AHA 7844 | BL 6 | AHA 8185 | BL 3 | AHA 8534 | BG 2 | AHA 9157 | BL 5 | AKE 5247 | BO 2 |
| AHA 7845 | BL 6 | AHA 8188 | BL 3 | AHA 8544 | BO 3 | AHA 9158 | BL 5 | AKE 5249 | BL 2 |
| AHA 7845 | BL 7 | AHA 8189 | BL 3 | AHA 8545 | BO 3 | AHA 9159 | BL 5 | | |
| AHA 7846 | BL 6 | AHA 8199 | BN 4 | AHA 8546 | BO 3 | AHA 9160 | BL 5 | AKF 1277 | BH 3·1 |
| AHA 7846 | BL 7 | AHA 8200 | BN 4 | AHA 8547 | BO 3 | AHA 9166 | BL 5 | AKF 1291 | BB 3 |
| AHA 7847 | BL 6 | AHA 8202 | BN 4 | AHA 8548 | BO 3 | AHA 9167 | BN 3 | | |
| AHA 7848 | BL 6 | AHA 8203 | BN 4 | AHA 8549 | BO 3 | AHA 9169 | BN 2 | ALA 2466 | BD 2 |
| AHA 7853 | BL 6 | AHA 8205 | BN 4 | AHA 8557 | BH 2 | AHA 9172 | BP 4 | ALA 3647 | BC 2 |
| AHA 7854 | BL 6 | AHA 8206 | BN 4 | AHA 8559 | BH 2 | AHA 9173 | BF 3 | ALA 3647 | BF 2 |
| AHA 7861 | BO 3 | AHA 8220 | BN 3 | AHA 8560 | BH 2 | AHA 9174 | BF 3 | | |
| AHA 7862 | BO 3 | AHA 8221 | BN 3 | AHA 8561 | BH 2 | AHA 9190 | BL 3 | ALH 1527 | BG 2 |
| AHA 7868 | BO 3 | AHA 8228 | BN 3 | AHA 8565 | BP 2 | AHA 9210 | BN 4 | | |
| AHA 7876 | BO 3 | AHA 8229 | BN 3 | AHA 8566 | BP 2 | | | ALK 8268 | BK 3 |
| AHA 7877 | BO 3 | AHA 8231 | BN 3 | AHA 8570 | BM 2 | AHB 9656 | BN 2·1 | | |
| AHA 7878 | BO 3 | AHA 8232 | BN 3 | AHA 8579 | BM 2 | | | ANK 4646 | BD 2 |
| AHA 7878 | BO 5 | AHA 8275 | BM 2 | AHA 8602 | BA 4 | AHC 752 | BP 3·1 | ANK 4646 | BF 4 |
| AHA 7878 | BO 6 | AHA 8276 | BM 2 | AHA 8606 | BM 2 | | | | |
| AHA 7883 | BO 4 | AHA 8284 | BA 5 | AHA 8615 | BA 5 | AHH 5255 | BM 2 | ANZ 103 | BP 4 |
| AHA 7884 | BO 4 | AHA 8285 | BA 5 | AHA 8681 | BN 2 | AHH 5256 | BM 2 | | |
| AHA 7892 | BK 3 | AHA 8288 | BL 3 | AHA 8687 | BM 2 | AHH 5258 | BM 2 | ARA 118 | BJ 2 |
| AHA 7909 | BF 3 | AHA 8293 | BL 5 | AHA 8700 | BN 3·1 | AHH 5261 | BD 2 | ARA 226 | BJ 2 |
| AHA 7910 | BA 6 | AHA 8294 | BL 5 | AHA 8701 | BN 3·1 | AHH 5460 | BB 2 | ARA 249 | BJ 2 |
| AHA 7919 | BO 3 | AHA 8295 | BL 3 | AHA 8706 | BM 2 | AHH 5514 | BA 6 | ARA 1198 | BJ 2 |
| AHA 7920 | BO 3 | AHA 8309 | BL 3 | AHA 8716 | BP 3·1 | AHH 5593 | BP 4 | ARA 1205 | BJ 2 |
| AHA 7922 | BO 3 | AHA 8309 | BN 3·1 | AHA 8724 | BN 4 | AHH 5712 | BK 3 | ARA 1206 | BJ 2 |
| AHA 7923 | BO 3 | AHA 8310 | BL 3 | AHA 8725 | BN 4 | AHH 5714 | BP 3 | ARA 1207 | BJ 2 |
| AHA 7926 | BO 3 | AHA 8310 | BN 3·1 | AHA 8729 | BH 4 | AHH 5714 | BP 4 | ARA 1208 | BJ 2 |
| AHA 7955 | BA 3 | AHA 8313 | BL 5 | AHA 8746 | BB 2 | AHH 6267 | BH 2 | ARA 1209 | BJ 2 |
| AHA 7955 | BA 5 | AHA 8314 | BL 5 | AHA 8758 | BL 5 | AHH 6276 | BP 3·1 | ARA 1210 | BJ 2 |
| AHA 7956 | BA 3 | AHA 8315 | BL 7 | AHA 8763 | BM 2 | AHH 6348 | BG 4 | ARA 1211 | BJ 2 |
| AHA 7956 | BA 5 | AHA 8317 | BP 3·1 | AHA 8768 | BP 4 | AHH 6390 | BH 2 | ARA 1212 | BJ 2 |
| AHA 7959 | BH 2 | AHA 8318 | BL 5 | AHA 8780 | BM 2 | AHH 6417 | BN 3 | ARA 1215 | BJ 2 |
| AHA 7960 | BH 2 | AHA 8323 | BP 2 | AHA 8782 | BP 2 | AHH 6438 | BL 2 | ARA 1216 | BJ 2 |
| AHA 7961 | BN 4 | AHA 8324 | BL 3 | AHA 8786 | BO 5 | AHH 6438 | BL 6 | ARA 1218 | BJ 2 |

# Part Number Index—*continued*


| Part Number | Page |
|---|---|
| ARA 1259 | BJ 2 |
| ARA 2069 | BJ 2 |
| ARA 2070 | BJ 2 |
| ARA 2148 | BJ 2 |
| ARA 2175 | BJ 2 |
| ARH 59 | BM 2 |
| ARH 596 | BJ 2 |
| 4B 3479 | BF 2 |
| 4B 8646 | BB 2 |
| 4B 9718 | BP 2 |
| 4B 9718 | BP 4 |
| 11B 5721 | BK 2 |
| 14B 1730 | BL 2 |
| 14B 2685 | BA 6 |
| 14B 2685 | BK 3 |
| 14B 7889 | BH 3·1 |
| 14B 7889 | BL 3 |
| 24B 4057 | BO 6 |
| BCA 4590 | BC 2 |
| BHA 4082 | BC 2 |
| BHA 4082 | BD 2 |
| BHA 4082 | BM 2 |
| BHA 4205 | BP 3·1 |
| BHA 4207 | BP 4 |
| BHA 4339 | BO 3 |
| BHA 4339 | BO 5 |
| BHA 4339 | BO 6 |
| BHA 4361 | BH 4 |
| BHA 4362 | BH 4 |
| BHA 4416 | BM 2 |
| BHA 4426 | BJ 2 |
| BHA 4461 | BL 2 |
| BHA 4510 | BH 4 |
| BHA 4536 | BA 6 |
| BHA 4553 | BD 2 |
| BHA 4558 | BD 2 |
| BHA 4631 | BL 3 |
| BHA 4735 | BH 3·1 |
| BHA 4744 | BP 2 |
| BHA 4745 | BP 3 |
| BHA 4781 | BH 3·1 |
| BHA 4781 | BH 3·1 |
| BHA 4788 | BH 3·1 |
| BHA 4788 | BH 3·1 |
| BHA 4792 | BP 3·1 |
| BHA 4807 | BH 3·1 |
| BHA 4808 | BH 3·1 |
| BHA 4809 | BH 3·1 |
| BHA 4823 | BM 2 |
| BMK 924 | BP 2 |
| BRP 608 | BM 2 |
| CFP 625 | BA 6 |
| CMP 0203 | BG 3 |
| CMP 0308 | BH 2 |
| CMP 0310 | BH 2 |
| CMZ 0305 | BH 2 |
| CMZ 0307 | BH 2 |
| CMZ 0410 | BF 4 |
| CMZ 0410 | BL 3 |
| CMZ 0416 | BF 3 |
| CMZ 0420 | BF 4 |
| CMZ 0420 | BO 4 |
| CNZ 102 | BB 2 |
| CNZ 102 | BD 2 |
| CRS 0410 | BO 2 |
| CTP 404 | BL 7 |
| CTZ 604 | BL 2 |
| CTZ 604 | BL 3 |
| CTZ 604 | BN 4 |
| CZA 2118 | BF 3 |
| CZA 2119 | BF 3 |
| CZA 2128 | BG 2 |
| CZA 2864 | BF 2 |
| CZA 2865 | BF 2 |
| CZA 2866 | BF 2 |
| CZA 2867 | BG 2 |
| CZA 3310 | BF 4 |
| CZA 3311 | BF 4 |
| CZJ 104 | BB 2 |
| CZJ 105 | BB 2 |
| CZJ 128 | BC 2 |
| CZJ 129 | BC 2 |
| CZJ 140 | BA 4 |
| CZP 404 | BG 4 |
| 5D 4199 | BN 5 |
| 5D 9863 | BN 5 |
| DAP 0829 | BL 2 |
| DAP 0829 | BL 3 |
| DMP 0721 | BC 2 |
| DMP 0721 | BF 2 |
| DMP 0819 | BJ 4 |
| DMP 0829 | BJ 2 |
| DMP 0829 | BL 2 |
| DMP 0829 | BL 4 |
| DMP 0885 | BL 3 |
| DMP 2840 | BL 5 |
| FNP 103 | BH 2 |
| FNZ 103 | BA 3 |
| FNZ 103 | BA 5 |
| FNZ 103 | BB 2 |
| FNZ 103 | BB 3 |
| FNZ 103 | BC 2 |
| FNZ 103 | BF 2 |
| FNZ 103 | BF 3 |
| FNZ 103 | BH 4 |
| FNZ 103 | BJ 2 |
| FNZ 103 | BL 2 |
| FNZ 103 | BL 4 |
| FNZ 103 | BL 5 |
| FNZ 103 | BM 2 |
| FNZ 103 | BN 3 |
| FNZ 103 | BP 3 |
| FNZ 103 | BP 3·1 |
| FNZ 103 | BP 4 |
| FNZ 104 | BC 2 |
| FNZ 104 | BG 2 |
| FNZ 104 | BG 3 |
| FNZ 104 | BG 4 |
| FNZ 104 | BJ 2 |
| FNZ 104 | BM 2 |
| FNZ 104 | BP 3 |
| FNZ 105 | BD 2 |
| FNZ 105 | BG 2 |
| FNZ 105 | BL 7 |
| FNZ 105 | BO 4 |
| FNZ 106 | BH 3 |
| FNZ 106 | BK 2 |
| FNZ 106 | BK 3 |
| FNZ 108 | BK 2 |
| FNZ 205 | BB 2 |
| FNZ 206 | BB 3 |
| FWP 106 | BL 6 |
| FWP 106 | BL 7 |
| FWP 706 | BM 2 |
| FWP 710 | BM 2 |
| FWP 906 | BN 2 |
| FWP 906 | BN 3 |
| FWZ 206 | BL 2 |
| FWZ 206 | BL 3 |
| FWZ 210 | BM 2 |
| 4G 877 | BO 2 |
| 4G 877 | BO 4 |
| 4G 1588 | BB 3 |
| 4G 1851 | BA 6 |
| 4G 2494 | BB 3 |
| 4G 3035 | BB 3 |
| 4G 3676 | BB 3 |
| 4G 4920 | BA 6 |
| 4G 6957 | BA 6 |
| 4G 9763 | BA 6 |
| 12G 1785 | BP 2 |
| 14G 2444 | BB 3 |
| 14G 2791 | BF 3 |
| 14G 2792 | BF 3 |
| 14G 3499 | BP 2 |
| 14G 5716 | BN 2·1 |
| 14G 6451 | BP 4 |
| 14G 8736 | BN 4 |
| 18G 8466 | BG 3 |
| 18G 8467 | BG 3 |
| 18G 8468 | BG 3 |
| 18G 8469 | BG 3 |
| 24G 1052 | BB 3 |
| 24G 1482 | BP 3·1 |
| 24G 1482 | BP 4 |
| 28G 118 | BA 3 |
| 28G 118 | BA 5 |
| 28G 119 | BA 3 |
| 28G 119 | BA 5 |
| 28G 120 | BA 3 |
| 28G 120 | BA 5 |
| 28G 121 | BA 3 |
| 28G 122 | BA 3 |
| 34G 9 | BL 6 |
| 34G 1295 | BH 4 |
| 88G 221 | BP 2 |
| 88G 455 | BH 2 |
| 2H 3406 | BP 3·1 |
| 2H 8108 | BA 6 |
| 2H 8445 | BN 4 |
| 3H 2615 | BB 3 |
| 7H 1997 | BP 3·1 |
| 7H 9864 | BL 2 |
| 7H 9864 | BL 3 |
| 7H 9864 | BL 4 |
| 7H 9864 | BL 5 |
| 7H 9866 | BL 2 |
| 7H 9866 | BL 3 |
| 7H 9866 | BL 4 |
| 7H 9866 | BL 5 |
| 7H 9868 | BL 4 |
| 7H 9868 | BL 5 |
| 13H 51 | BP 3 |
| 13H 54 | BP 2 |
| 13H 56 | BP 4 |
| 13H 57 | BP 4 |
| 13H 58 | BP 3 |
| 13H 59 | BP 2 |
| 13H 227 | BH 4 |
| 13H 231 | BH 4 |
| 13H 232 | BH 4 |
| 13H 440 | BH 4 |
| 13H 3939 | BH 4 |
| 13H 4014 | BN 2·1 |
| 17H 819 | BP 3 |
| 17H 823 | BP 3·1 |
| 17H 823 | BP 4 |
| 17H 824 | BP 3·1 |
| 17H 824 | BP 4 |
| 17H 825 | BP 3·1 |
| 17H 825 | BP 4 |
| 17H 1455 | BP 3 |
| 17H 1574 | BP 3 |
| 17H 1590 | BP 2 |
| 17H 1591 | BP 2 |
| 17H 1593 | BP 2 |
| 17H 1595 | BP 2 |
| 17H 1601 | BP 3·1 |
| 17H 1601 | BP 4 |
| 17H 1602 | BP 3·1 |
| 17H 1603 | BP 3·1 |
| 17H 1603 | BP 4 |
| 17H 1605 | BP 4 |
| 17H 1606 | BP 4 |
| 17H 1607 | BP 4 |
| 17H 1608 | BP 4 |
| 17H 1609 | BP 4 |
| 17H 2580 | BG 4 |
| 17H 2669 | BH 4 |
| 17H 6836 | BP 3 |
| 17H 8108 | BP 3 |
| 17H 8146 | BH 3 |
| 17H 8147 | BH 3 |
| 17H 8148 | BH 3 |
| 17H 8149 | BH 3·1 |
| 17H 9269 | BL 6 |
| 17H 9269 | BL 7 |
| 27H 602 | BP 3 |
| 27H 1193 | BP 3 |
| 27H 1193 | BP 3·1 |
| 27H 1198 | BP 4 |
| 27H 1232 | BP 3 |
| 27H 1249 | BP 3·1 |
| 27H 1250 | BP 3·1 |
| 27H 1253 | BP 2 |
| 27H 1258 | BP 3 |
| 27H 2853 | BN 2·1 |
| 27H 2854 | BN 2·1 |
| 27H 2855 | BN 2·1 |
| 27H 3351 | BG 3 |
| 27H 4581 | BL 6 |
| 27H 4798 | BL 6 |
| 27H 6402 | BL 6 |
| 27H 6402 | BL 7 |
| 27H 6841 | BN 5 |
| 27H 8390 | BL 3 |
| 27H 8705 | BG 3 |
| 27H 9504 | BF 3 |
| 27H 9509 | BF 3 |
| 27H 9510 | BF 3 |
| 27H 9511 | BF 3 |
| 27H 9623 | BH 4 |
| 27H 9863 | BH 3·1 |
| 37H 537 | BP 2 |
| 37H 1389 | BL 6 |
| 37H 1389 | BL 7 |
| 37H 1572 | BP 3 |
| 37H 1811 | BF 2 |
| 37H 2501 | BH 3·1 |
| 37H 2502 | BH 3·1 |
| 37H 2506 | BF 2 |
| 37H 2794 | BP 3 |
| 37H 2797 | BP 2 |
| 37H 2956 | BH 3·1 |
| 37H 3226 | BL 7 |
| 37H 3227 | BL 7 |
| 37H 3717 | BF 3 |
| 37H 3718 | BP 2 |
| 37H 4328 | BH 3·1 |
| 37H 4329 | BH 3·1 |
| 37H 4347 | BG 3 |
| 37H 4579 | BH 3·1 |
| 37H 4580 | BH 3·1 |
| 37H 9523 | BH 4 |
| 37H 9617 | BH 3·1 |
| 37H 9708 | BH 4 |
| 37H 9871 | BK 2 |
| 37H 9882 | BG 2 |
| 37H 9946 | BH 3·1 |
| 37H 9947 | BH 3·1 |
| 37H 9967 | BH 3·1 |
| 37H 9968 | BH 3·1 |
| 37H 9970 | BH 3·1 |
| 37H 9971 | BH 3·1 |
| 37H 9972 | BH 3·1 |
| 37H 9973 | BH 3·1 |
| 37H 9974 | BH 3·1 |
| 47H 9510 | BH 3·1 |
| 97H 717 | BL 4 |
| 97H 717 | BL 5 |
| 97H 2679 | BH 4 |
| HBZ 0408 | BP 3 |
| HBZ 0524 | BB 2 |
| HBZ 0526 | BL 6 |
| HBZ 0611 | BH 3 |
| HBZ 0611 | BK 2 |
| HCS 0507 | BP 2 |
| HCS 3036 | BP 3 |
| HCS 3036 | BP 4 |
| HPS 0408 | BH 3 |
| HZS 0404 | BG 2 |
| HZS 0404 | BG 3 |
| HZS 0404 | BG 4 |
| HZS 0404 | BP 3 |
| HZS 0404 | BP 4 |
| HZS 0405 | BB 2 |
| HZS 0405 | BB 3 |
| HZS 0405 | BC 2 |
| HZS 0405 | BD 2 |
| HZS 0405 | BL 6 |
| HZS 0405 | BL 7 |
| HZS 0405 | BM 2 |
| HZS 0406 | BA 3 |
| HZS 0406 | BA 5 |
| HZS 0406 | BO 2 |
| HZS 0406 | BO 4 |
| HZS 0406 | BP 2 |
| HZS 0505 | BD 2 |
| HZS 0505 | BF 2 |
| HZS 0506 | BK 3 |
| HZS 0507 | BG 4 |
| HZS 0507 | BL 6 |
| HZS 0508 | BL 3 |
| HZS 0508 | BO 3 |
| HZS 0508 | BO 5 |
| HZS 0509 | BL 7 |
| HZS 0606 | BK 2 |
| HZS 0608 | BK 2 |
| HZS 0608 | BK 3 |
| 2K 4936 | BL 2 |
| 2K 4936 | BL 4 |
| 2K 4936 | BL 5 |
| 2K 9001 | BJ 2 |
| 11K 5564 | BL 2 |
| 24K 2085 | BP 3 |
| 53K 126 | BF 3 |
| 53K 126 | BL 2 |
| 53K 126 | BL 3 |
| 53K 126 | BP 3 |
| 53K 126 | BP 3·1 |
| 53K 127 | BL 6 |
| 53K 127 | BL 7 |
| 53K 1016 | BB 3 |
| 53K 1016 | BP 3·1 |
| 53K 1016 | BP 4 |
| 53K 1420 | BD 2 |
| 53K 1420 | BN 3 |
| 54K 205 | BO 6 |
| KMP 0885 | BN 3 |
| KXR 0416 | BG 4 |

# Part Number Index—*continued*


| Part Number | Page |
|---|---|
| 1AL 118 | BN 5 |
| 1AL 267 | BN 5 |
| 1AL 558 | BN 5 |
| 1KL 1113 | BN 5 |
| 1KL 1267 | BN 5 |
| 1KL 1558 | BN 5 |
| LFP 116 | BL 4 |
| LFP 116 | BL 5 |
| LFP 116 | BO 4 |
| LFP 1006 | BL 4 |
| LFP 1006 | BL 5 |
| LFS 100 | BL 4 |
| LFS 100 | BL 5 |
| LFS 107 | BL 4 |
| LFS 107 | BL 5 |
| LNZ 104 | BO 4 |
| LNZ 203 | BN 3·1 |
| LNZ 205 | BD 2 |
| LNZ 205 | BO 3 |
| LNZ 205 | BO 5 |
| LNZ 405 | BB 2 |
| LWN 403 | BF 3 |
| LWZ 202 | BB 2 |
| LWZ 202 | BD 2 |
| LWZ 202 | BL 3 |
| LWZ 203 | BA 3 |
| LWZ 203 | BA 5 |
| LWZ 203 | BB 2 |
| LWZ 203 | BB 3 |
| LWZ 203 | BC 2 |
| LWZ 203 | BD 2 |
| LWZ 203 | BF 2 |
| LWZ 203 | BF 3 |
| LWZ 203 | BG 2 |
| LWZ 203 | BH 2 |
| LWZ 203 | BH 3·1 |
| LWZ 203 | BH 4 |
| LWZ 203 | BJ 2 |
| LWZ 203 | BL 2 |
| LWZ 203 | BL 3 |
| LWZ 203 | BL 4 |
| LWZ 203 | BL 5 |
| LWZ 203 | BL 6 |
| LWZ 203 | BL 7 |
| LWZ 203 | BM 2 |
| LWZ 203 | BN 3 |
| LWZ 203 | BP 3 |
| LWZ 203 | BP 3·1 |
| LWZ 203 | BP 4 |
| LWZ 204 | BA 3 |
| LWZ 204 | BA 5 |
| LWZ 204 | BA 6 |
| LWZ 204 | BB 2 |
| LWZ 204 | BB 3 |
| LWZ 204 | BC 2 |
| LWZ 204 | BD 2 |
| LWZ 204 | BG 2 |
| LWZ 204 | BG 3 |
| LWZ 204 | BG 4 |
| LWZ 204 | BH 3 |
| LWZ 204 | BJ 2 |
| LWZ 204 | BK 3 |
| LWZ 204 | BL 6 |
| LWZ 204 | BL 7 |
| LWZ 204 | BM 2 |
| LWZ 204 | BO 2 |
| LWZ 204 | BO 4 |
| LWZ 204 | BP 2 |
| LWZ 204 | BP 3 |
| LWZ 204 | BP 4 |
| LWZ 205 | BA 6 |
| LWZ 205 | BD 2 |
| LWZ 205 | BG 4 |
| LWZ 205 | BK 3 |
| LWZ 205 | BL 3 |
| LWZ 205 | BL 6 |
| LWZ 205 | BL 7 |
| LWZ 205 | BL 7 |
| LWZ 205 | BO 4 |
| LWZ 206 | BB 3 |
| LWZ 206 | BH 3 |
| LWZ 206 | BK 2 |
| LWZ 206 | BK 3 |
| LWZ 208 | BK 2 |
| LWZ 304 | BG 4 |
| LWZ 403 | BP 3 |
| LWZ 403 | BP 3·1 |
| LWZ 403 | BP 4 |
| LWZ 404 | BF 2 |
| LWZ 503 | BN 3 |
| LWZ 505 | BF 2 |
| LWZ 505 | BG 2 |
| MTP 402 | BF 3 |
| MTZ 603 | BN 2 |
| MZP 604 | BG 4 |
| PCR 0307 | BB 3 |
| PCR 0407 | BH 4 |
| PCR 0409 | BH 4 |
| PCR 0809 | BP 2 |
| PFS 103 | BD 2 |
| PFS 104 | BM 2 |
| PFS 308 | BJ 2 |
| PFS 810 | BJ 2 |
| PFS 410 | BG 2 |
| PFS 512 | BM 2 |
| PJZ 602 | BP 2 |
| PJZ 804 | BJ 2 |
| PJZ 1004 | BJ 2 |
| PJZ 1206 | BM 2 |
| PMP 0308 | BL 6 |
| PMP 0308 | BL 7 |
| PMP 0516 | BD 2 |
| PMZ 0210 | BD 2 |
| PMZ 0305 | BL 2 |
| PMZ 0306 | BA 5 |
| PMZ 0306 | BB 2 |
| PMZ 0306 | BB 3 |
| PMZ 0306 | BH 4 |
| PMZ 0306 | BO 5 |
| PMZ 0306 | BO 6 |
| PMZ 0306 | BP 3·1 |
| PMZ 0308 | BB 3 |
| PMZ 0308 | BD 2 |
| PMZ 0308 | BF 3 |
| PMZ 0308 | BG 2 |
| PMZ 0310 | BP 3 |
| PMZ 0310 | BP 4 |
| PMZ 0406 | BA 3 |
| PMZ 0408 | BF 2 |
| PMZ 0408 | BA 6 |
| PMZ 0408 | BJ 2 |
| PMZ 0408 | BM 2 |
| PMZ 0410 | BJ 2 |
| PMZ 0410 | BK 3 |
| PMZ 0410 | BM 2 |
| PMZ 0410 | BP 2 |
| PMZ 0416 | BK 3 |
| PTP 603 | BN 2·1 |
| PTP 608 | BP 2 |
| PTZ 603 | BD 2 |
| PTZ 603 | BP 2 |
| PTZ 604 | BL 6 |
| PTZ 806 | BO 4 |
| PTZ 1003 | BM 2 |
| PTZ 1004 | BG 2 |
| PTZ 1004 | BH 4 |
| PWP 104 | BH 3 |
| PWP 106 | BB 3 |
| PWP 203 | BH 2 |
| PWZ 102 | BL 3 |
| PWZ 102 | BP 3·1 |
| PWZ 103 | BB 2 |
| PWZ 103 | BD 2 |
| PWZ 103 | BF 3 |
| PWZ 103 | BH 4 |
| PWZ 103 | BM 2 |
| PWZ 103 | BN 3 |
| PWZ 103 | BP 3 |
| PWZ 103 | BP 4 |
| PWZ 104 | BA 3 |
| PWZ 104 | BA 5 |
| PWZ 104 | BA 6 |
| PWZ 104 | BB 2 |
| PWZ 104 | BB 3 |
| PWZ 104 | BC 2 |
| PWZ 104 | BG 2 |
| PWZ 104 | BG 3 |
| PWZ 104 | BG 4 |
| PWZ 104 | BJ 2 |
| PWZ 104 | BL 6 |
| PWZ 104 | BM 2 |
| PWZ 104 | BO 2 |
| PWZ 104 | BO 4 |
| PWZ 104 | BP 2 |
| PWZ 104 | BP 4 |
| PWZ 105 | BA 6 |
| PWZ 105 | BB 2 |
| PWZ 105 | BD 2 |
| PWZ 105 | BG 2 |
| PWZ 105 | BK 3 |
| PWZ 105 | BL 3 |
| PWZ 105 | BL 6 |
| PWZ 105 | BO 3 |
| PWZ 105 | BO 5 |
| PWZ 106 | BK 2 |
| PWZ 106 | BK 3 |
| PWZ 108 | BL 6 |
| PWZ 202 | BH 2 |
| PWZ 203 | BL 2 |
| PWZ 203 | BN 3 |
| PWZ 204 | BA 3 |
| PWZ 204 | BA 5 |
| PWZ 204 | BG 2 |
| PWZ 204 | BG 4 |
| PWZ 204 | BP 3 |
| PWZ 205 | BL 6 |
| PWZ 205 | BO 2 |
| PWZ 205 | BO 4 |
| PWZ 208 | BK 2 |
| PWZ 305 | BG 4 |
| PWZ 305 | BL 7 |
| PWZ 305 | BO 3 |
| PWZ 305 | BO 5 |
| PWZ 306 | BH 3 |
| PWZ 404 | BK 2 |
| PZZ 606 | BJ 2 |
| PZZ 1006 | BJ 2 |
| RFN 103 | BA 6 |
| RFN 103 | BB 3 |
| RFN 204 | BJ 2 |
| RFN 210 | BA 6 |
| RFN 216 | BA 3 |
| RFN 216 | BA 5 |
| RFN 303 | BP 2 |
| RFN 303 | BP 4 |
| RFR 204 | BA 6 |
| RFR 207 | BA 6 |
| RMP 0212 | BL 3 |
| RMP 0310 | BF 3 |
| RMP 2316 | BN 2·1 |
| RMP 2316 | BN 3 |
| RTP 403 | BL 6 |
| RTP 403 | BL 7 |
| RTP 404 | BL 6 |
| RTP 603 | BO 4 |
| RTP 604 | BL 3 |
| RTP 604 | BL 4 |
| RTP 604 | BL 5 |
| RTP 2604 | BN 2 |
| RTP 3005 | BM 2 |
| RTP 3008 | BM 2 |
| RZZ 1010 | BM 2 |
| TFP 1006 | BL 2 |
| TFP 1006 | BL 3 |
| TFP 1010 | BL 3 |
| TFS 106 | BL 2 |
| TFS 106 | BL 3 |
| TFS 106 | BL 4 |
| TFS 106 | BL 5 |
| ZCS 0609 | BH 3 |
| ZCT 605 | BL 3 |

# Index to Revised Pages/Illustrations

(Up to and including Circulation 15)

**The following is a complete index of pages/plates now comprising this Service Parts List, giving the latest issue of each page/plate. All revised pages/plates issued with this circulation of revised pages are denoted by a dagger which appears against the page/plate reference.**

| PAGE/ PLATE | ISSUE | PAGE/ PLATE | ISSUE | PAGE/ PLATE | ISSUE | PAGE/ PLATE | ISSUE | PAGE/ PLATE | ISSUE | PAGE/ PLATE | ISSUE | PAGE/ PLATE | ISSUE |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 8 | †BF 2 | 9 | †BN 4 | 6 | †G 2 | 4 | | | | | | |
| 2 | 3 | BF 3 | 6 | BN 5 | 4 | | | | | | | | |
| 3 | 4 | BF 4 | 4 | | | †H 1 | 4 | | | | | | |
| 4 | 5 | | | BO 1 | 3 | †H 1·1 | 2 | | | | | | |
| 5 | 4 | BG 1 | 5 | BO 2 | 1 | †H 2 | 4 | | | | | | |
| 6 | 3 | BG 2 | 7 | BO 3 | 5 | | | | | | | | |
| 7 | 4 | †BG 3 | 6 | †BO 4 | 4 | J 1 | 3 | | | | | | |
| 8 | 4 | BG 4 | 2 | †BO 5 | 3 | | | | | | | | |
| 9 | 6 | | | †BO 6 | 3 | K 1 | 3 | | | | | | |
| 10 | 2 | BH 1 | 4 | | | | | | | | | | |
| 11 | 6 | †BH 2 | 9 | BP 1 | 1 | L 1 | 3 | | | | | | |
| 12 | 1 | BH 3 | 3 | †BP 2 | 7 | †L 2 | 3 | | | | | | |
| 13 | 7 | †BH 3·1 | 6 | †BP 3 | 6 | L 3 | 1 | | | | | | |
| 14 | 8 | †BH 4 | 7 | BP 3·1 | 6 | †L 4 | 3 | | | | | | |
| †15 | 9 | | | †BP 4 | 5 | L 5 | 1 | | | | | | |
| †16 | 11 | BJ 1 | 4 | | | L 6 | 1 | | | | | | |
| †17 | 11 | BJ 2 | 5 | BQ 1 | 1 | | | | | | | | |
| †18 | 8 | | | BQ 2 | 3 | †M 1 | 4 | | | | | | |
| †19 | 10 | BK 1 | 4 | | | | | | | | | | |
| | | BK 2 | 4 | BR 1 | 1 | N 1 | 3 | | | | | | |
| BA 1 | 4 | BK 3 | 6 | | | N 2 | 2 | | | | | | |
| †BA 2 | 4 | | | PLATES | | N 3 | 2 | | | | | | |
| †BA 3 | 5 | BL 1 | 3 | A 1 | 3 | | | | | | | | |
| †BA 4 | 7 | BL 2 | 3 | A 2 | 2 | O 1 | 1 | | | | | | |
| †BA 5 | 6 | †BL 3 | 7 | A 3 | 2 | O 2 | 1 | | | | | | |
| BA 6 | 5 | BL 4 | 2 | A 4 | 2 | †O 3 | 1 | | | | | | |
| | | †BL 5 | 6 | A 5 | 2 | †O 4 | 1 | | | | | | |
| BB 1 | 4 | BL 6 | 4 | | | | | | | | | | |
| †BB 2 | 7 | BL 7 | 6 | †B 1 | 5 | P 1 | 2 | | | | | | |
| BB 3 | 1 | | | | | P 2 | 3 | | | | | | |
| | | BM 1 | 4 | C 1 | 2 | †P 3 | 2 | | | | | | |
| BC 1 | 3 | †BM 2 | 9 | | | | | | | | | | |
| BC 2 | 3 | | | D 1 | 4 | | | | | | | | |
| | | BN 1 | 4 | | | | | | | | | | |
| BD 1 | 5 | †BN 2 | 7 | F 1 | 4 | | | | | | | | |
| BD 2 | 2 | †BN 2·1 | 3 | F 2 | 3 | | | | | | | | |
| | | †BN 3 | 6 | | | | | | | | | | |
| BF 1 | 6 | BN 3·1 | 1 | G 1 | 4 | | | | | | | | |

# BODY SHELL


## SPRITE MK III and MIDGET MK II


| | Page | Plate |
|---|---|---|
| BODY SHELL ... ... ... ... ... ... ... | BA 2 | A 1 |
| FRONT END ... ... ... ... ... ... ... | BA 3 | A 2 |
| PANEL ASSEMBLY—BODY REAR ... ... ... ... | BA 2 | A 1 |
| †PLUGS—BLANKING ... ... ... ... ... ... | BA 6 | A 5 |
| SHIELD—MUD ... ... ... ... ... ... ... | BA 3 | A 2 |
| UNDERFRAME ... ... ... ... ... ... ... | BA 3 | A 2 |
| WINGS—REAR ... ... ... ... ... ... ... | BA 2 | A 1 |


## SPRITE MK IV and MIDGET MK III



| | | |
|---|---|---|
| †BODY SHELL ... ... ... ... ... ... ... | BA 4 | A 3 |
| †FRONT END ... ... ... ... ... ... ... | BA 5 | A 4 |
| †PANEL ASSEMBLY—BODY REAR ... ... ... ... | BA 4 | A 3 |
| †PLUGS—BLANKING ... ... ... ... ... ... | BA 6 | A 5 |
| †SHIELD—MUD ... ... ... ... ... ... ... | BA 5 | A 4 |
| †UNDERFRAME ... ... ... ... ... ... ... | BA 5 | A 4 |
| †WINGS—REAR ... ... ... ... ... ... | BA 4 | A 3 |


†Revised Information Issue 4


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
B5304

## BODY SHELL

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **(SPRITE MK. III AND MIDGET MK. II)** | | | | | |
| **Body shell and underframe assembly (less boot lid, bonnet top, doors, and front wings)** | AHA 7190 | 1 | 1 | | |
| **Panel assembly—body rear** | AHA 7248 | 2 | 1 | | |
| **Panel** | | | | | |
| Wing inner—RH | AHA 5756 | 3 | 1 | | |
| Wing inner—LH | AHA 5757 | 4 | 1 | | |
| Body rear—lower | †AHA 5750 | 5 | 1 | | W.S.E. use AHA 8506 |
| Body rear—lower | †AHA 8506 | 5 | 1 | | |
| **Wing assembly—rear—RH** | AHA 7212 | 6 | 1 | | |
| **Wing assembly—rear—LH** | AHA 7213 | 7 | 1 | | |
| 'B' post—RH | AHA 7229 | 8 | 1 | | |
| 'B' post—LH | AHA 7230 | 9 | 1 | | |
| Moulding—rear wing to panel | AHA 5755 | 10 | 2 | | |
| **Reinforcement** | | | | | |
| 'B' post to wheel arch—upper—RH | AHA 7300 | 11 | 1 | | |
| 'B' post to wheel arch—upper—LH | AHA 7301 | 12 | 1 | | |
| 'B' post to wheel arch—lower—RH | AHA 7304 | 13 | 1 | | |
| 'B' post to wheel arch—lower—LH | AHA 7305 | 14 | 1 | | |
| **Panel assembly—luggage floor** | AHA 7289 | 15 | 1 | | W.S.E. use AHA 8055 |
| **Panel assembly—luggage floor** | AHA 8055 | 15 | 1 | | |
| Reinforcement member—RH | AHA 7240 | 16 | 1 | | |
| Reinforcement member—LH | AHA 7241 | 17 | 1 | | |
| Panel—rear wheel arch—RH | AHA 5731 | 18 | 1 | | |
| Panel—rear wheel arch—LH | AHA 5732 | 19 | 1 | | |
| Gusset—wheel arch to luggage floor—RH | AHA 5729 | 20 | 1 | | |
| Gusset—wheel arch to luggage floor—LH | AHA 5730 | 21 | 1 | | |
| Extension—luggage floor—RH | AHA 5837 | 22 | 1 | | |
| Extension—luggage floor—LH | AHA 5838 | 23 | 1 | | |



4
24
6
8
29
3
19
1
30
20
2
28
9
22
23
34
32
37
26
38
35
36
7
21
27
25
31
16
11
33
17
12
15
13
14
10
18
5
653 63

| | DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|---|
| **Body Shell**—*continued* **(Sprite Mk. III and Midget Mk. II)**—*continued* | | | | | | |
| **Panel** | | | | | | |
| | Shroud side—RH | AHA 7235 | 1 | 1 | | W.S.E. use AHA 7955 |
| | Shroud side—LH | AHA 7236 | 2 | 1 | | W.S.E. use AHA 7956 |
| | Shroud side—RH | AHA 7955 | 1 | 1 | | |
| | Shroud side—LH | AHA 7956 | 2 | 1 | | |
| | Shroud and dash top | AHA 7237 | 3 | 1 | | W.S.E. use AJA 5118 |
| | Shroud and dash top | AJA 5118 | 3 | 1 | | |
| | Sill outer—RH | AHA 5552 | 4 | 1 | | |
| | Sill outer—LH | AHA 5553 | 5 | 1 | | |
| 'A' post—RH | | AHA 7238 | 6 | 1 | | |
| 'A' post—LH | | AHA 7239 | 7 | 1 | | |
| Extension—'A' post to scuttle—RH | | AHA 7422 | 8 | 1 | | |
| Extension—'A' post to scuttle—LH | | AHA 7423 | 9 | 1 | | |
| End—front | | AHA 5549 | 10 | 1 | | |
| Shim—front end to underframe | | AHA 5642 | 11 | A/R | | Maximum of 4 used |
| Screw | | HZS 0406 | 12 | 10 | | |
| **Washer** | | | | | | |
| | Plain | PWZ 104 | 13 | 6 | | |
| | Plain | PWZ 204 | 14 | 4 | | |
| | Spring | LWZ 204 | 15 | 10 | | |
| **Underframe assembly** | | NSP | | 1 | | |
| Front suspension and main beam | | 28G 118 | 16 | 1 | | |
| **Bracket** | | | | | | |
| | Radiator mounting—RH | AHA 5624 | 17 | 1 | | |
| | Radiator mounting—LH | AHA 5626 | 18 | 1 | | |
| | Hand brake abutment | 2A 5509 | 19 | 1 | | |
| **Panel** | | | | | | |
| | Foot-well outer—RH | AHA 5620 | 20 | 1 | | |
| | Foot-well outer—LH | AHA 5622 | 21 | 1 | | |
| | Foot-well front and inner side—RH | 28G 121 | 22 | 1 | | |
| | Foot-well front and inner side—LH | 28G 122 | 23 | 1 | | |
| **Plate** | | | | | | |
| | Sill side—RH | $ †AHA 6216 | 24 | 1 | | |
| | Sill side—LH | $ †AHA 6217 | 25 | 1 | | |
| | Splash—RH | AHA 5465 | 26 | 1 | | |
| | Splash—LH | AHA 5466 | 27 | 1 | | |
| Support—heater platform | | 2A 5524 | 28 | 1 | | |
| Platform—heater | | AHA 7629 | 29 | 1 | | |
| Wheel arch—front—RH | | 28G 119 | 30 | 1 | | |
| Wheel arch—front—LH | | 28G 120 | 31 | 1 | | |
| **Shield—mud** | | | | | | |
| | Right-hand | †AHA 6205 | 32 | 1 | | W.S.E. use AHA 8887 |
| | Right-hand | †AHA 8887 | 32 | 1 | | |
| | Left-hand | †AHA 6206 | 33 | 1 | | |
| Plate—blanking—mud shield | | AHA 6223 | 34 | 1 | | Required when heater or fresh-air unit is not fitted |
| Screw | | PMZ 0806 | 35 | 2 | | |
| Washer—spring | | LWZ 208 | 36 | 2 | | |
| Nut | | FNZ 108 | 37 | 2 | | |
| Plug | | RFN 216 | 38 | 2 | | |

$ This item is subject to safety regulations

**See title-page for application**

† Revised Information. Issue 5


1
24
2
3
4
5
8
10
6
10
9
7
16
11
13
20
21
22
18
15
12
14
19
23
17
B 8904A

| | DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|---|
| **Body Shell**—*continued* | | | | | | |
| **(SPRITE MK. IV AND MIDGET MK. III)** | | | | | | |
| **Body shell and underframe (less boot lid, bonnet top, doors, and front wings)** | | AHA 8011 | 1 | 1 | (C) H-AN9-64735 to 70267 | W.S.E. use AHA 8503 |
| | | | | | (C) G-AN4-52390 to 58111 | |
| | | AHA 8503 | 1 | 1 | See (1) foot of page | W.S.E. use AHA 8878 |
| | $ | †AHA 8878 | 1 | 1 | | |
| **N. America** | $ | AHA 8602 | 24 | 1 | See (2) foot of page | |
| **N. America** | $ | CZJ 140 | 24 | 1 | (C) H-AN9-77591 on | |
| | | | | | (C) G-AN4-66226 on | |
| **Panel assembly—body rear** | | AHA 8037 | 2 | 1 | (C) H-AN9-64735 to 70267 | |
| | | | | | (C) G-AN4-52390 to 58111 | |
| **Panel assembly—body rear** | | AHA 8505 | 2 | 1 | (C) H-AN9-70268 on | |
| | | | | | (C) G-AN4-58112 on | |
| **Panel** | | | | | | |
| Wing inner—RH | | AHA 8023 | 3 | 1 | | |
| Wing inner—LH | | AHA 8024 | 4 | 1 | | |
| Body rear—lower | | †AHA 5750 | 5 | 1 | (C) H-AN9-64735 to 70267 | W.S.E. use AHA 8506 |
| | | | | | (C) G-AN4-52390 to 58111 | |
| Body rear—lower | | AHA 8506 | 5 | 1 | (C) H-AN9-70268 on | |
| | | | | | (C) G-AN4-58112 on | |
| **Wing assembly—rear—RH** | $ | †AHA 8020 | 6 | 1 | | |
| **Wing assembly—rear—LH** | $ | †AHA 8021 | 7 | 1 | | |
| 'B' post—RH | $ | AHA 7229 | 8 | 1 | | |
| 'B' post—LH | $ | AHA 7230 | 9 | 1 | | |
| Moulding—rear wing to panel | | AHA 8025 | 10 | 2 | | |
| **Reinforcement** | | | | | | |
| 'B' post to wheel arch—upper—RH | | AHA 8014 | 11 | 1 | | |
| 'B' post to wheel arch—upper—LH | | AHA 8015 | 12 | 1 | | |
| 'B' post to wheel arch—lower—RH | | AHA 7304 | 13 | 1 | | |
| 'B' post to wheel arch—lower—LH | | AHA 7305 | 14 | 1 | | |
| **Panel assembly—luggage floor** | | AHA 8055 | 15 | 1 | | |
| Reinforcement member—RH | | AHA 7240 | 16 | 1 | | |
| Reinforcement member—LH | | AHA 7241 | 17 | 1 | | |
| Panel—rear wheel arch—RH | $ | †AHA 8033 | 18 | 1 | | |
| Panel—rear wheel arch—LH | $ | †AHA 8034 | 19 | 1 | | |
| Gusset—wheel arch to luggage floor—RH | | AHA 8035 | 20 | 1 | | |
| Gusset—wheel arch to luggage floor—LH | | AHA 8036 | 21 | 1 | | |
| Extension—luggage floor—RH | | AHA 5837 | 22 | 1 | | |
| Extension—luggage floor—LH | | AHA 5838 | 23 | 1 | | |


**CHANGE POINTS**

(1) (C) H-AN9-70268 to 72033 USA, ▼ Canada, (C) H-AN9-70268 on except N. America
(C) G-AN4-58112 to 60440 USA, 64754 Canada (C) G-AN4-58112 on except N. America
(2) (C) H-AN9-72034 USA, ▼ Canada to 77590
(C) G-AN4-60441 USA, 64756 Canada to 66225

$ This item is subject to safety regulations

**See title-page for application**

▼ Change point not available
† Revised Information. Issue 7


4
24
39
6
8
29
3
19
1
30
20
2
28
9
22
23
34
32
37
26
38
35
36
7
21
27
25
31
11
16
33
17
12
15
13
14
5
10
18
B 885OA

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **Body Shell**—*continued* **(Sprite Mk. IV and Midget Mk. III)**—*continued* | | | | | |
| **Panel** | | | | | |
| Shroud side—RH | AHA 7235 | 1 | 1 | | W.S.E. use AHA 7955 |
| Shroud side—LH | AHA 7236 | 2 | 1 | | W.S.E. use AHA 7956 |
| Shroud side—RH | AHA 7955 | 1 | 1 | | |
| Shroud side—LH | AHA 7956 | 2 | 1 | | |
| Shroud and dash top | AHA 7237 | 3 | 1 | | W.S.E. use AJA 5118 |
| Shroud and dash top | AJA 5118 | 3 | 1 | See (1) foot of page | |
| Shroud and dash top **N. America** | AHA 8615 | 3 | 1 | See (2) foot of page | |
| Sill outer—RH | AHA 5552 | 4 | 1 | | |
| Sill outer—LH | AHA 5553 | 5 | 1 | | |
| 'A' post—RH | AHA 7238 | 6 | 1 | | |
| 'A' post—LH | AHA 7239 | 7 | 1 | | |
| Extension—'A' post to scuttle—RH | AHA 7422 | 8 | 1 | | |
| Extension—'A' post to scuttle—LH | AHA 7423 | 9 | 1 | | |
| End—front | AHA 5549 | 10 | 1 | | |
| Shim—front end to underframe | AHA 5642 | 11 | A/R | | Maximum of 4 used |
| Screw | HZS 0406 | 12 | 10 | | |
| **Washer** | | | | | |
| Plain | PWZ 104 | 13 | 6 | | |
| Plain | PWZ 204 | 14 | 4 | | |
| Spring | LWZ 204 | 15 | 10 | | |
| **Underframe assembly** | NSP | | 1 | | |
| Front suspension and main beam | 28G 118 | 16 | 1 | | |
| **Bracket** | | | | | |
| Radiator mounting—RH | AHA 5624 | 17 | 1 | | |
| Radiator mounting—LH | AHA 5626 | 18 | 1 | | |
| Hand brake abutment | 2A 5509 | 19 | 1 | | |
| **Panel** | | | | | |
| Foot-well outer—RH | AHA 5620 | 20 | 1 | | |
| Foot-well outer—LH | AHA 5622 | 21 | 1 | | |
| Foot-well front and inner side—RH | AHA 8284 | 22 | 1 | | |
| Foot-well front and inner side—LH | AHA 8285 | 23 | 1 | See (1) foot of page | |
| Foot-well front and inner side—LH **N. America** | AHA 8860 | 39 | 1 | See (2) foot of page | |
| **Plate** | | | | | |
| Sill side—RH | $ †AHA 6216 | 24 | 1 | | |
| Sill side—LH | $ †AHA 6217 | 25 | 1 | | |
| Splash—RH | AHA 5465 | 26 | 1 | | |
| Splash—LH | AHA 5466 | 27 | 1 | | |
| Support—heater platform | 2A 5524 | 28 | 1 | | |
| Platform—heater | AHA 7629 | 29 | 1 | | |
| Wheel arch—front—RH | 28G 119 | 30 | 1 | | |
| Wheel arch—front—LH | CEJ 423 ~~28G 120~~ | 31 | 1 | | |
| Shield—mud—RH | AHA 8387 | 32 | 1 | | |
| Shield—mud—LH | AHA 6206 | 33 | 1 | | |
| Plate—blanking—mud shield | AHA 6223 | 34 | 1 | | Required when heater or fresh-air unit is not fitted |
| Screw | PMZ 0806 | 35 | 2 | | |
| Washer—spring | LWZ 208 | 36 | 2 | | |
| Nut | FNZ 108 | 37 | 2 | | |
| Plug | RFN 216 | 38 | 2 | | |


**CHANGE POINTS**

(1) (C) H-AN9-64785 to 72033 USA, ▼ Canada, (C) H-AN9-64785 on except N. America
(C) G-AN4-52890 to 60440 USA, 64754 Canada, (C) G-AN4-52890 on except N. America
(2) (C) H-AN9-72034 USA, ▼ Canada to 77590
(C) G-AN4-60441 USA, 64756 Canada to 66225

$ This item is subject to safety regulations

**See title-page for application**

▼ Change point not available.
† Revised Information. Issue 6




Issue 2

| DESCRIPTION | Part No. | Illus. No. | Quantity | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|
| **Body Shell**—*continued* | | | | | | | | |
| **Plug—blanking** | | | | | | | | |
| Sill outer panel | 2H 8198 | 1 | 2 | | | | | |
| Gearbox filler hole | 4G 4920 | 2 | 1 | | | | | |
| Propeller shaft oiling hole | 4G 1851 | 3 | 1 | | | | | |
| Slinging hole in floor | 4G 6957 | 4 | 2 | | | | | |
| LH footwell | RFN 210 | 5 | 2 | | | | | |
| Safety strap hole in tunnel | RFR 207 | 6 | 2 | | | | (C) H-AN8-38829 to ▼ | |
| | | | | | | | (C) G-AN3-25788 to ▼ | |
| Toe-box side—RH | AHA 6296 | 7 | 1 | | | | | |
| Steering column hole | AHA 5437 | 8 | 1 | | | | | |
| Demister outlet hole | 4G 9763 | 9 | 2 | | | | | Required when heater is not fitted |
| Hole in fascia panel—heater switch or fresh-air unit control | AHH 5514 | 10 | 1 | | | | | Required when heater or fresh-air unit is not fitted |
| Hole in dash | CFP 625 | 11 | A/R | | | | | Required when heater or fresh-air unit is not fitted |
| Footwell side panel | ADA 2493 | 12 | 2 | | | | | |
| Hole in body rear lower panel | AHA 7910 | 13 | 2 | | | | (C) H-AN8-50192 to 64850 | |
| | | | | | | | (C) H-AN9-64734 on | |
| | | | | | | | (C) G-AN3-38970 to 52500 | |
| | | | | | | | (C) G-AN4-52389 on | |
| Master Cylinder box | RFR 204 | 14 | 1 | | | | (C) H-AN9-64735 on | |
| | | | | | | | (C) G-AN4-52390 on | |
| Mudshield | AHA 8401 | 24 | 2 | | | | (C) H-AN9-64735 on | |
| Wheelarch panel | †RFN 103 | 14 | 2 | | | | | |
| | | | | | | | (C) G-AN4-52390 on | |
| Nut—dome—safety strap weld bolt on rear wheelarch | 14B 2685 | 15 | 4 | | | | (C) H-AN8-38829 to 64734 | |
| Washer—plain | PWZ 105 | 16 | 4 | | | | (C) G-AN3-25788 to 52389 | |
| Washer—spring | LWZ 205 | 17 | 4 | | | | | |
| Washer—seat belt anchorage | AHH 8319 | 18 | | | | | (C) H-AN9-64735 on | |
| | | | | | | | (C) G-AN4-52390 on | |
| Plate—blanking—heater platform | 14A 4790 | 19 | 1 | | | | | Required when heater or fresh-air unit is not fitted |
| Sealer—blanking plate | 14A 4791 | 20 | 1 | | | | | Required when heater or fresh-air unit is not fitted |
| Screw | PMZ 0408 | 21 | 4 | | | | | Required when heater or fresh-air unit is not fitted |
| Washer—plain | PWZ 104 | 22 | 4 | | | | | Required when heater or fresh-air unit is not fitted |
| Washer—spring | LWZ 204 | 23 | 4 | | | | | Required when heater or fresh-air unit is not fitted |

▼ Change point not available


**See title-page for application**

†Revised Information. Issue 4

# †BONNET AND CONTROL


| | Page | Plate |
|---|---|---|
| BADGE—BONNET ... ... ... ... ... ... | BB 2 | B 1 |
| BONNET TOP ... ... ... ... ... ... ... | BB 2 | B 1 |
| MOULDING—BONNET CENTRE ... ... ... ... | BB 2 | B 1 |

| | DESCRIPTION | Part No. | Illus. No. | Quantity | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. DIST. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | **BONNET AND DETAILS** | | | | | | | | |
| | **Bonnet assembly** | AJA 5117 | 1 | 1 | ★ | ★ | | | |
| | **Catch assembly—safety** | 14A 366 | 2 | 1 | ★ | ★ | | | |
| | Spring | 4B 8646 | 3 | 1 | | | | | |
| | Bracket—safety catch | AHA 5617 | 4 | 1 | | | | | |
| | Screw—bracket | AHA 6353 | 5 | 2 | | | | | |
| | Washer—plain | PWZ 103 | 6 | 2 | | | | | |
| | Washer—spring | LWZ 203 | 7 | 2 | | | | | |
| | Moulding—bonnet centre | 14A 7074 | 8 | 1 | ★ | ★ | | | |
| | **Stud plate—moulding** | | | | | | | | |
| | Front | AHA 5700 | 9 | 2 | | | | | |
| | No. 3 | AHA 5701 | 10 | 1 | | | | | |
| | No. 4 **Midget** | AHA 6257 | 11 | 1 | | | | | |
| | Rear | AHA 5702 | 12 | 1 | | | | | |
| | Nut | FNZ 103 | 13 | 3 | | | | | |
| | Washer—spring | LWZ 203 | 14 | 3 | | | | | |
| | Nut | CNZ 102 | 15 | 2 | | | | | |
| | Washer—spring | LWZ 202 | 16 | 2 | | | | | |
| | Badge—bonnet **Sprite** | AHA 5518 | 17 | 1 | ★ | ★ | | | |
| | Clip—badge to bonnet | 14A 5542 | 18 | 4 | ★ | ★ | | | |
| | Hinge—bonnet | 14A 4684 | 19 | 2 | ★ | ★ | | | |
| | Screw | HZS 0405 | 20 | 8 | | | | | |
| | Washer—plain | PWZ 104 | 21 | 8 | | | | | |
| | Washer—spring | LWZ 204 | 22 | 8 | | | | | |
| | Bolt | HBZ 0524 | 23 | 2 | | | | | |
| | Locknut | LNZ 405 | 24 | 2 | | | | | |
| | Buffer—bonnet | AHA 5654 | 25 | 2 | | | | | |
| | Locknut | FNZ 205 | 26 | 2 | | | | | |
| | Buffer—side | AHA 5674 | 27 | 2 | | | | | |
| | Screw | PMZ 0306 | 28 | 4 | | | | | |
| | Washer—spring | LWZ 203 | 29 | 4 | | | | | |
| | Nut | FNZ 103 | 30 | 4 | | | | | |
| | Rod—bonnet prop | AHA 7640 | 31 | 1 | | | | | |
| | Spring—prop rod to bonnet | AAA 2398 | 32 | 1 | | | | | |
| | Washer—plain | PWZ 105 | 33 | 1 | | | | | |
| | Clip—prop rod | AHH 5460 | 34 | 1 | | | | | |
| | Screw | PMZ 0306 | 35 | 2 | | | | | |
| | Washer—spring | LWZ 203 | 36 | 2 | | | | | |
| | Nut | FNZ 103 | 37 | 2 | | | | | |
| | Cable—bonnet release | AHA 5653 | 38 | 1 | | | | | |
| | Bracket—cable | AHA 5517 | 39 | 1 | | | | | |
| | Screw | PMZ 0306 | 40 | 2 | | | | | |
| | Washer—spring | LWZ 203 | 41 | 2 | | | | | |
| | Clip | PCR 0307 | 42 | 2 | | | | | |
| | Screw | PMZ 0308 | 43 | 2 | | | | | |
| | Washer—spring | LWZ 203 | 44 | 2 | | | | | |
| | Nut | FNZ 103 | 45 | 2 | | | | | |
| | Grommet | RFN 103 | 46 | 1 | | | | | |
| | Grommet—cable through-mud shield | 3H 2615 | 47 | 1 | | | | | |
| | Clamp—cable to lock | 24G 1052 | 48 | 1 | | | | | |
| | Screw | 53K 1016 | 49 | 1 | | | | | |
| | Cup—lock locating | AHA 5543 | 50 | 1 | | | | | |
| | Plate—catch | 4G 3035 | 51 | 1 | | | | | |
| | Spring—catch plate return | 4G 2494 | 52 | 1 | | | | | |
| | Screw | HZS 0405 | 53 | 3 | | | | | |
| | Washer—plain | PWZ 104 | 54 | 3 | | | | | |
| | Washer—spring | LWZ 204 | 55 | 3 | | | | | |
| | Pin—bonnet lock | 14G 2444 | 56 | 1 | | | | | |
| | Thimble—pin | 4G 3676 | 57 | 1 | | | | | |
| | Spring—pin | 4G 1588 | 58 | 1 | | | | | |
| | Washer—spring | LWZ 206 | 59 | 1 | | | | | |
| | Locknut | FNZ 206 | 60 | 1 | | | | | |




Issue 5

**PLATE B 1**

**TO FACE PAGE BB 2**

| DESCRIPTION | | | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|
| **BONNET AND CONTROL** | | | | | | | |
| **Bonnet assembly** | | $ | AJA 5117 | 1 | 1 | | |
| **Catch assembly—safety** | | $ | 14A 866 | 2 | 1 | | |
| Spring | | $ | 4B 8646 | 3 | 1 | | |
| Bracket—safety catch | | $ | AHA 5617 | 4 | 1 | | |
| Screw—bracket | | | AHA 6358 | 5 | 2 | | |
| Washer—plain | | | PWZ 108 | 6 | 2 | | |
| Washer—spring | | | LWZ 208 | 2 | 2 | | |
| Moulding—bonnet centre | | | †14A 7074 | 8 | 1 | | |
| **Stud plate—moulding** | | | | | | | |
| Front | | | †AHA 5700 | 9 | 2 | | |
| No. 3 | | | †AHA 5701 | 10 | 1 | | |
| No. 4 | | **Midget** | †AHA 6257 | 11 | 1 | (C) G–AN3–25788 to 52389 | |
| Rear | | | †AHA 5702 | 12 | 1 | (C) G–AN4–52390 to 66225 | |
| Nut | | | †FNZ 103 | 13 | 3 | | |
| Washer—spring | | | †LWZ 203 | 14 | 3 | | |
| Nut | | | †CNZ 102 | 15 | 2 | | |
| Washer—spring | | | †LWZ 202 | 16 | 2 | | |
| Badge—bonnet | | **Sprite** | AHA 5518 | 17 | 1 | | |
| Clip—badge to bonnet | | | 14A 5542 | 18 | 4 | | |
| **Hinge—bonnet** | | | | | | | |
| | | $ | †14A 4684 | 19 | 2 | (C) H–AN8–38829 to 64734<br>(C) H–AN9–64735 to 77590 N. America<br>(C) H–AN9–64735 on except N. America | |
| Right-hand | **N.** | $ | †CZJ 104 | 62 | 1 | (C) H–AN9–77591 on | |
| Left-hand | **America** | $ | †CZJ 105 | 63 | 1 | (C) G–AN4–66226 on | |
| Screw | | | HZS 0405 | 20 | 8 | | |
| Washer—plain | | | PWZ 104 | 21 | 8 | | |
| Washer—spring | | | LWZ 204 | 22 | 8 | | |
| Bolt | | | HBZ 0524 | 23 | 2 | | |
| Locknut | | | LNZ 405 | 24 | 2 | | |
| Buffer—bonnet | | | AHA 5654 | 25 | 2 | | |
| Locknut | | | FNZ 205 | 26 | 2 | | |
| Buffer—side | | | AHA 5674 | 27 | 2 | | |
| Screw | | | PMZ 0806 | 28 | 4 | | |
| Washer—spring | | | LWZ 203 | 29 | 4 | | |
| Nut | | | FNZ 103 | 30 | 4 | | |
| Rod—bonnet prop | | | AHA 7640 | 31 | 1 | See (1) foot of page | |
| Rod—bonnet prop | **N. America** | | AHA 8746 | 31 | 1 | (C) H–AN9–72034 on USA ▼ on Canada<br>(C) G–AN4–60441 on USA, 64756 on Canada | |
| Spring—prop rod to bonnet | | | AAA 2398 | 32 | 1 | | |
| Washer—plain | | | PWZ 105 | 33 | 1 | | |
| Clip—prop rod | | | AHH 5460 | 34 | 1 | | |
| Screw | | | PMZ 0806 | 35 | 2 | | |
| Washer—spring | | | LWZ 208 | 36 | 2 | | |
| Nut | | | FNZ 103 | 37 | 2 | | |


**CHANGE POINTS**


(1) (C) H–AN8–38829 to 64734, (C) H–AN9–64735 to 72033 USA, ▼ Canada, (C) H–AN9–64735 on except N. America
(C) G–AN3–25788 to 52153, (C) G–AN4–52154 to 60440 USA, 64755 Canada, (C) G–AN4–52154 on except N. America

$ This item is subject to safety regulations

**See title-page for application**

▼ Change point not available
† Revised Information. Issue 7


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
B 68 536






## PLATE B 2

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **Bonnet and Control**—*continued* | | | | | |
| Cable—bonnet release ..... $ | †AHA 5653 | 38 | 1 | | |
| Washer—CP ..... **N. America** | †PWP 106 | 61 | 1 | (C) H–AN9–72034 on USA, ▼ on Canada (C) G–AN4–60441 on USA, 64756 on Canada | |
| Bracket—cable ..... | †AHA 5517 | 39 | 1 | See (1) foot of page | |
| Screw ..... | †PMZ 0306 | 40 | 2 | | |
| Washer—spring ..... | †LWZ 203 | 41 | 2 | | |
| Clip ..... | †PCR 0307 | 42 | 2 | | |
| Screw ..... | †PMZ 0308 | 43 | 2 | | |
| Washer—spring ..... | †LWZ 203 | 44 | 2 | | |
| Nut ..... | †FNZ 103 | 45 | 2 | | |
| Grommet ..... | †RFN 103 | 46 | 1 | | |
| Grommet—cable through mud shield ..... | †SH 2615 | 47 | 1 | | |
| Clamp—cable to lock ..... $ | †24G 1052 | 48 | 1 | | |
| Screw ..... | †53K 1016 | 49 | 1 | | |
| Cup—lock locating ..... $ | †AHA 5548 | 50 | 1 | | |
| Plate—catch ..... $ | †4G 3035 | 51 | 1 | | |
| Spring—catch plate return ..... $ | †4G 2494 | 52 | 1 | | |
| Screw ..... | †HZS 0405 | 53 | 3 | | |
| Washer—plain ..... | †PWZ 104 | 54 | 3 | | |
| Washer—spring ..... | †LWZ 204 | 55 | 3 | | |
| Pin—bonnet lock ..... $ | †14G 2444 | 56 | 1 | | |
| Thimble—pin ..... $ | †4G 3676 | 57 | 1 | | |
| Spring—pin ..... $ | †4G 1588 | 58 | 1 | | |
| Washer—spring ..... | †LWZ 206 | 59 | 1 | | |
| Locknut ..... | †FNZ 206 | 60 | 1 | | |
| Insulation felt—bonnet ..... | †AKF 1291 | ..... | A/R | | Supplied in multiples of yards |


†$ This item is subject to safety regulations

**CHANGE POINTS**

†(1) (C) H–AN8–38829 to 64734, (C) H–AN9–64735 to 72033 USA, ▼ Canada, (C) H–AN9–64735 on except N. America (C) G–AN3–25788 to 52153, (C) G–AN4–52154 to 60440 USA, 64755 Canada (C) G–AN4–52154 on except N. America

# WING DETAILS


| | Page | Plate |
|---|---|---|
| †MOULDINGS—WING AND SHROUD SIDE PANEL ... | BC 2 | C 1 |
| †WINGS—FRONT ... ... ... ... ... ... | BC 2 | C 1 |



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
82569

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **WING DETAILS** | | | | | |
| **Wing** | | | | | |
| Front—RH | †AHA 7398 | 1 | 1 | (C) H-AN8-38829 to 64784 | |
| Front—LH | †AHA 5546 | 2 | 1 | (C) H-AN9-64735 to 77590 | |
| | | | | (C) G-AN8-25788 to 52389 | |
| | | | | (C) G-AN4-52390 to 66225 | |
| Front—RH | ~~†CZJ 128~~ CZJ 278 | | 1 | (C) H-AN9-77591 on | |
| Front—LH | †CZJ 129 | | 1 | (C) G-AN4-66226 on | |
| Rear—RH | | | | | Included parts of body shell; see pages BA 1 and BA 3 |
| Rear—LH | | | | | |
| Screw—front wing (round head) | AHA 6852 | 3 | 6 | | |
| Screw—front wing (hexagon head) | HZS 0405 | 4 | 16 | | |
| Washer—plain—screw | PWZ 104 | 5 | 28 | | |
| Washer—spring—screw | LWZ 204 | 6 | 22 | | |
| Nut—screw | FNZ 104 | 7 | 6 | | |
| **Moulding** | | | | | |
| Front wing | AHA 5825 | 8 | 2 | | |
| Shroud side panel | AHA 5822 | 9 | 2 | | |
| Rear wing | AHA 5818 | 10 | 2 | | |
| Stud plate—wing moulding | AHA 5817 | 11 | 4 | | |
| Washer—spring—stud plate | **Midget** LWZ 208 | 12 | 4 | | |
| Nut—stud plate | FNZ 108 | 13 | 4 | | |
| Clip—wing moulding | ALA 3647 | 14 | 80 | | |
| Rivet—clip | DMP 0721 | 15 | 30 | | |
| Clip—speed—shroud side panel moulding | BCA 4590 | 16 | 2 | | |
| Push-on-fix—shroud side panel moulding | BHA 4082 | 17 | 2 | | |

# BOOT LID AND FITTINGS


| | Page | Plate |
|---|---|---|
| †CARRIER—LUGGAGE... ... ... ... ... ... | BD 1 | D 1 |
| †HANDLE—BOOT LID ... ... ... ... ... ... | BD 1 | D 1 |
| †LID—BOOT ... ... ... ... ... ... ... | BD 1 | D 1 |
| †LOCK—BOOT LID ... ... ... ... ... ... | BD 1 | D 1 |
| †MOTIF—BOOT LID ... ... ... ... ... ... | BD 1 | D 1 |
| †RUBBER—SEALING—BOOT LID ... ... ... ... | BD 1 | D 1 |


†Revised Information. Issue 5




Issue 4

**PLATE D 1** **TO FACE PAGE BD 2**

## BOOT LID AND FITTINGS

| DESCRIPTION | | Part No. | Illus. No. | Quantity | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. DIST. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| Lid—boot | | AJA 5112 | 1 | 1 | ★ | ★ | | | |
| Motif—'Sprite' | **Sprite** | AHA 5699 | 2 | 1 | ★ | ★ | | | |
| Motif—'Midget' | **Midget** | AHA 5683 | 3 | 1 | ★ | ★ | | | |
| Push-on-fix—motif | | †BHA 4082 | 4 | 2 | | | | (C) H-AN8-38829 to 62601<br>(C) G-AN3-25788 to 50339 | |
| Push-on-fix—motif | | †BHA 4558 | 41 | 2 | | | | (C) H-AN8-62602 to 64734<br>(C) H-AN9-64735 on<br>(C) G-AN3-50340 to 52389<br>(C) G-AN4-52390 on | |
| Surround—letters 'MG' | **Midget** | AHH 5261 | 5 | 1 | ★ | ★ | | | |
| Letter 'M' | **Midget** | ADH 2475 | 6 | 1 | ★ | ★ | | | |
| Letter 'G' | **Midget** | ADH 2476 | 7 | 1 | ★ | ★ | | | |
| Nut—spire—surround and letters | | PFS 103 | 8 | 13 | | | | (C) G-AN3-25788 to 50339 | |
| Push-on-fix—surround and letters | | †BHA 4553 | 42 | 13 | | | | (C) G-AN3-50340 to 52389<br>(C) G-AN4-52390 on | |
| Hinge—boot lid—RH | | AHA 6314 | 9 | 1 | ★ | ★ | | | |
| Hinge—boot lid—LH | | AHA 6315 | 10 | 1 | ★ | ★ | | | |
| Screw—hinge | | HZS 0405 | 11 | 10 | | | | | |
| Washer—spring—screw | | LWZ 204 | 12 | 10 | | | | | |
| **Handle assembly—locking** | | AHA 6357 | 13 | 1 | ★ | ★ | | | |
| **Barrel—lock** | | ADH 4492 | 14 | 1 | | | | | |
| Key | | ANK 4646 | 15 | 2 | | | | | |
| Washer—seating | | ALA 2466 | 16 | 1 | | | | | |
| Locknut—handle to boot lid | | 53K 1420 | 17 | 2 | | | | | |
| Lock | | AHA 5807 | 18 | 1 | | | | | |
| Screw—lock to boot lid | | HZS 0505 | 19 | 2 | | | | | |
| Washer—spring—screw | | LWZ 205 | 20 | 2 | | | | | |
| Nut—screw | | FNZ 105 | 21 | 2 | | | | | |
| Plate—striker | | AHA 5810 | 22 | 1 | ★ | ★ | | | |
| Screw—plate to body | | PMZ 0308 | 23 | 2 | | | | | |
| Washer—plain—screw | | PWZ 103 | 24 | 2 | | | | | |
| Washer—spring—screw | | LWZ 203 | 25 | 2 | | | | | |
| Rod—boot lid prop | | AHA 5811 | 26 | 1 | | | | | |
| Washer—plain—prop rod | | PWZ 104 | 27 | 2 | | | | | |
| Washer—spring—prop rod | | AJD 7722 | 28 | 1 | | | | | |
| Clip—prop rod | | AAA 1524 | 29 | 1 | | | | | |
| Screw—clip to boot lid | | PTZ 603 | 30 | 2 | | | | | |
| Rubber—sealing—boot lid | | ~~AHA 6309~~ CHA 1149 | 31 | 1 | ★ | ★ | | | |
| Buffer—boot lid—front | | AHA 6213 | 32 | 2 | | | | | |
| Buffer—boot lid—rear | | AHA 6207 | 33 | 2 | | | | | |
| Screw—buffer to body | | PMZ 0210 | 34 | 4 | | | | | |
| Washer—spring—screw | | LWZ 202 | 35 | 4 | | | | | |
| Nut—screw | | CNZ 102 | 36 | 4 | | | | | |
| **Carrier—luggage** | | †AHA 6252 | 37 | 1 | | | | | Optional extra |
| Screw | | †PMP 0516 | 38 | 4 | | | | | Optional extra |
| Washer—plain | | †PWZ 105 | 39 | 4 | | | | | Optional extra |
| Locknut | | †LNZ 205 | 40 | 4 | | | | | Optional extra |

# WINDOWS AND WINDOW MECHANISM

BE


| | Page |
|---|---|
| GLASS—DOOR... ... ... ... ... ... ... ... | BE 1 |
| GLASS—VENTILATOR ... ... ... ... ... ... | BE 2 |
| HANDLE—WINDOW REGULATOR... ... ... ... ... | BE 1 |
| REGULATOR—WINDOW ... ... ... ... ... ... | BE 1 |
| VENTILATOR—DOOR ... ... ... ... ... ... | BE 2 |

ILLUSTRATION TO FOLLOW

To face page BE 1

PLATE E I

## WINDOWS AND WINDOW MECHANISM

| DESCRIPTION | Part No. | Ill us. No. | Qty. per Veh. | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. DIST. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|
| Glass—door—RH | AHA 7056 | 1 | 1 | ★ | ★ | | | |
| Glass—door—LH | AHA 7057 | 2 | 1 | ★ | ★ | | | |
| Channel—glazing 18⅜" (46·7 cm.) | 37H 9882 | 3 | A/R | ★ | ★ | | | ] Available in multiples of feet |
| Channel—lower | AHA 7042 | 4 | 2 | | | | | |
| **Channel assembly—rear—RH** | **AHA 7158** | **5** | **1** | | | | | |
| **Channel assembly—rear—LH** | **AHA 7159** | **6** | **1** | | | | | |
| Flexible run | AHA 7162 | 7 | 2 | ★ | ★ | | | |
| Bracket—lower—channel—RH | AHA 7326 | 8 | 1 | | | | | |
| Bracket—lower—channel—LH | AHA 7327 | 9 | 1 | | | | | |
| Screw—bracket and channel top to door | HZS 0404 | 10 | 6 | | | | | |
| Nut—channel to bracket | FNZ 104 | 11 | 2 | | | | | |
| Washer—plain | PWZ 104 | 12 | 8 | | | | | |
| Washer—spring | LWZ 204 | 13 | 8 | | | | | |
| Bracket—glass stop | AHA 7431 | 14 | 2 | | | | | |
| Screw—bracket to door | PTZ 1004 | 15 | 4 | | | | | |
| Nut—spring—screw | PFS 410 | 16 | 4 | | | | | |
| Regulator—window—RH | AHA 7038 | 17 | 1 | ★ | ★ | | | |
| Regulator—window—LH | AHA 7039 | 18 | 1 | ★ | ★ | | | |
| Screw—regulator to door | HZS 0404 | 19 | 16 | | | | | |
| Washer—plain—screw | PWZ 204 | 20 | 16 | | | | | |
| Washer—spring—screw | LWZ 204 | 21 | 16 | | | | | |
| Handle—regulator | ADH 5481 | 22 | 2 | ★ | ★ | | | |
| **Escutcheon—handle** | **ADB 709** | **23** | **2** | ★ | ★ | | | |
| Spring | ADB 557 | 24 | 2 | | | | | |
| Pin—handle to regulator | ALH 1527 | 25 | 2 | | | | | |
| Stop—regulator arm | AHA 7703 | 26 | 2 | | | | | |
| Nut—stop to door | FNZ 105 | 27 | 2 | | | | | |
| Washer—shakeproof | LWZ 505 | 28 | 2 | | | | | |

**See title page for application**

ILLUSTRATION TO FOLLOW

To face page BE 2


**PLATE E 2**

| DESCRIPTION | Part No. | Illus. No. | Qty. per Veh. | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. DIST. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|
| **Windows and window mechanism**—*continued* | | | | | | | | |
| **Ventilator assembly—door—RH** | **AHA 7095** | **1** | **1** | ★ | ★ | | | |
| **Ventilator assembly—door—LH** | **AHA 7096** | **2** | **1** | ★ | ★ | | | |
| **Frames** | | | | | | | | |
| Outer—RH | AHA 7402 | 3 | 1 | | | | | |
| Outer—LH | AHA 7403 | 4 | 1 | | | | | |
| Inner—RH | AHA 7480 | 5 | 1 | | | | | |
| Inner—LH | AHA 7481 | 6 | 1 | | | | | |
| Glass—RH | AHA 7482 | 7 | 1 | | | | | |
| Glass—LH | AHA 7483 | 8 | 1 | | | | | |
| **Rubbers** | | | | | | | | |
| Glazing | | 9 | | | | | | |
| Sealing—outer frame—RH | AHA 7416 | 10 | 1 | | | | | |
| Sealing—outer frame—LH | AHA 7417 | 11 | 1 | | | | | |
| **Pivots** | | | | | | | | |
| Top—upper half—RH | AHA 7463 | 12 | 1 | | | | | |
| Top—upper half—LH | AHA 7464 | 13 | 1 | | | | | |
| Top—lower half—RH | AHA 7465 | 14 | 1 | | | | | |
| Top—lower half—LH | AHA 7466 | 15 | 1 | | | | | |
| Bottom | AHA 7468 | 16 | 2 | | | | | |
| Rivet—top pivot to inner frame | AHA 7554 | 17 | 4 | | | | | |
| Screw—top pivot to outer frame | CMP 0203 | 18 | 4 | | | | | |
| Distance-tube—bottom pivot | AHA 7467 | 19 | 2 | | | | | |
| Spring—bottom pivot | AHA 7544 | 20 | 2 | | | | | |
| Washer—plain—bottom pivot | PWZ 104 | 21 | 4 | | | | | |
| Washer—spring—bottom pivot | LWZ 204 | 22 | 2 | | | | | |
| Nut—bottom pivot to frame | FNZ 104 | 23 | 4 | | | | | |
| Bracket—locking handle (with pivot) | | 24 | | | | | | |
| Washer—waved | AHA 7473 | 25 | 2 | | | | | |
| Handle—locking—RH | AHA 7469 | 26 | 1 | | | | | |
| Handle—locking—LH | AHA 7470 | 27 | 1 | | | | | |
| Pin—locking handle | AHA 7474 | 28 | 2 | | | | | |
| Plate—catch—locking handle—RH | AHA 7475 | 29 | 1 | | | | | |
| Plate—catch—locking handle—LH | AHA 7476 | 30 | 1 | | | | | |
| Capping—front corner—RH | AHA 7484 | 31 | 1 | | | | | |
| Capping—front corner—LH | AHA 7485 | 32 | 1 | | | | | |
| Screw—capping to frame—side | CZP 404 | 33 | 2 | | | | | |
| Screw—capping to frame—bottom | MZP 604 | 34 | 4 | | | | | |
| Block—top corner (rubber) | 17H 2530 | 35 | 2 | | | | | |
| **Channels** | | | | | | | | |
| Drain—RH | AHA 7477 | 36 | 1 | | | | | |
| Drain—LH | AHA 7478 | 37 | 1 | | | | | |
| Door glass | AHA 7642 | 38 | 2 | | | | | |
| Stud plate—ventilator to door | AHA 7543 | 39 | 4 | | | | | |
| Rivet—front stud plate to frame | AHA 7554 | 40 | 4 | | | | | |
| Rivet—rear stud plate and catch plate to frame | AHA 7565 | 41 | 4 | | | | | |
| Seal—ventilator to door—RH | AHA 7746 | 42 | 1 | ★ | ★ | | | |
| Seal—ventilator to door—LH | AHA 7747 | 43 | 1 | ★ | ★ | | | |
| Nut—ventilator to door waist | AHH 6343 | 44 | 4 | | | | | |
| Washer—plain—nut | PWZ 204 | 45 | 4 | | | | | |
| Washer—spring—nut | LWZ 204 | 46 | 4 | | | | | |
| Screw—ventilator to door—front lower | HZS 0507 | 47 | 4 | | | | | |
| Washer—plain—screw | PWZ 105 | 48 | 4 | | | | | |
| Washer—spring—screw | LWZ 205 | 49 | 4 | | | | | |
| Packing—frame foot—front $\frac{1}{16}$″ (1·6 mm.) thick | AHA 7696 | 50 | A/R | | | | Alternatives | |
| Packing—frame foot—front $\frac{1}{8}$″ (3·2 mm.) thick | AHA 7552 | 50 | A/R | | | | Alternatives | |
| Rivet—packing to frame foot | KXR 0416 | 51 | 2 | | | | | |
| Bracket—ventilator to door—rear lower | AHA 7315 | 52 | 2 | | | | | |
| Screw—bracket to door | HZS 0404 | 53 | 4 | | | | | |
| Washer—plain—screw | PWZ 104 | 54 | 4 | | | | | |
| Washer—spring—screw | LWZ 204 | 55 | 4 | | | | | |
| Stud plate—ventilator to bracket | AHA 7553 | 56 | 2 | | | | | |
| Washer—plain—stud plate | PWZ 104 | 57 | 2 | | | | | |
| Washer—spring—stud plate | LWZ 204 | 58 | 2 | | | | | |
| Nut—stud plate | FNZ 104 | 59 | 2 | | | | | |

# DOORS AND FITTINGS




| | Page | Plate |
|---|---|---|
| †DOORS ... ... ... ... ... ... ... ... | BF 2 | F 1 |
| †HANDLES—DOOR ... ... ... ... ... ... | BF 3 | F 2 |
| †LOCKS—DOOR ... ... ... ... ... ... | BF 3 | F 2 |
| †MOULDING—SIDE—DOOR ... ... ... ... ... | BF 2 | F 1 |
| †PULL—DOOR ... ... ... ... ... ... ... | BF 2 | F 1 |
| †REMOTE CONTROL—DOOR LOCK ... ... ... | BF 3 | F 2 |


20
23
18
21
9
1
8
7
4
3
6
5
16
17
22
19
12
11
13
15
14
5
6
4
3
10
2
B5305

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|

## *DOORS AND FITTINGS

**Door assembly**

| | | | | | | |
|---|---|---|---|---|---|---|
| Right-hand | | AHA 7192 | 1 | 1 | (C) H-AN8-38829 to 64784 | W.S.E. use AHA 8518 |
| Left-hand | | AHA 7193 | 2 | 1 | (C) H-AN9-64735 to 69427<br>(C) G-AN3-25788 to 52389<br>(C) G-AN4-52390 to 56970 | |
| Right-hand | | AHA 8518 | 1 | 1 | (C) H-AN9-69428 to 72040 | |
| Left-hand | | AHA 8519 | 2 | 1 | (C) G-AN4-56971 to 60460 | |
| Right-hand | $ | AHA 8436 | 1 | 1 | (C) H-AN9-72041 on | |
| Left-hand | $ | AHA 8437 | 2 | 1 | (C) G-AN4-60460 on | |
| Hinge | $ | AHA 7428 | 3 | 4 | | |
| Washer—plate—hinge | | AHA 7429 | 4 | 4 | | |
| Screw | | HZS 0505 | 5 | 8 | | |
| Washer—shakeproof | | LWZ 505 | 6 | 8 | | |
| Screw | | PMZ 0408 | 7 | 12 | | |
| Washer - shakeproof | | LWZ 404 | 8 | 12 | | |
| Moulding—side—door—RH | | AHA 5823 | 9 | 1 | | |
| Moulding—side—door—LH | | AHA 5824 | 10 | 1 | | |
| Stud plate—moulding | | AHA 5817 | 11 | 2 | | |
| Washer—spring | Midget | LWZ 203 | 12 | 2 | | |
| Nut | | FNZ 103 | 13 | 2 | | |
| Clip—moulding | | ALA 4637 | 14 | 10 | | |
| Rivet | | DMP 0721 | 15 | 10 | | |
| Pull—door | | 4B 3479 | 16 | 2 | See (1) foot of page | |
| End—door pull—RH | | CZA 2365 | 25 | 2 | (C) H-AN9-72041 on<br>(C) G-AN4-60460 on | |
| End—door pull—LH | | CZA 2366 | 26 | 2 | | |
| Handle—door pull | | CZA 2864 | 27 | 2 | | |
| Screw | | RMP 0310 | 17 | 4 | | |
| Seal—waist—door outer—RH | | AHA 7634 | 18 | 1 | | |
| Seal—waist—door outer—LH | | AHA 7635 | 19 | 1 | | |
| Clip—seal | | 14A 6797 | 20 | 14 | | |
| Weatherstrip—door inner—RH | | AHA 7719 | 21 | 1 | | |
| Weatherstrip—door inner—LH | | AHA 7720 | 22 | 1 | | |
| Clip—weatherstrip | | ADB 503 | 23 | 12 | | W.S.E. use AHA 7838 |
| Clip—weatherstrip | | AHA 7838 | 23 | 12 | | |
| Door seal—front—upper | | †37H 1811 | | 2 | (C) H-AN9-69428 to ▼<br>(C) G-AN4-56971 to ▼ | |
| Tape—sealing—4½" (11·5 cm) wide | | 37H 2506 | | A/R | | Supplied in 50 ft. (15·24 m) rolls |

**CHANGE POINTS**


(1) (C) H-AN8-30829 to 64734, (C) H-AN9-64735 to 72040, (C) G-AN3-25788 to 52389, (C) G-AN4-52390 to 60459

▼ Change point not available

$ This item is subject to safety regulations

**See title-page for application**

† Revised Information. Issue 9


42
44
43
40
32
34
37
6
15
36
16
13
9
1
12
11
10
14
33
37
8
2
7
38
39
3
5
4
36
17A
22
24
29
31
30
26
45
25
19
22
20
24
23
18
21
17
31
25
28
30
27
19
B5301B

| DESCRIPTION | Part No. | Illus. No. | Quantity | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|
| **Doors and Fittings**—*continued* | | | | | | | | |
| Remote control—lock—RH | AHA 7144 | 1 | 1 | | | | | |
| Remote control—lock—LH | AHA 7145 | 2 | 1 | | | | | |
| Screw | PMZ 0308 | 3 | 6 | | | | | |
| Washer—plain | PWZ 103 | 4 | 6 | | | | | |
| Washer—spring | LWZ 203 | 5 | 6 | | | | | |
| Lock—RH | AHA 7033 | 6 | 1 | ★ | ★ | | AHA5526 / AHA5529 | FROM H-AN4/60460 |
| Lock—LH | AHA 7034 | 7 | 1 | ★ | ★ | | | |
| Screw | CMZ 0416 | 8 | 6 | | | | | |
| Handle—remote control | AHA 7037 | 9 | 2 | ★ | ★ | | | |
| Washer—bearing—handle | AHA 7377 | 10 | 2 | | | | | |
| Screw—handle to remote control | ADH 834 | 11 | 2 | | | | | Use AHA 7909 for this application |
| Screw—handle to remote control | AHA 7909 | 11 | 2 | | | | | |
| Washer—spring | LWZ 203 | 12 | 4 | | | | | |
| **Escutcheon—handle** | | | | | | | | |
| Locking—RH | †AHA 7040 | 13 | 1 | | | | | Locking handles fitted to both doors from (C) H-AN9-69049 (C) G-AN4-56715 |
| Locking—LH | †AHA 7041 | 14 | 1 | | | | | |
| Non locking | †AHA 7140 | 15 | 1 | | | | (C) H-AN8-38829 to 64734<br>(C) H-AN9-64735 to 69048<br>(C) G-AN3-25788 to 52389<br>(C) G-AN4-52390 to 56714 | |
| Screw | MTP 402 | 16 | 4 | | | | | |
| **Handle—door** | AHA 7157 | 17 | 2 | ★ | ★ | | | |
| Button—push | AHA 7189 | 18 | 2 | | | | | |
| Spring—return—button | 27H 9509 | 19 | 2 | | | | | |
| Bolt—button to handle | ADG 1683 | 20 | 2 | | | | | |
| Washer—shakeproof | LWN 403 | 21 | 2 | | | | | |
| Bolt—lock operating | 27H 9511 | 22 | 2 | | | | | |
| Washer—spring | LWZ 203 | 23 | 2 | | | | | |
| Locknut | 27H 9504 | 24 | 2 | | | | | Not available; use AJD 8012 N |
| Locknut | AJD 8012 N | 24 | 2 | | | | | |
| Stud—handle to door | 27H 9510 | 25 | 2 | | | | | |
| Washer—handle to door—front (fibre) | 14G 2791 | 26 | 2 | | | | | |
| Washer—handle to door—rear (fibre) | 14G 2792 | 27 | 2 | | | | | |
| Nut | FNZ 103 | 28 | 2 | | | | | |
| Screw | 53K 126 | 29 | 2 | | | | | |
| Washer—plain | PWZ 103 | 30 | 4 | | | | | |
| Washer—spring | LWZ 203 | 31 | 4 | | | | | |
| Striker—lock—RH | AHA 7035 | 32 | 1 | ★ | ★ | | | |
| Striker—lock—LH | AHA 7036 | 33 | 1 | ★ | ★ | | | |
| Shim—striker ·06″ (1·6 mm) | AHA 7078 | 34 | A/R | | | | | |
| Shim—striker ·03″ (·80 mm) | AHA 7535 | 34 | A/R | | | | | |
| Plate—tapping—lower—striker | AHA 7084 | 36 | 2 | | | | | |
| Plate—tapping—upper—striker | AHA 7085 | 37 | 2 | | | | | |
| Screw—long | CMZ 0420 | 38 | 2 | | | | | |
| Screw—short | CMZ 0410 | 39 | 4 | | | | | |
| **Lock—private—RH** | AHA 7378 | 40 | 1 | ★ | ★ | | | |
| **Lock—private—LH** | AHA 7379 | 40 | 1 | ★ | ★ | | | |
| **Barrel—lock** | AHA 7404 | 42 | 2 | | | | | |
| Key | ANK 4646 | 43 | 2 | | | | | |
| Clip—retaining | AHA 7408 | 44 | 2 | | | | | |

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **Doors and Fittings**—*continued* | | | | | |
| **Striker—lock** | | | | | |
| Right-hand | AHA 7085 | 32 | 1 | | See (1) foot of page |
| Left-hand | AHA 7086 | 33 | 1 | | |
| Right-hand | †CZA 2118 | 32 | 1 | | (C) H–AN9–72041 to ▼ Canada |
| Left-hand | †CZA 2119 | 33 | 1 | | (C) H–AN9–72041 on except Canada<br>(C) G–AN4–60460 to 64755 Canada<br>(C) G–AN4–60460 on except Canada |
| Right-hand **N. America** | $ †CZA 3310 | 32 | 1 | | (C) H–AN9–72034 on USA ▼ on Canada<br>(C) G–AN4–60441 on USA, 64756 on Canada |
| Left-hand **N. America** | $ †CZA 3311 | 33 | 1 | | |
| **Shim—striker** | | | | | |
| ·06″ (1·6 mm) | AHA 7078 | 34 | A/R | | See (1) foot of page |
| ·03″ (·80 mm) | AHA 7535 | 34 | A/R | | |
| ·06″ (1·6 mm) | $ AHH 8715 | 34 | A/R | | (C) H–AN9–72041 on |
| ·03″ (·80 mm) | $ AHH 8716 | 34 | A/R | | (C) G–AN4–60460 on |
| Plate—tapping—lower—striker | AHA 7084 | 36 | 2 | | |
| Plate—tapping—upper—striker | $ AHA 7085 | 37 | 2 | | |
| **Screw** | | | | | |
| Long | †CMZ 0420 | 38 | 2 | | (C) H–AN8–38829 to 64784<br>(C) H–AN9–64735 to 78136<br>(C) G–AN3–25788 to 52389<br>(C) G–AN4–52390 to 60666 |
| Long | †AHH 9239 | 38 | 2 | | (C) H–AN9–78137 on<br>(C) G–AN4–60667 on |
| Short | †CMZ 0410 | 39 | 4 | | |
| **Lock—private** | | | | | |
| Right-hand | AHA 7378 | 40 | 1 | | See (1) foot of page |
| Left-hand | AHA 7379 | 40 | 1 | | |
| Right-hand | $ AHA 8531 | 40 | 1 | | (C) H–AN9–72041 on |
| Left-hand | $ AHA 8532 | 40 | 1 | | (C) G–AN4–60460 on |
| **Barrel—lock** | $ AHA 7404 | 42 | 2 | | |
| Key | ANK 4646 | 43 | 2 | | |
| Clip—retaining | $ †AHA 7408 | 44 | 2 | | |

$ This item is subject to safety regulations

**CHANGE POINTS**


†(1) (C) H–AN8–38829 to 64734, (C) H–AN9–64735 to 72040, (C) G–AN3–25788 to 52389, (C) G–AN4–52390 to 60459

# WINDOWS AND WINDOW MECHANISM


| | Page | Plate |
|---|---|---|
| †GLASS—DOOR ... ... ... ... ... ... | BG 2 | G 1 |
| †GLASS—VENTILATOR ... ... ... ... ... | BG 3 | G 2 |
| †HANDLE—WINDOW REGULATOR ... ... ... | BG 4 | G 1 |
| †REGULATOR—WINDOW ... ... ... ... ... | BG 2 | G 1 |
| †VENTILATOR—DOOR ... ... ... ... ... | BG 3 | G 2 |




† Revised Information. Issue 5


1
26
28
29
27
17
20
21
19
20
21
19
3
4
11
13
12
8
13
10
7
5
12
13
10
24
23
25
22
35
30
31
32
34
33
10
13
36
2
7
10
13
12
9
6
11
13
12
3
4
18
14
15
16
B8851A

Issue 4

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|


## WINDOWS AND WINDOW MECHANISM

| | | | | | | |
|---|---|---|---|---|---|---|
| **Glass—door** | | | | | | |
| Right-hand | §† | AHA 7056 | 1 | 1 | See (1) foot of page THRU 1967 | |
| Left-hand | §† | AHA 7057 | 2 | 1 | | |
| Right-hand | §† | AHA 8431 | 1 | 1 | (C) H-AN9-72041 on | |
| Left-hand | §† | AHA 8432 | 2 | 1 | (C) G-AN4-60460 on 1968 ON | |
| **Channel—glazing** | | 37H 9882 | A/R | | Supplied in multiples of feet | |
| $18\frac{3}{8}$" (46.7 cm) long | | | 3 | 2 | | |
| Channel—lower | | AHA 7042 | 4 | 2 | | |
| **Channel assembly—rear** | | | | | | |
| Right-hand | | AHA 7158 | 5 | 1 | | W.S.E. use AHA 8405 |
| Right-hand | | AHA 8405 | 5 | 1 | | |
| Left-hand | | AHA 7159 | 6 | 1 | | |
| Flexible run | | AHA 7162 | 7 | 2 | | |
| Bracket—lower—channel—RH | | AHA 7826 | 8 | 1 | | |
| Bracket—lower—channel—LH | | AHA 7827 | 9 | 1 | | |
| Screw—bracket and channel top to door | | HZS 0404 | 10 | 6 | | |
| Nut—channel to bracket | | FNZ 104 | 11 | 2 | | |
| Washer—plain | | PWZ 104 | 12 | 8 | | |
| Washer—spring | | LWZ 204 | 13 | 8 | | |
| Bracket—glass stop | | AHA 7481 | 14 | 2 | | |
| Screw—bracket to door | | PTZ 1004 | 15 | 4 | | |
| Nut—spring—screw | | PFS 410 | 16 | 4 | | |
| **Regulator—window** | | | | | | |
| Right-hand | | AHA 7038 | 17 | 1 | See (1) foot of page | |
| Left-hand | | AHA 7039 | 18 | 1 | | |
| Right-hand | | AHA 8533 | 35 | 1 | (C) H-AN9-72041 on | |
| Left-hand | | AHA 8534 | 36 | 1 | (C) G-AN4-60460 on | |
| Screw—regulator to door | | HZS 0404 | 19 | 16 | | |
| Washer—plain—screw | | PWZ 204 | 20 | 16 | | |
| Washer—spring—screw | | LWZ 204 | 21 | 16 | | |
| Handle—regulator | | ADH 3481 | 22 | 2 | | |
| **Escutcheon assembly—handle** | | †ADB 709 | 23 | 2 | See (1) foot of page | |
| Spring | | ADB 557 | 24 | 2 | | |
| Pin—handle to regulator | | ALH 1527 | 25 | 2 | | |
| Handle—regulator CZA9109 | § | ~~†CZA 2123~~ | 30 | 2 | | |
| Escutcheon—handle to door | | AHA 8517 | 31 | 2 | (C) H-AN9-72041 on | |
| Escutcheon—screw to handle | | CZA 2867 | 32 | 2 | (C) G-AN4-60460 on | |
| Screw—handle to regulator | | PMZ 0308 | 33 | 2 | | |
| Washer—spring | | LWZ 203 | 34 | 2 | | |
| Stop—regulator arm | | AHA 7703 | 26 | 2 | | |
| Nut—stop to door | | FNZ 105 | 27 | 2 | | |
| Washer—plain—nut | | PWZ 105 | 29 | 2 | | |
| Washer—shakeproof—nut | | LWZ 505 | 28 | 2 | | |

†S This item is subject to safety regulations

**CHANGE POINTS**

(1) (C) H-AN8-38829 to 64734, (C) H-AN9-64735 to 72040, (C) G-AN8-25788 to 52889, (C) G-AN4-52890 to 60459


17
18
12
14
10
35
25
26
28
24
29
60
62
39
41
3
7
9
5
33
34
31
38
36
19
21
20
16
21
23
22
39
40
1
42
56
52
57
58
54
55
53
59
8
6
9
4
35
37
17
15
18
13
11
61
25
27
28
24
62
30
39
41
33
34
32
19
21
20
16
21
23
22
39
40
47
49
48
50
51
43
38
2
45
46
44
B 88578

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **Windows and Window Mechanism**—*continued* | | | | | |
| **Ventilator assembly—door** | | | | | |
| Right-hand | †AHA 7095 | 1 | 1 | | W.S.E. use 18G 8466 |
| Left-hand | AHA 7096 | 2 | 1 | | W.S.E. use 18G 8467 |
| Right-hand | $ †18G 8466 | 1 | 1 | See (1) foot of page | |
| Left-hand | $ †18G 8467 | 2 | 1 | | |
| Right-hand | $ †18G 8468 | 1 | 1 | See (2) foot of page | |
| Left-hand | $ †18G 8469 | 2 | 1 | | |
| **Frame** | | | | | |
| Outer—RH | AHA 7402 | 3 | 1 | | |
| Outer—LH | AHA 7403 | 4 | 1 | | |
| Inner—RH | AHA 7480 | 5 | 1 | | |
| Inner—LH | AHA 7481 | 6 | 1 | | |
| Glass—RH | $ AHA 7482 | 7 | 1 | | |
| Glass—LH | $ AHA 7483 | 8 | 1 | | |
| **Rubber—glazing** | 27H 8705 | | A/R | | Supplied in multiples of feet |
| 19" (49 cm) long | | 9 | 2 | | |
| Rubber—sealing—outer frame—RH | AHA 7416 | 10 | 1 | | |
| Rubber—sealing—outer frame—LH | AHA 7417 | 11 | 1 | | |
| **Pivot** | | | | | |
| Top—upper half—RH | AHA 7468 | 12 | 1 | | |
| Top—upper half—LH | AHA 7464 | 13 | 1 | | |
| Top—lower half—RH | AHA 7465 | 14 | 1 | | |
| Top—lower half—LH | AHA 7466 | 15 | 1 | | |
| Bottom | AHA 7468 | 16 | 2 | | |
| Rivet—top pivot to inner frame | AHA 7775 | 17 | 4 | | |
| Screw—top pivot to outer frame | CMP 0203 | 18 | 4 | | |
| Distance-tube—bottom pivot | AHA 7467 | 19 | 2 | | |
| Spring—bottom pivot | AHA 7544 | 20 | 2 | | |
| Washer—plain—bottom pivot | PWZ 104 | 21 | 4 | | |
| Washer—spring—bottom pivot | LWZ 204 | 22 | 2 | | |
| Nut—bottom pivot to frame | FNZ 104 | 23 | 4 | | |
| Bracket—locking handle (with pivot) | 27H 3851 | 24 | 2 | See (1) foot of page | |
| Bracket—locking handle (with pivot) **N. America** | †37H 4347 | 24 | 2 | See (2) foot of page | |
| Rivet—bracket to inner frame | †AHA 7554 | 62 | 4 | | |
| Washer—waved | AHA 7473 | 25 | 2 | | |

**CHANGE POINTS**


(1) (C) H-AN8-38829 to 64734 (C) H-AN9-64735 to 72033 USA, ▼ Canada (C) H-AN9-64735 to 75702 except N. America
(C) G-AN3-25788 to 52389 (C) G-AN4-52890 to 60440 USA, 64755 Canada (C) G-AN4-52390 to 64474 except N. America

(2) (C) H-AN9-72034 on USA, ▼ on Canada (C) H-AN9-75703 on except N. America
(C) G-AN4-60441 on USA, 64756 on Canada (C) G-AN4-64475 on except N. America

$ This item is subject to safety regulations

**See title-page for application**

▼ Change point not available
† Revised Information. Issue 6


B 8852B

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **Windows and Window Mechanism**—*continued* | | | | | |
| **Handle—locking** | | | | | |
| Right-hand | †AHA 7469 | 26 | 1 | See (1) foot of page | |
| Left-hand | †AHA 7470 | 27 | 1 | | |
| Right-hand | $ †AHA 8446 | 60 | 1 | See (2) foot of page | |
| Left-hand | $ †AHA 8447 | 61 | 1 | | |
| Pin—locking handle | †AHA 7474 | 28 | 2 | | |
| Plate—catch—locking handle—RH | †AHA 7475 | 29 | 1 | | |
| Plate—catch—locking handle—LH | †AHA 7476 | 30 | 1 | | |
| Capping—front corner—RH | †AHA 7484 | 31 | 1 | | |
| Capping—front corner—LH | †AHA 7485 | 32 | 1 | | |
| Screw—capping to frame—side | †CZP 404 | 33 | 2 | | |
| Screw—capping to frame—bottom | †MZP 604 | 34 | 4 | | |
| Block—top corner (rubber) | †17H 2530 | 35 | 2 | | |
| **Channel** | | | | | |
| Drain—RH | †AHA 7477 | 36 | 1 | | |
| Drain—LH | †AHA 7478 | 37 | 1 | | |
| Door glass | †AHA 7642 | 38 | 2 | | |
| Stud plate—ventilator to door | †AHA 7543 | 39 | 4 | | |
| Rivet—front stud plate to frame | †AHA 7774 | 40 | 4 | | |
| Rivet—rear stud plate and catch plate to frame | †AHA 7773 | 41 | 4 | | |
| Seal—ventilator to door—RH | AHA 7746 | 42 | 1 | | |
| Seal—ventilator to door—LH | AHA 7747 | 43 | 1 | | |
| Nut—ventilator to door waist | AHH 6843 | 44 | 4 | | |
| Washer—plain—nut | PWZ 204 | 45 | 4 | | |
| Washer—spring—nut | LWZ 304 | 46 | 4 | | |
| Screw—ventilator to door—front lower | HZS 0507 | 47 | 4 | | |
| Washer—plain—screw | PWZ 805 | 48 | 4 | | |
| Washer—spring—screw | LWZ 205 | 49 | 4 | | |
| Packing—frame foot—front $\frac{1}{16}$″ (1·6 mm) thick | AHA 7696 | 50 | A/R | | |
| Packing—frame foot—front $\frac{1}{8}$″ (3·2 mm) thick | NSP | 50 | A/R | | Was AHA 7552 |
| Rivet—packing to frame foot | KXR 0416 | 51 | 2 | | |
| Bracket—ventilator to door—rear lower | AHA 7815 | 52 | 2 | | |
| Screw—bracket to door | HZS 0404 | 53 | 4 | | |
| Washer—plain—screw | PWZ 104 | 54 | 4 | | |
| Washer—spring—screw | LWZ 204 | 55 | 4 | | |
| Stud plate—ventilator to bracket | AHA 7553 | 56 | 2 | | |
| Washer—plain—stud plate | PWZ 104 | 57 | 2 | | |
| Washer—spring—stud plate | LWZ 204 | 58 | 2 | | |
| Nut—stud plate | FNZ 104 | 59 | 2 | | |

**CHANGE POINTS**

†(1) (C) H–AN8–38829 to 64734, (C) H–AN9–64785 to 72033 USA, ▼ Canada, (C) H–AN9–64785 to 75702 except N. America
(C) G–AN8–25788 to 52389, (C) G–AN4–52390 to 60440 USA, 64755 Canada, (C) G–AN4–52390 to 64474 N. America


†(2) (C) H–AN9–72034 on USA, ▼ on Canada, (C) H–AN9–75703 on except N. America
(C) G–AN4–60441 on USA, 64756 on Canada, (C) G–AN4–64475 on except N. America

# WINDSCREEN, WINDSCREEN WASHER AND MIRRORS


| | Page | Plate |
|---|---|---|
| †GLASS—WINDSCREEN ... ... ... ... ... | BH 2 | H 1 |
| †HOLDER—LICENCE ... ... ... ... ... ... | BH 3 | H 1 |
| †MIRRORS ... ... ... ... ... ... ... | BH 3·1 | H 1·1 |
| †RUBBERS—SEALING—WINDSCREEN ... ... ... | BH 2 | H 1 |
| †WINDSCREEN ... ... ... ... ... ... ... | BH 2 | H 1 |
| WINDSCREEN WASHER ... ... ... ... ... | BH 4 | H 2 |


BH

†Revised Information. Issue 4


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
E1572A

| | DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|---|

## WINDSCREEN, WINDSCREEN WASHER, AND MIRRORS

### WINDSCREEN

| | | | | | | |
|---|---|---|---|---|---|---|
| **Windscreen assembly** | | | | | | |
| Zone-toughened | **RHD** | AHA 7074 | 1 | 1 | | W.S.E. use AHA 7960 |
| Zone-toughened | **RHD** | AHA 7960 | 1 | 1 | | |
| Laminated | | AHA 7075 | 1 | 1 | | W.S.E. use AHA 8476 |
| Laminated—high impact | § | AHA 8007 | 1 | 1 | | W.S.E. use AHA 8476 |
| Laminated—high impact | § | AHA 8476 | 1 | 1 | See (2) foot of page | |
| **Glass—windscreen** | | | | | | |
| Zone-toughened | **RHD** | AHA 7076 | 2 | 1 | | W.S.E. use AHA 7959 |
| Zone-toughened | **RHD** | AHA 7959 | 2 | 1 | | |
| Laminated | | AHA 7077 | 2 | 1 | | W.S.E. use AHA 8008 |
| Laminated—high impact | § | AHA 8008 | 2 | 1 | | |
| Rubber—glazing | | ~~AHA 7089~~ | 3 | 1 | | W.S.E. use 88G 455 |
| Rubber—glazing | § | 88G 455 | 3 | 1 | | |
| **Pillar assembly** | | | | | | |
| Right-hand | | AHA 7063 | 4 | 1 | See (1) foot of page | |
| Left-hand | | AHA 7064 | 5 | 1 | See (1) foot of page | |
| Right-hand | § | AHA 8559 | 4 | 1 | See (2) foot of page | |
| Left-hand | **N. America** § | AHA 8560 | 5 | 1 | See (2) foot of page | |
| Bracket—sunvisor pivot | § | AHH 8758 | 53 | 2 | See (2) foot of page | |
| Screw—pillar to top rail—$\frac{1}{2}$" (12·7 mm) | | CMP 0808 | 6 | 4 | | |
| Screw—pillar to top rail—$\frac{5}{8}$" (15·87 mm) | | CMP 0810 | 7 | 2 | | |
| **Rail assembly—top** | | AHA 7065 | 8 | 1 | See (1) foot of page | |
| Bracket—hood fastener | | AHH 6267 | 9 | 2 | See (1) foot of page | |
| Bracket—centre rod | | AHH 6390 | 10 | 1 | See (1) foot of page | |
| Rivet—bracket to rail | | AHH 7138 | 11 | 12 | See (1) foot of page | |
| **Rail assembly—top** | § | AHA 8479 | 46 | 1 | See (2) foot of page | |
| Bracket—hood fastener | § | AHA 8483 | 47 | 2 | See (2) foot of page | |
| Bracket—mirror | **N. America** § | AHH 8846 | 48 | 1 | See (2) foot of page | |
| Bracket—anchor—sun visor | § | AHA 8357 | 49 | 2 | See (2) foot of page | |
| Rivet—bracket | | AHH 7138 | 50 | 12 | See (2) foot of page | |
| Stud—socket fastener—hood and tonneau cover | | ADB 4811 | 12 | 4 | | |
| Rivet—stud to top rail and pillar | | AHA 7796 | 13 | 4 | | |
| **Rail assembly—bottom** | | AHA 7067 | 14 | 1 | See (1) foot of page | |
| Bracket—centre rod | | AHA 7060 | 15 | 1 | See (1) foot of page | |
| Rivet—bracket to rail | | AHH 7138 | 16 | 2 | See (1) foot of page | |
| **Rail assembly—bottom** | § | AHA 8484 | 14 | 1 | See (2) foot of page | |
| Bracket—centre rod | **N. America** § | AHA 8486 | 15 | 1 | See (2) foot of page | |
| Rivet—bracket to rail | | AHH 7138 | 16 | 2 | See (2) foot of page | |
| Screw—bottom rail to reinforcement | | CMZ 0305 | 17 | 4 | | |
| Reinforcement—bottom corner—RH | | AHA 7070 | 18 | 1 | | |
| Reinforcement—bottom corner—LH | | AHA 7071 | 19 | 1 | | |
| Screw—reinforcement to pillar | | CMZ 0307 | 20 | 4 | | |
| Rod—centre | | AHA 7061 | 21 | 1 | See (1) foot of page | |
| Nut—dome—rod | | AHH 6495 | 22 | 1 | See (1) foot of page | |
| Rod—centre | **N. America** § | AHA 8561 | 51 | 1 | See (2) foot of page | |
| Nut—centre rod | § | AHH 8749 | 52 | 1 | See (2) foot of page | |
| Nut—rod | | FNP 108 | 23 | 1 | | |
| Washer—plain | | PWP 203 | 24 | 1 | See (1) foot of page | |
| Washer—spring | | LWZ 203 | 25 | 1 | See (1) foot of page | |
| **Seal** | | | | | | |
| RH pillar | | AHA 7091 | 26 | 1 | | |
| LH pillar | | AHA 7092 | 27 | 1 | | |
| Windscreen to body | | AHA 7698 | 28 | 1 | | |
| Retainer—pillar seal—RH | | AHA 7080 | 29 | 1 | | |
| Retainer—pillar seal—LH | | AHA 7081 | 30 | 1 | | |
| Rivet—seal and retainer to pillar | | AHH 7138 | 31 | 12 | | |
| Washer—plain—rivet | | PWZ 202 | 43 | 2 | | |

### CHANGE POINTS


(1) (C) H-AN8-38829 to 64734, (C) H-AN9-64735 to 72033 USA, ▼ Canada, (C) H-AN9-64785 on except N. America
(C) G-AN8-25788 to 52389, (C) G-AN4-52890 to 60440 USA, 64755 Canada, (C) G-AN4-52890 on except N. America

(2) (C) H-AN9-72034 on USA, ▼ on Canada
(C) G-AN4-60441 on USA, 64756 on Canada

§ This item is subject to safety regulations

**See title-page for application**


▼ Change point not available
† Revised Information. Issue 9


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
E1572A

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|

**Windscreen, Windscreen Washer and Mirrors**—*continued*
**Windscreen**—*continued*

| | | | | |
|---|---|---|---|---|
| Packing—centre fixing—windscreen to body | AHA 7779 | 32 | 1 | |
| Screw—centre fixing—windscreen to body | HPS 0408 | 33 | 1 | |
| Washer—plain—screw | PWP 104 | 34 | 2 | |
| Washer—spring—screw | LWZ 204 | 35 | 2 | |
| Packing—pillar foot | AHA 7086 | 36 | A/R | |
| Screw—pillar foot to body—upper | ZCS 0609 | 37 | 2 | |
| Bolt—pillar foot to body—lower | HBZ 0611 | 44 | 2 | |
| Washer—plain—screw and bolt | PWZ 306 | 38 | 4 | |
| Washer—spring—screw and bolt | LWZ 206 | 39 | 4 | |
| Nut—bolt | FNZ 106 | 45 | 2 | |
| Grommet—seal—pillar foot—RH | AHA 7093 | 40 | 1 | |
| Grommet—seal—pillar foot—LH | AHA 7094 | 41 | 1 | |
| Holder—licence | 14A 3823 | 42 | 1 | |



6
7
8
9
11
12
5
10
33
13
18
17
16
15
14
31
34
27
1
32
4
3
2
21
24
19
22
25
23
20
26
29
30
28
E1571A

| DESCRIPTION | | | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|
| **MIRRORS** | | | | | | | |
| **Mirror assembly—interior** | | | AHH 6943 | 1 | 1 | (C) H–AN8–38829 to 64734 | |
| **Stem assembly** | | | †AHH 6940 | 27 | 1 | (C) H–AN9–64735 to 72033 USA, ▼ Canada | |
| Screw—clamp to windscreen rod | | | AHH 6951 | 2 | 1 | (C) H–AN9–64735 to 74461 except N. America | |
| Washer—spring | | | LWZ 203 | 3 | 1 | (C) G–AN3–52788 to 52389 | |
| Nut—dome | | | 14B 7889 | 4 | 1 | (C) G–AN4–52390 to 60440 USA, 64758 Canada | |
| BHA4801 → BHA4960 | | | | | | (C) G–AN4–52390 to 63074 except N. America | |
| Mirror—interior | | | †BHA 4809 | 28 | 1 | | |
| Collar—ball | | | †BHA 4808 | 29 | 1 | | |
| Nut—fluted | | | †BHA 4807 | 30 | 1 | | |
| **Stem assembly** | | | †AHH 6940 | 27 | 1 | (C) H–AN9–74462 on | |
| Screw—stem | | | †AHH 6951 | 2 | 1 | (C) G–AN4–63075 on | |
| Washer—spring | | | †LWZ 203 | 3 | 1 | | |
| Nut—dome | | | †14B 7889 | 4 | 1 | | |
| Mirror—interior | | § | BHA 4781 | 19 | 1 | | Use 37H 2956 for this application |
| **Stem assembly—mirror** | | § | 37H 2956 | 20 | 1 | | |
| Screw (plastic) | | § | BHA 4788 | 21 | 1 | | |
| Nut | **N. America** | § | BHA 4783 | 22 | 1 | (C) H–AN9–72034 on USA, ▼ on Canada | |
| **Mirror assembly—door** | | § | BHA 4735 | 23 | 1 | (C) G–AN4–60441 on USA, 64756 on Canada | |
| Head | N.S. → | § | AKF 1277 ← TRY 34 F 3614 | 24 | 1 | | W.S.E use 37H 2502 |
| Nut | | § | †37H 2501 | 25 | 1 | | |
| Stem | | § | 37H 2502 | 26 | 1 | | |
| **Mirror—wing—boomerang type** | | | 27H 9863 | 5 | 2 | | Alternatives to 37H 4328 and 37H 9329 |
| **Mirror—wing—boomerang type** | **N. America** | § | 37H 9617 | 5 | 1 | (C) H–AN9–72034 on USA, ▼ on Canada (C) G–AN4–60441 on USA, 64756 on Canada | |
| **Head assembly** | | | 37H 9947 | 6 | 2 | | |
| **Head assembly** | **N. America** | § | 17H 8149 | 6 | 1 | † (C) H–AN9–72034 on USA, ▼ on Canada (C) G–AN4–60441 on USA, 64756 on Canada | |
| Nut—dome | | § | 37H 9967 | 7 | 2 | | Optional extra |
| Washer—shakeproof | | § | 37H 9968 | 8 | 2 | | |
| Collar | | § | 47H 9510 | 9 | 2 | | |
| Spring | | § | 17H 8148 | 10 | 2 | | |
| Glass | | § | 17H 8146 | 11 | 2 | | |
| Ring—glass retaining (plastic) | | § | 17H 8147 | 12 | 2 | | |
| **Arm assembly** | | § | 37H 9946 | 13 | 2 | | |
| Ferrule (rubber) | | § | 37H 9974 | 14 | 2 | | |
| Nut | | § | 37H 9970 | 15 | 2 | | |
| **Washer** | | | | | | | |
| Shakeproof | | § | 37H 9972 | 16 | 2 | | |
| Rubber | | § | 37H 9971 | 17 | 2 | | |
| Plain | | § | 37H 9973 | 18 | 2 | | |
| Head—mirror (with nut) | | § | †37H 4328 | 31 | 1 | (C) H–AN9–64735 to 80473 | Alternatives to 27H 9863 and 37H 9617 |
| Arm—mirror | | § | †37H 4329 | 32 | 1 | (C) G–AN4–52390 to 69550 | |
| Head—mirror (with nut) | | § | †37H 4579 | 33 | 1 | (C) H–AN9–80474 on | |
| Arm—mirror | | § | †37H 4580 | 34 | 1 | (C) G–AN4–69551 on | |

§ This item is subject to safety regulations

**See title-page for application**

▼ Change point not available
† Revised Information. **Issue 6**




Issue 4

**PLATE H 2** **TO FACE PAGE BH 4**

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|

**Windscreen, Windscreen Washer, and Mirrors**—*continued*

**WINDSCREEN WASHER**

| | | | | | | |
|---|---|---|---|---|---|---|
| Container | | †13H 227 | 1 | 1 | | |
| **Cap assembly—container** | | †AHH 6848 | 2 | 1 | See (1) foot of page | |
| Valve—foot | | †13H 440 | 31 | 1 | | |
| Bracket—container mounting | | †13H 282 | 3 | 1 | | |
| Screw—bracket to mudshield | | †PMZ 0806 | 4 | 2 | | |
| Washer—plain—screw | | †PWZ 103 | 5 | 2 | See (2) foot of page | |
| Washer—spring—screw | | †LWZ 203 | 6 | 2 | | |
| Nut—screw | | †FNZ 108 | 7 | 2 | | |
| **Jet assembly** | | †13H 281 | 8 | 2 | | |
| Jet | | †27H 9623 | 9 | 2 | | |
| Washer (rubber) | | †37H 9523 | 10 | 2 | | |
| Nut | | †AJD 8012 Z | 12 | 2 | | |
| **Control assembly** | | †BHA 4362 | 13 | 1 | | W.S.E. use BHA 4510 |
| **Control assembly** | | †BHA 4510 | 13 | 1 | | |
| Ring—locking | | †17H 2069 | 14 | 1 | | |
| Connection—3-way | | †BHA 4361 | 15 | 1 | | |
| **Tubing—$\frac{3}{16}$" (4·8 mm) OD** 3-way connection to jet — 6" (16 cm) long | | †37H 9708 | 16 | A/R<br>2 | See (1) foot of page | Supplied in multiples of feet |
| **Tubing—$\frac{1}{4}$" (6·4 mm) OD** Control to container — 63" (160·02 cm) long | | †97H 2679 | 17 | A/R<br>1 | | Supplied in multiples of feet |
| Control to 3-way connector — 6" (16 cm) long | | | 18 | 1 | | |
| Suction tube — container — 6" (16 cm) long | | | 19 | 1 | | |
| Clip—supply tube | | †PCR 0409 | 21 | 1 | | |
| Clip—supply tube | | †PCR 0407 | 22 | 2 | | |
| Screw—clip to wheel arch | | †PMZ 0806 | 23 | 2 | See (2) foot of page | |
| Washer—spring—screw | | †LWZ 203 | 24 | 2 | | |
| Nut—screw | | †FNZ 108 | 25 | 2 | | |
| Container | **N. America** | 13H 227 | 1 | 1 | (C) H–AN9–72034 on USA, ▼ on Canada | |
| **Cap assembly—container** | | AHH 6848 | 2 | 1 | | |
| Valve—foot | | 13H 440 | 31 | 1 | (C) G–AN4–60441 on USA, 64756 on Canada | |
| Bracket—container mounting | | †AHA 8729 | 26 | 1 | (C) H–AN9–72034 on N. America, 77591 on except N. America | |
| Screw—bracket | | †PTZ 1004 | 27 | 1 | (C) G–AN4–60441 on N. America, 66226 on except N. America | Part No. change; was AHH 8842 |
| **Jet assembly** | | 13H 281 | 8 | 2 | | |
| Jet | | 27H 9623 | 9 | 2 | | |
| Washer (rubber) | | 37H 9523 | 10 | 2 | | |
| Washer (brass) | | 37H 9522 | 11 | 2 | | |
| Nut | | AJD 8012 Z | 12 | 2 | | |
| Control—windscreen washer | | $ 13H 3939 | 28 | 1 | 5407178 | |
| Screw—control | | †PTZ 1004 | 29 | 2 | | Part No. change; was AHH 8842 |
| Connection—3-way | | 34G 1295 | 30 | 1 | (C) H–AN9–72034 on USA, ▼ on Canada | |
| **Tubing—$\frac{3}{16}$" (4·8 mm) OD** 3-way connection to jet—8" (20 cm) long | **N. America** | 37H 9708 | 16 | A/R<br>2 | (C) G–AN4–60441 on USA, 64756 on Canada | Supplied in multiples of feet |
| **Tubing—$\frac{1}{4}$" (6·4 mm) OD** Control to container —10" (25·4 cm) long | | 97H 2679 | 17 | A/R<br>1 | | Supplied in multiples of feet |
| Control to 3-way connection — 25" (63·5 cm) long | | | 18 | 1 | | |
| Suction tube — container — 6" (16 cm) long | | | 19 | 1 | | |

**CHANGE POINTS**

†(1) (C) H–AN8–38829 to 64784, (C) H–AN9–64735 to 72033 USA, ▼ Canada (C) H–AN9–64735 on except N. America, (C) G–AN3–25788 to 52389, (C) G–AN4–52390 to 60440 USA, ▼ Canada, (C) G–AN4–52390 on except N. America


†(2) (C) H–AN8–38829 to 64784, (C) H–AN9–64735 to 72033 USA, ▼ Canada, (C) H–AN9–64735 to 77590 except N. America, (C) G–AN3–25788 to 52389, (C) G–AN4–52390 to 60440 USA, ▼ Canada, (C) G–AN4–52390 to 66225 except N. America

# RADIATOR GRILLE


| | Page | Plate |
|---|---|---|
| †BADGE—RADIATOR GRILLE ... ... ... ... | BJ 2 | J 1 |
| †FINISHERS—RADIATOR GRILLE ... ... ... ... | BJ 2 | J 1 |
| †GRILLE—RADIATOR ... ... ... ... ... ... | BJ 2 | J 1 |


**BJ**

†Revised Information. Issue 4


15
16
17
33
34
36
1
25
38
39
27
31
26
28
29
30
32
37
39
35
3A
8
9A
3
5A
4A
12
6
7
9
13
11
10
5
4
2
24
23
22
21
19
20
18
98856

## RADIATOR GRILLE


| DESCRIPTION | | Part No. | Illus. No. | Quantity | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| Grille assembly—radiator | Sprite | †AHA 5664 | 1 | 1 | | | | (C) H-AN8-38829 to 64734 | |
| Grille assembly—radiator | | †AHA 8098 | 1 | 1 | | | | (C) H-AN9-64735 on | |
| **Grille assembly—radiator** | | †ARA 113 | 2 | 1 | | | | (C) G-AN3-25788 to 49678 | |
| | | †ARA 226 | 2 | 1 | | | | (C) G-AN3-49679 to 52389 | |
| | | †ARA 249 | 2 | 1 | | | | (C) G-AN4-52390 on | |
| **Bar grille** | | | | | | | | | |
| Upper | | †ARA 1198 | 3 | 1 | | | | (C) G-AN3-25788 to 49678 | |
| Upper | | †ARA 2070 | 3A | 1 | | | | (C) G-AN3-49679 to 52389 | |
| | | | | | | | | (C) G-AN4-52390 on | |
| Lower | | †ARA 1205 | 4 | 1 | | | | (C) G-AN3-25788 to 52389 | |
| Lower | | †ARA 2176 | 4A | 1 | | | | (C) G-AN4-52390 on | |
| Centre | | †ARA 1212 | 5 | 1 | | | | (C) G-AN3-25788 to 49678 | |
| Centre | | †ARA 2069 | 5A | 1 | | | | (C) G-AN3-49679 to 52389 | |
| | | | | | | | | (C) G-AN4-52390 on | |
| Nut—centre bar to grille | | †FNZ 103 | 6 | 3 | | | | (C) G-AN3-25788 to 49678 | |
| Washer—spring—nut | | †LWZ 203 | 7 | 3 | | | | | |
| Screw—centre bar to grille | | †PZZ 1006 | 8 | 2 | | | | (C) G-AN3-49679 to 52389 | |
| | | | | | | | | (C) G-AN4-52390 on | |
| Badge | | †ARA 1211 | 9 | 1 | | | | (C) G-AN3-25788 to 49678 | |
| Badge | | †ARA 2148 | 9A | 1 | | | | (C) G-AN3-49679 to 52389 | |
| | | | | | | | | (C) G-AN4-52390 on | |
| Fix—badge to bracket | Midget | †BHA 4426 | 10 | 4 | | | | | |
| Bracket—badge mounting | | †ARA 1218 | 11 | 1 | | | | | |
| Screw—bracket to centre bar | | †PJZ 804 | 12 | 1 | | | | (C) G-AN3-25788 to 49678 | |
| Nut—spring—screw | | †PFS 308 | 13 | 1 | | | | | |
| **Slat—grille** | | | | | | | | | |
| RH No. 1 | | ARA 1208 | 15 | 1 | | | | | |
| RH No. 2 | | ARA 1215 | 16 | 1 | | | | | |
| Nos. 3 to 34 | | ARA 1210 | 17 | 32 | | | | | |
| LH No. 35 | | ARA 1216 | 18 | 1 | | | | | |
| LH No. 36 | | ARA 1209 | 19 | 1 | | | | | |
| Link—slat—lower LH upper RH | | ARA 1206 | 20 | 2 | | | | | |
| Link—slat—upper LH lower RH | | ARA 1207 | 21 | 2 | | | | | |
| Clip—slat | | ARH 596 | 22 | 76 | | | | | |
| Screw—clip | | PZZ 606 | 23 | 76 | | | | | |
| Grommet—grille lower | | ARA 1259 | 24 | 4 | | | | | |
| Grommet—grille lower | Sprite | RFN 204 | 25 | 4 | | | | | |
| Screw | | PMZ 0408 | 26 | 4 | | | | | |
| Screw | | †PMZ 0410 | 27 | 2 | | | | (C) H-AN8-38829 to 64734 | |
| | | | | | | | | (C) G-AN3-25788 to 52389 | |
| Washer—plain—screw | | PWZ 104 | 28 | 6/4 | | | | Quantity reduced at (C) H-AN9-64735 (C) G-AN4-52390 | |
| Washer—spring—screw | | LWZ 204 | 29 | 6/4 | | | | | |
| Nut—screw | | FNZ 104 | 30 | 4 | | | | | |
| Nut—grille to body | | †PJZ 1004 | 31 | 2 | | | | (C) H-AN9-64735 on | |
| Washer—plain—nut | | †2K 9001 | 32 | 2 | | | | (C) G-AN4-52390 on | |
| Nut—grille to body | Sprite | †PFS 310 | 33 | 2 | | | | (C) G-AN4-52390 on | |
| **Finishers—grille surround** | | | | | | | | | |
| Right hand | | AHA 5512 | 34 | 1 | ★ | | ★ | | |
| Left hand | | AHA 5513 | 35 | 1 | ★ | | ★ | | |
| Upper | | AHA 5514 | 36 | 1 | ★ | | ★ | | |
| Lower | | AHA 5515 | 37 | 1 | ★ | | ★ | | |
| Rivet—side finishers | | DMP 0829 | 38 | 6 | | | | | |
| Rivet—upper and lower finishers | | DMP 0819 | 39 | 10 | | | | | |

# BUMPERS AND NUMBER PLATES


| | Page | Plate |
|---|---|---|
| †BUMPERS ... ... ... ... ... ... ... | BK 2 | K 1 |
| †NUMBER-PLATES ... ... ... ... ... ... | BK 3 | K 1 |
| †OVER-RIDERS ... ... ... ... ... ... ... | BK 2 | K 1 |
| †TOWING EYE ... ... ... ... ... ... ... | BK 2 | K 1 |





†Revised Information. Issue 4




Issue 3

**PLATE K 1** **TO FACE PAGE BK 2**


| DESCRIPTION | Part No. | Illus. No. | Quantity | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|
| **BUMPERS AND NUMBER-PLATES** | | | | | | | | |
| **Bumper assembly—front** | NSP | | 1 | | | | | |
| Bar—bumper | AHA 5695 | 1 | 1 | ★ | ★ | | | |
| Spring—bar | AHA 5696 | 2 | 1 | | | | | |
| Piece—packing—bar to spring | 11B 5721 | 3 | 5 | | | | | |
| Over-rider | AHA 5686 | 4 | 2 | ★ | ★ | | | |
| **Moulding—over-rider** | 37H 9871 | | A/R | | | | | Supplied in multiples of feet |
| 5" (13 cm) | | 5 | 4 | | | | | |
| Bolt—bar to spring | ACH 9287 | 6 | 3 | | | | | |
| Bolt | HBZ 0611 | 7 | 2 | | | | | |
| Washer—plain | PWZ 106 | 8 | 5 | | | | | |
| Washer—spring | LWZ 206 | 9 | 5 | | | | | |
| Nut | FNZ 106 | 10 | 3 | | | | | |
| Bracket—bumper mounting—RH | AHA 5521 | 11 | 1 | | | | | |
| Bracket—bumper mounting—LH | AHA 5522 | 12 | 1 | | | | | |
| Grommet—bracket (rubber) | AAA 1645 | 13 | 2 | | | | | |
| Nut | FNZ 108 | 14 | 2 | | | | | |
| Washer—plain | PWZ 208 | 15 | 4 | | | | | |
| Washer—spring | LWZ 208 | 16 | 2 | | | | | |
| Screw | HZS 0606 | 17 | 4 | | | | | Required when towing eye is not fitted |
| Eye—towing | †AHA 6498 | 18 | 2 | | | | | |
| Screw | †HZS 0608 | 19 | 4 | | | | | |
| Washer—plain | PWZ 106 | 20 | 4 | | | | | |
| Washer—spring | LWZ 206 | 21 | 4 | | | | | |
| **Bumper assembly—rear** | NSP | | 1 | | | | | |
| Bar—bumper | AHA 5673 | 22 | 1 | ★ | ★ | | | |
| Spring—bar | AHA 5675 | 23 | 2 | | | | | |
| Piece—packing—bar to spring | 11B 5721 | 24 | 4 | | | | | |
| Over-rider | AHA 5686 | 25 | 2 | ★ | ★ | | | |
| **Moulding—over-rider** | 37H 9871 | | A/R | | | | | Supplied in multiples of feet |
| 5" (13 cm) | | 26 | 4 | | | | | |
| Bolt—bar to spring | ACH 9287 | 27 | 2 | | | | | |
| Bolt | HBZ 0611 | 28 | 2 | | | | | |
| Washer—plain | PWZ 106 | 29 | 4 | | | | | |
| Washer—spring | LWZ 206 | 30 | 4 | | | | | |
| Nut | FNZ 106 | 31 | 2 | | | | | |


47
54
57
55
56
58
48
26
25
22
35
34
42
40
43
38
39
33
32
24
41
36
37
23
29
30
31
28
27
51
52
45
5
10
9
8
3
6
12
13
2
44
58
56
11
4
17
21
20
7
9
13
15
46
57
53
18
19
8
16
14
50
1
49
88731


| DESCRIPTION | Part No. | Illus. No. | Quantity | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|
| **Bumpers and Number Plates**—*continued* | | | | | | | | |
| **Bracket** | | | | | | | | |
| Bumper mounting | AHA 5765 | 32 | 2 | | | | | |
| Bumper support—RH | AHA 5677 | 33 | 1 | | | | | |
| Bumper support—LH | AHA 5678 | 34 | 1 | | | | | |
| Finisher—support bracket | AHA 5679 | 35 | 2 | | | | | |
| Screw | HZS 0608 | 36 | 2 | | | | | |
| Washer—plain | PWZ 106 | 37 | 2 | | | | | |
| Washer—spring | LWZ 206 | 38 | 2 | | | | | |
| Nut | FNZ 106 | 39 | 2 | | | | | |
| Screw | HZS 0506 | 40 | 8 | | | | | |
| Washer—plain | PWZ 105 | 41 | 6/2 | | | | | Quantity reduced for Europe |
| Washer—spring | LWZ 205 | 42 | | | | | | |
| Nut—dome | 14B 2685 | 43 | | | | | | |
| Bracket—front number-plate mounting | AHA 5533 | 44 | | | | | (C) H-AN8 38829 to 58700<br>(C)G-AN3 25788 to 46561 | |
| Bracket mounting front number-plate | Except N. America: AHH 8177 | 45 | | | | | (C) H-AN8-58701 to 64734<br>(C) H-AN9-64735 on<br>(C) G-AN3-46562 to 52389<br>(C) G-AN4-52390 on | |
| Number-plate front | ADG 474 | 46 | | | | | | |
| Number-plate rear | AHA 5791 | 47 | | | | | | |
| Buffer rear-number plate | AHA 5084 | 48 | | | | | | |
| Bracket mounting front number-plate | N. America: AHA 8004 | 49 | | | | | (C) H-AN8-58381 to 64734<br>(C) H-AN9-64735 on<br>(C) G-AN3-46042 to 52389<br>(C) G-AN4-52390 on | |
| Support—number-plate | AHA 5211 | 50 | | FRONT | | | | |
| Bracket—mounting number-plate lamp | West Germany: AHA 7892 | 51 | | | | | (C) H-AN8-50192 to 64734<br>(C) H-AN9-64735 on<br>(C) G-AN3-38970 to 52389<br>(C) G-AN4-52390 on | |
| Buffer—bracket | AHA 5804 | 52 | | | | | | |
| Screw | PMZ 410 | 53 | | | | | | |
| Screw | PMZ 416 | 54 | | | | | | |
| **Washer** | | | | | | | | |
| Plain | PWZ 404 | 55 | | | | | | |
| Spring | LWZ 204 | 56 | | | | | | |
| Packing | AHH 5712 | 57 | | | | | | |
| **Nut** | FNZ 104 | 58 | | | | | | |

# HOOD, TONNEAU COVER AND HARD TOP


| | Page | Plate |
|---|---|---|
| †BAG—STOWAGE—HOOD FRAME AND HOOD COVER ... ... ... ... ... ... | BL 2, BL 3 | L 1, L 2 |
| †BAG—STOWAGE—TONNEAU COVER ... ... | BL 4, BL 5 | L 3, L 4 |
| †COVER—HOOD ... ... ... ... ... | BL 2, BL 3 | L 1, L 2 |
| †COVER—TONNEAU ... ... ... ... ... | BL 4, BL 5 | L 3, L 4 |
| †FRAME—HOOD ... ... ... ... ... | BL 2, BL 3 | L 1, L 2 |
| †HARD TOP ... ... ... ... ... ... | BL 6, BL 7 | L 5, L 6 |
| †RAILS—TONNEAU COVER SUPPORT ... ... | BL 4, BL 5 | L 3, L 4 |


AHA 8369
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
8530.3.

| DESCRIPTION | Part No. | Illus. No. | Quantity | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|
| **HOOD, TONNEAU COVER AND HARD TOP** | | | | | | | | |
| **HOOD** | | | | | | | | |
| **(SPRITE MK III AND MIDGET MK II)** | | | | | | | | |
| **Cover assembly (with header rail)—hood** | | | | | | | | |
| Red | AHA 7368 | 1 | 1 | | | | | |
| Blue | AHA 7524 | 1 | 1 | | | | | |
| Grey | AHA 7370 | 1 | 1 | | | | | |
| Black | AHA 7371 | 1 | 1 | | | | | |
| **Cover assembly—hood** | | | | | | | | |
| Red | †AKE 5221 | 2 | 1 | | | | | Not available; use AHA 7368 |
| Blue | †AKE 5249 | 2 | 1 | | | | | Not available; use AHA 7524 |
| Grey | †AKE 5223 | 2 | 1 | | | | | Not available; use AHA 7370 |
| Black | †AKE 5224 | 2 | 1 | | | | | Not available; use AHA 7371 |
| Socket—fastener—peg | TFS 106 | 3 | 2 | | | | | |
| Eyelet—turn-button | 14A 6537 | 4 | 2 | | | | | |
| Washer—eyelet | BHA 4461 | 5 | 2 | | | | | |
| Socket—fastener—stud | 7H 9866 | 6 | 4 | | | | | |
| Button—socket | 7H 9864 | 7 | 4 | | | | | |
| Screw | CTZ 604 | 8 | 2 | | | | | |
| Washer—cup | FWZ 206 | 9 | 2 | | | | | |
| Seal—header rail 11 70 | AHH 6438 | 10 | 1 | | | | | |
| Retainer—seal 12 34 | AHA 7350 | 11 | 1 | | | | | |
| Rivet | DAP 0829 | 12 | 15 | | | | | |
| Pad—header rail | AHH 6439 | 13 | 2 | | | | | |
| Screw—pad to header rail | CTZ 604 | 14 | 4 | | | | | |
| Fastener—hood | AHA 7709 | 15 | 2 | | | | | |
| Screw | 53K 126 | 16 | 4 | | | | | |
| Washer—spring | LWZ 203 | 17 | 4 | | | | | |
| Frame—hood—RH | AHA 7645 | 18 | 1 | | | | | |
| Frame—hood—LH | AHA 7646 | 19 | 1 | | | | | |
| Bag—frame stowage | AHA 7705 | 20 | 1 | | | | | |
| Turn-button | 14A 6536 | 21 | 2 | | | | | |
| Retainer—hood cover | 14B 1730 | 22 | 2 | | | | | |
| Collar—distance—retainer | 11K 5564 | 23 | 2 | | | | | |
| Screw | PMZ 0305 | 24 | 4 | | | | | |
| Washer—plain | PWZ 203 | 25 | 2 | | | | | |
| Washer—spring | LWZ 203 | 26 | 4 | | | | | |
| Bag—hood cover stowage | AHA 7704 | 27 | 1 | | | | | |
| Strap—stowage bag | AHA 5217 | 28 | 2 | | | | | |
| Peg—rear decking panel | TFP 1006 | 29 | 2 | | | | | |
| Washer—joint | 2K 4936 | 30 | 2 | | | | | |
| Washer—spring | LWZ 203 | 31 | 2 | | | | | |
| Nut | FNZ 103 | 32 | 2 | | | | | |
| Stud—socket | ADB 4811 | 33 | 2 | | | | | |
| Rivet | DMP 0829 | 34 | 2 | | | | | |




Issue 8

**PLATE L 2** **TO FACE PAGE BL 3**

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|

**Hood, Tonneau Cover, and Hard Top**— *continued*


**HOOD**
**(SPRITE MK. IV AND MIDGET MK. III)**

| | | | | | |
|---|---|---|---|---|---|
| **Cover assembly—hood (with header rail)—Black** | AHA 8188 | 1 | 1 | (C) H-AN9-64735 to 77590<br>(C) G-AN4-52890 to 66225 | |
| **Cover assembly—hood (with header rail)—Black** | AHA 8963 | 1 | 1 | (C) H-AN9-77591 on<br>(C) G-AN4-66226 on | |
| **Cover assembly—hood** | 27H 8990 | 2 | 1 | | W.S.E. use AHA 8188 |
| Socket—fastener—peg | TFS 106 | 3 | 8 | | |
| Socket - fastener—stud | 7H 9866 | 4 | A/R | | |
| Button | 7H 9864 | 5 | A/R | | |
| Screw—hood to header rail | CTZ 604 | 6 | 2 | | |
| Washer—cup | FWZ 206 | 7 | 2 | | |
| Seal - header rail | AHA 8355 | 8 | 1 | | |
| Retainer—seal | AHA 7350 | 9 | 1 | | |
| Rivet—retainer | DAP 0829 | 10 | 15 | | |
| Pad - header rail | AHH 6439 | 11 | 2 | | |
| Screw—pad to header rail | CTZ 604 | 12 | 4 | | |
| Fastener—hood | AHA 7709 | 13 | 2 | (C) H-AN9-64735 to 72033 N. America<br>(C) H-AN9-64735 to ▼ except N. America<br>(C) G-AN4-52890 to 60440 N. America<br>(C) G-AN4-52890 to ▼ except N. America | |
| Fastener—hood § | AHA 8491 | 13 | 2 | (C) H-AN9-72034 on N. America, ▼ on except N. America<br>(C) G-AN4-60441 on N. America, ▼ on except N. America | |
| Screw—fastener to header rail | 58K 126 | 14 | 4 | | |
| Washer—spring | LWZ 203 | 15 | 4 | | |
| Frame—hood | AHA 8189 | 16 | 1 | (C) H-AN9-64735 to 77590<br>(C) G-AN4-52890 to 66225 | |
| Frame—hood | †AHA 9051 | 16 | 1 | (C) H-AN9-77591 on<br>(C) G-AN4-66226 on | |
| Screw—frame to body | HZS 0508 | 17 | 6 | | |
| Washer—spring | LWZ 205 | 18 | 6 | | |
| Washer—plain | PWZ 105 | 19 | 6 | | |
| Piece—packing—frame to body | AHA 8295 | 20 | 2 | | |
| Screw—hood to frame | CMZ 0410 | 21 | 6 | | |
| Hoop—Velcro | †AHA 9054 | 23 | 2 | | |
| Screw—'B' post finisher and Velcro to body | †RMP 0212 | 24 | 2 | | |
| Nut—dome | †AHA 9061 | 25 | 2 | (C) H-AN9-77591 on<br>(C) G-AN4-66226 on | |
| Washer—plain | †PWZ 102 | 26 | 2 | | |
| Washer—spring | †LWZ 202 | 27 | 2 | | |
| Screw—'B' post finisher and Velcro to body | †RTP 604 | 28 | 2 | | |
| **Cover assembly—hood stowage** | †AHA 8288 | 22 | 1 | (C) H-AN9-64735 to 77590<br>(C) G-AN4-52890 to 66225 | |
| **Cover assembly—hood stowage** | †AHA 9190 | 22 | 1 | (C) H-AN9-77591 on<br>(C) G-AN4-66226 on | |
| Socket—fastener—peg | TFS 106 | 23 | A/R | | |
| Socket—fastener—stud | 7H 9866 | 24 | A/R | | |
| Button—socket | 7H 9864 | 25 | A/R | | |
| Bag—stowage—hood stowage cover | AHA 8324 | 26 | 1 | | |
| Retainer—hood—rear | AHA 8185 | 27 | 1 | | |
| Screw—retainer to body | ZCT 605 | 28 | 7 | | Part No. change; was BHA 4626 |
| Stud—screw | ADB 4811 | 29 | 7 | | |
| Peg—rear cockpit flange | TFP 1010 | 30 | 2 | (C) H-AN9-64735 to 77590<br>(C) G-AN4-52890 to 66225 | |
| Washer—spring | LWZ 203 | 31 | 2 | | |
| Nut—peg | 14B 7889 | 32 | 2 | | |
| Peg—rear cockpit flange | TFP 1006 | 33 | 6 | | |
| Fastener—peg | BHA 4631 | 34 | 6 | | |
| Piece—distance flange finisher | AHA 8309 | 35 | 6 | | |
| Washer—flange finisher | AHA 8310 | 36 | 6 | | |
| Stud—hood cover to 'B' post | ADB 4811 | 37 | 2 | (C) H-AN9-64735 to 77590<br>(C) G-AN4-52890 to 66225 | |
| Rivet—stud | DMP 0835 | 38 | 2 | | |

§ This item is subject to safety regulations

**See title-page for application**

▼ Change point not available
† Revised Information. **Issue 7**


13
12
1
9
7
6
10
11
5
8
4
3
14
18
19
17
20
21
22
15
16
2
B 5302


| | DESCRIPTION | Part No. | Illus. No. | Quantity | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|---|

**Hood, Tonneau Cover and Hard Top**—*continued*

## TONNEAU COVER


### SPRITE MK III AND MIDGET MK II

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| **Cover assembly—tonneau** | | | | | | | | |
| Red | RHD | AHA 7784 | 1 | 1 | | | | |
| Blue | RHD | AHA 7785 | 1 | 1 | | | | |
| Black | RHD | AHA 7783 | 1 | 1 | | | | |
| Red | LHD | AHA 7787 | 2 | 1 | | | | |
| Blue | LHD | AHA 7788 | 2 | 1 | | | | |
| Black | LHD | AHA 7786 | 2 | 1 | | | | |
| **Fastener—zip—9" (22·86 cm)** | | | | | | | | |
| Red | | AHA 7790 | 3 | 2 | | | | |
| Blue | | AHA 7791 | 3 | 2 | | | | |
| Black | | AHA 7789 | 3 | 2 | | | | |
| **Fastener—zip—33" (83·82 cm)** | | | | | | | | |
| Red | | AHA 7793 | 4 | 1 | | | | |
| Blue | | AHA 7794 | 4 | 1 | | | | **Optional extra** |
| Black | | AHA 7792 | 4 | 1 | | | | |
| **Socket—fastener** | | | | | | | | |
| Dash panel and heelboard peg | | LFS 107 | 5 | 8 | | | | |
| Rear decking panel peg | | TFS 106 | 6 | 2 | | | | |
| Stud | | 7H 9866 | 7 | 10 | | | | |
| Washer—dash panel and heelboard peg socket | | LFS 100 | 8 | 8 | | | | |
| Button—stud socket | | 7H 9864 | 9 | 10 | | | | |
| Stud—socket | | ADB 4811 | 10 | 2 | | | | |
| Eyelet—stud | | 7H 9868 | 11 | 2 | | | | |
| Peg—base plate—heelboard | | LFP 116 | 12 | 4 | | | | |
| Screw | | RTP 604 | 13 | 8 | | | | |
| Bag—tonneau cover stowage | | AHA 5888 | 14 | 1 | | | | |
| Rail—tonneau cover support—RH | | AHA 7701 | 15 | 1 | | | | |
| Rail—tonneau cover support—LH | | AHA 7702 | 16 | 1 | | | | |
| Stud—socket | | ADB 4811 | 21 | 4 | | | | |
| Rivet | | DMP 0829 | 22 | 4 | | | | |
| Peg—dash panel | | †LFP 1006 | 17 | 4 | | | | Use 97H 717 for this application |
| Peg—dash panel | | †97H 717 | 17 | 4 | | | | |
| Washer—joint | | 2K 4936 | 18 | 4 | | | | |
| Washer—spring | | LWZ 203 | 19 | 4 | | | | |
| Nut | | FNZ 103 | 20 | 4 | | | | |



See title-page for application

†Revised Information. Issue 2


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
25
E2640

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|


**Hood, Tonneau Cover, and Hard Top**—*continued*

**TONNEAU COVER**
**(SPRITE MK. IV AND MIDGET MK. III)**
**(Optional Extra)**


| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Cover assembly—tonneau—Black** | **RHD** | AHA 8298 | 1 | 1 | (C) H-AN9-64735 to 77590 | | |
| | | | | | (C) G-AN4-52390 to 66225 | | |
| | **LHD** | AHA 8294 | 2 | 1 | (C) H-AN9-64735 to 72083 USA, ▼ Canada | | |
| | | | | | (C) H-AN9-64735 to 77590 except N. America | | |
| | | | | | (C) G-AN4-52390 to 60440 USA, 64755 Canada | | |
| | | | | | (C) G-AN4-52390 to 66225 except N. America | | |
| | **N. America** | AHA 8758 | 24 | 1 | (C) H-AN9-72034 to USA, ▼ Canada to 77590 | | |
| | | | | | (C) G-AN4-60441 USA, 64756 Canada to 66225 | | |
| | **RHD** | †AHA 9156 | 1 | 1 | (C) H-AN9-77591 on | When head restraint is not fitted | |
| | **LHD** | †AHA 9157 | 2 | 1 | (C) G-AN4-66226 on | | |
| | **N. America** | †AHA 9158 | 25 | 1 | | When head restraint is fitted | |
| **Fastener—zip** | | | | | | | |
| 9″ (22·86 cm) | | AHA 7789 | 3 | 2 | | | |
| 33″ (83·82 cm) | | AHA 7792 | 4 | 1 | (C) H-AN9-64735 to 77590 | | |
| | | | | | (C) G-AN4-52390 to 66225 | | |
| 35″ (88·9 cm) | | †AHA 9158 | 4 | 1 | (C) H-AN9-77591 on | When head restraint is not fitted | |
| | | | | | (C) G-AN4-66226 on | | |
| 6″ (15·24 cm) | | †AHA 9159 | 3 | 2 | | When head restraint is fitted | |
| **Socket—fastener** | | | | | | | |
| Dash panel and heelboard peg | | LFS 107 | 5 | A/R | | | |
| Rear decking panel peg | | TFS 106 | 6 | A/R | | | |
| Stud | | 7H 9866 | 7 | A/R | | | |
| Washer—dash panel and heelboard peg socket | | LFS 100 | 8 | A/R | | | |
| Button—stud socket | | 7H 9864 | 9 | A/R | | | |
| Stud—socket | | ADB 4811 | 10 | 2 | | | |
| Eyelet—stud | | 7H 9868 | 11 | 2 | | | |
| Peg—base plate—heelboard | | LFP 116 | 12 | A/R | | | |
| Screw | | RTP 604 | 13 | A/R | | | |
| Bag—tonneau cover storage | | AHA 5888 | 14 | 1 | (C) H-AN9-64735 to 77590 | | |
| | | | | | (C) G-AN4-52390 to 66225 | | |
| Bag—tonneau cover storage | | †AHA 9166 | 14 | 1 | (C) H-AN9-77591 on | | |
| | | | | | (C) G-AN4-66226 on | | |
| **Rail assembly—tonneau cover—support** | | | | | | | |
| Right-hand | | AHA 8313 | 15 | 1 | (C) H-AN9-64735 to 77590 | | |
| Left-hand | | AHA 8314 | 16 | 1 | (C) G-AN4-52390 to 66225 | | |
| Right-hand | | †AHA 9086 | 15 | 1 | (C) H-AN9-77591 on | | |
| Left-hand | | †AHA 9087 | 16 | 1 | (C) G-AN4-66226 on | | |
| Stud—tonneau cover fixing | | ADB 4811 | 22 | 2 | | | |
| Rivet—stud | | DMP 2840 | 23 | 2 | | | |
| Peg—dash | | LFP 1006 | 17 | 4 | | Use 97H 717 for this application | Standard fitment |
| Peg—dash | | 97H 717 | 17 | A/R | | | |
| Washer—joint | | 2K 4936 | 18 | A/R | | | |
| Washer—spring | | LWZ 203 | 19 | A/R | | | |
| Nut | | FNZ 103 | 20 | A/R | | | |
| Bag—tonneau rail stowage | | AHA 8318 | 21 | 1 | (C) H-AN9-64735 to 77590 | | |
| | | | | | (C) G-AN4-52390 to 66225 | | |
| Bag—tonneau rail stowage | | †AHA 9160 | 21 | 1 | (C) H-AN9-77591 on | | |
| | | | | | (C) G-AN4-66226 on | | |

**See title-page for application**

▼ Change point not available
† Revised Information. Issue 6


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
B 45014A

| DESCRIPTION | Part No. | Illus. No. | Quantity | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|
| **HARD TOP (SPRITE MK III AND MIDGET MK II) (Optional Extra)** | | | | | | | | |
| **Hard top assembly** | | | | | | | | |
| Primed | AHA 7814 | 1 | 1 | | | | | |
| Riviera Blue | AHA 7815 | 1 | 1 | | | | | Not available; use AHA 7814 |
| Tartan Red | AHA 7816 | 1 | 1 | | | | | Not available; use AHA 7814 |
| Black | AHA 7817 | 1 | 1 | | | | | Not available; use AHA 7814 |
| Old English White | AHA 7818 | 1 | 1 | | | | | Not available; use AHA 7814 |
| **Fastener**—hard top to windscreen | AHA 7709 | 2 | 2 | | | | | |
| Screw | 53K 127 | 3 | 4 | | | | | |
| Washer—spring | LWZ 203 | 4 | 4 | | | | | |
| **Bracket** | | | | | | | | |
| Securing—fastener | AHH 7196 | 5 | 2 | | | | | |
| Side | AHA 7834 | 6 | 2 | | | | | |
| Locating—rear—RH | AHA 7825 | 7 | 1 | | | | | |
| Locating—rear—LH | AHA 7826 | 8 | 1 | | | | | |
| Screw | PMP 0308 | 9 | 2 | | | | | |
| Washer—spring | LWZ 203 | 10 | 2 | | | | | |
| Screw | HZS 0405 | 11 | 6 | | | | | |
| Washer—spring | LWZ 204 | 12 | 6 | | | | | |
| Screw | HZS 0507 | 13 | 2 | | | | | |
| Washer—plain | PWZ 105 | 14 | 8 | | | | | |
| Spacer | AHA 7837 | 15 | 2 | | | | | |
| Washer—plain | PWZ 108 | 16 | 2 | | | | | |
| Bolt | HBZ 0526 | 17 | 2 | | | | | |
| Washer—plain | PWZ 205 | 18 | 2 | | | | | |
| Washer—spring | LWZ 205 | 19 | 2 | | | | | |
| Screw | HZS 0405 | 20 | 4 | | | | | |
| Washer—plain | PWZ 104 | 21 | 4 | | | | | |
| Washer—spring | LWZ 204 | 22 | 4 | | | | | |
| Glass—quarter window | AHA 7843 | 23 | 2 | | | | | |
| Backlight | AHA 7819 | 24 | 1 | | | | | |
| Moulding—drip—RH | AHA 7845 | 25 | 1 | | | | | |
| Moulding—drip—LH | AHA 7846 | 26 | 1 | | | | | |
| Screw | PTZ 604 | 27 | 28 | | | | | Use RTP 404 for this application |
| Screw | RTP 404 | 27 | 28 | | | | | |
| **Rubber—sealing** | | | | | | | | |
| Quarter window—RH | AHA 7847 | 28 | 1 | | | | | |
| Quarter window—LH | AHA 7848 | 29 | 1 | | | | | |
| Backlight | AHA 7844 | 30 | 1 | | | | | |
| Hard top to body | AHA 7391 | 31 | 1 | | | | | |
| Hard top to windscreen | AHH 6438 | 32 | 1 | | | | | |
| **Rubber—sealing—door** | 17H 9269 | | A/R | | | | | Supplied in multiples of yards |
| 30″ (76·2 cm) | | 33 | 2 | | | | | |
| **Finisher—quarter window sealing rubber** | 27H 4581 | | A/R | | | | | Supplied in multiples of feet |
| 41″ (105 cm) | | 34 | 2 | | | | | |
| **Finisher—backlight sealing rubber** | 34G 9 | | A/R | | | | | Supplied in multiples of feet |
| 112″ (285 cm) | | 35 | 1 | | | | | |
| Screw | RTP 403 | 36 | 4 | | | | | |
| Washer—cup | FWP 106 | 37 | 4 | | | | | |
| **Retainer—sealing rubber** | | | | | | | | |
| Hard top to body—RH | AHA 7853 | 38 | 1 | | | | | |
| Hard top to body—LH | AHA 7854 | 39 | 1 | | | | | |
| Hard top to windscreen | AHA 7350 | 40 | 1 | | | | | |
| Rivet—retainer | AHA 6355 | 41 | 25 | | | | | |


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
s8881

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|

**Hood, Tonneau Cover, and Hard Top**—*continued*


**HARD TOP**
**(SPRITE MK. IV AND MIDGET MK. III)**
**(Optional Extra)**

| | | | | | |
|---|---|---|---|---|---|
| **Hard top assembly—primed** | AHA 8150 | 1 | 1 | | |
| **Hard top assembly—primed** **N. America** | AHA 8502 | 1 | 1 | | |
| Fastener—hard top | †AHA 7709 | 1 | 1 | (C) H-AN9-64735 to 72033 N. America | |
| | | | | (C) H-AN9-64735 to ▼ except N. America | |
| | | | | (C) G-AN4-52390 to 60440 N. America | |
| | | | | (C) G-AN4-52390 to ▼ except N. America | |
| Fastener—hard top | $ †AHA 8491 | 1 | 1 | (C) H-AN9-72034 on N. America, ▼ on except N. America | |
| | | | | (C) G-AN4-60441 on N. America, ▼ on except N. America | |
| Screw—fastener to header rail | 53K 127 | 3 | 4 | | |
| Washer—spring | LWZ 203 | 4 | 4 | | |
| Bracket—fastener securing | AHH 7196 | 5 | 2 | | |
| Screw | PMP 0808 | 6 | 2 | | |
| Washer—spring | LWZ 203 | 7 | 2 | | |
| Bracket—side | AHA 8083 | 8 | 2 | | |
| Screw | HZS 0405 | 9 | 6 | | |
| Washer—spring | LWZ 204 | 10 | 6 | | |
| Glass—quarter-light | AHA 8086 | 11 | 2 | | |
| Glass—back-light | AHA 8064 | 12 | 1 | | |
| Moulding—drip—RH | AHA 7845 | 13 | 1 | | |
| Moulding—drip—LH | AHA 7846 | 14 | 1 | | |
| Screw | CTP 404 | 15 | 28 | | |
| **Rubber—sealing** | | | | | |
| Quarter-light—RH | AHA 8084 | 16 | 1 | | |
| Quarter-light—LH | AHA 8085 | 17 | 1 | | |
| Back-light | AHA 8087 | 18 | 1 | | |
| Hard top to body | AHA 8815 | 19 | 1 | | |
| Hard top to windscreen | AHA 8855 | 20 | 1 | | |
| **Rubber—sealing—door** | 17H 9269 | | A/R | | W.S.E. use 27H 6402 |
| | 27H 6402 | | A/R | | W.S.E. use 37H 1389 |
| | 37H 1389 | | A/R | (C) H-AN9-64735 to 72587 | Supplied in multiples of yards |
| 30″ (76·2 cm) | | 21 | 2 | (C) G-AN4-52390 to 61809 | |
| | AHH 8918 | | 2 | (C) H-AN9-72588 on | |
| | | | | (C) G-AN4-61810 on | |
| **Finisher—quarter-window sealing rubber** | 37H 3227 | | A/R | | Supplied in multiples of feet |
| 42″ (106·7 cm) long | | 22 | 2 | | |
| **Finisher—back-light sealing rubber** | 37H 8226 | | A/R | | Supplied in multiples of feet |
| Upper—60″ (152·4 cm) long | | 23 | 1 | | |
| Lower—44″ (111·8 cm) long | | 23 | 1 | | |
| Screw—door sealing rubber to hard top | RTP 403 | 24 | 4 | | |
| Washer—cup | FWP 106 | 25 | 4 | | |
| Retainer—sealing rubber—hardtop to windscreen | AHA 7850 | 26 | 1 | | |
| Rivet—retainer | AHA 6355 | 27 | 25 | | |
| Bracket—side | AHA 8082 | 28 | 2 | | Standard fitment |
| Screw | HZS 0509 | 29 | 2 | | |
| Washer—plain | PWZ 305 | 30 | 8 | | |
| Washer—spring | LWZ 205 | 31 | 2 | | |
| Nut | FNZ 105 | 32 | 2 | | |

$ This item is subject to safety regulations

# HEATER AND VENTILATION DETAILS


| | Page |
|---|---|
| BLOWER—HEATER ... ... ... ... ... ... ... | BM 1 |
| CONTROL—FRESH-AIR UNIT ... ... ... ... ... | BM 2 |
| FRESH-AIR UNIT ... ... ... ... ... ... ... | BM 2 |
| HEATER UNIT ... ... ... ... ... ... ... ... | BM 1 |
| HOSE—FRESH-AIR ... ... ... ... ... ... ... | BM 2 |
| HOSES—HEATER ... ... ... ... ... ... ... | BM 1 |
| NOZZLE—DEMISTER ... ... ... ... ... ... ... | BM 1 |
| PIPE—WATER—HEATER ... ... ... ... ... ... | BM 1 |
| SWITCH—HEATER ... ... ... ... ... ... ... | BM 1 |
| TAP—WATER CONTROL ... ... ... ... ... ... | BM 1 |





To face page BM 1

## PLATE M 1

# FASCIA DETAILS


| | Page | Plate |
|---|---|---|
| †MOTIF—FASCIA PANEL ... ... ... ... ... | BM 2 | M 1 |
| †PANELS—FASCIA AND INSTRUMENT ... ... ... | BM 2 | M 1 |
| †PARCEL TRAY ... ... ... ... ... ... ... | BM 2 | M 1 |


16
Sparto
15
18
17
10
11
5
10
11
9
1
10
11
8
7
13
14
28
4
3
6
48
19
21
22
23
24
45
46
47
2
39
41
43
44
41
40
38
42
27
25
21
22
23
24
26
27
35
33
30
32
31
20
34
37
36
29
B8733B

## FASCIA DETAILS

| DESCRIPTION | | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|---|
| Panel--fascia | **RHD** | AHA 7436 | 1 | 1 | | |
| Panel--fascia | **LHD** | AHA 7437 | 2 | 1 | | |
| Bracket—fascia panel to 'A' post—RH | | AHA 7438 | 6 | 1 | | |
| Bracket--fascia panel to 'A' post--LH | | AHA 7439 | 7 | 1 | | |
| Screw | | PJZ 1206 | 3 | 2 | | |
| Nut—spring | | PFS 512 | 4 | 2 | (C) H-AN8-38829 to 64734 | |
| Screw | | HZS 0405 | 8 | 2 | (C) H-AN9-64735 to 72083 | |
| | | PMZ 0408 | 9 | 2 | USA, ▼ Canada | |
| | | PMZ 0410 | 5 | 1 | (C) H-AN9-64735 on except N. America | Use PMZ 0408 for this application |
| Washer—plain | | PWZ 104 | 10 | 7 | (C) G-AN8-25788 to 52389 | |
| Washer—spring | | LWZ 204 | 11 | 5 | (C) G-AN4-52390 to 60440 | |
| Stay—fascia panel--bottom | | AHA 7763 | 13 | 2 | USA 64755 Canada | |
| Screw | | PTZ 1003 | 14 | 4 | (C) G-AN4-52390 on except N. America | |
| Motif--'Sprite' | **Sprite** | AHA 5699 | 15 | 1 | | |
| Push-on-fix—motif to fascia panel | **Sprite** | BHA 4082 | 16 | 2 | | |
| Motif—'MG' | **Midget** | AHH 5258 | 17 | 1 | | |
| Nut—Spire | **Midget** | ADB 509 | 18 | 2 | | |
| Plug—blanking—ignition switch hole | | ACH 9373 | 28 | 1 | | For use when steering lock is fitted. Part No. change; was BHA 4416 |
| Panel fascia | | AHA 8687 | 29 | 1 | (C) H-AN9-72084 to ▼<br>(C) G-AN4-60441 to ▼ | W.S.E. use AHA 8780 together with 1 off rivet AHH 8971 |
| Panel—fascia | | § AHA 8780 | 29 | 1 | (C) H-AN9- ▼ on<br>(C) G-AN4- ▼ on | |
| Nut—fascia to shroud | | FNZ 104 | 30 | 4 | | |
| Washer—plain | | PWZ 104 | 31 | 4 | | |
| Washer—spring | | LWZ 204 | 32 | 4 | †(C) H-AN9-72084 on USA, ▼ Canada to 79353 | |
| **Plate—support—fascia to dash** | | | | | | |
| Right-hand | | †AHA 8579 | 33 | 1 | (C) G-AN4-60441 USA, 64756 Canada to 68305 | |
| Left-hand | | †AHA 8606 | 34 | 2 | | |
| Screw—support plates | | PTZ 1003 | 35 | 8 | | |
| Washer—spring | **N.** | LWZ 203 | 36 | A/R | | |
| Nut | **America** | FNZ 103 | 37 | A/R | | |
| Nacelle—switches | | †AHA 8570 | 38 | 1 | | |
| Panel—radio mounting | | †AHA 8790 | 45 | 1 | | |
| Bezel—radio aperture | | †AHH 5255 | 46 | 1 | (C) H-AN9-79354 on | |
| Plate—blanking | | †ARH 59 | 47 | 1 | (C) G-AN4-68305 on | |
| Clip—blanking plate and motif | | †AHH 5256 | 48 | 2 | | |
| Screw—nacelle | | AHA 8706 | 39 | 4 | | |
| Screw—nacelle | | AHA 8763 | 40 | 4 | | |
| Washer—cup | | FWP 706 | 41 | 8 | | |
| Bezel—nacelle | | BHA 4823 | 42 | 1 | †(C) H-AN9-72084 on USA, ▼ on Canada | |
| Nut—bezel | | AJD 8014 Z | 43 | 8 | | |
| Washer—plain | | PWZ 103 | 44 | 4 | (C) G-AN4-60441 on USA, 64756 on Canada | |
| Motif—'MG' | | AHH 5258 | 17 | 1 | | |
| Nut—Spire—motif | | ADB 509 | 18 | 2 | | |
| Motif—'Sprite' | | AHA 5699 | 15 | 1 | | |
| Push-on-fix—motif | | PFS 104 | 16 | 2 | | |
| **Tray assembly—parcel** | **RHD** | †AHA 7536 | 19 | 1 | (C) H-AN8-38829 to 64734 | W.S.E. use AHA 8275 |
| | **LHD** | AHA 7537 | 20 | 1 | (C) G-AN8-25788 to 52389 | |
| | **RHD** | AHA 8275 | 19 | 1 | (C) H-AN9-64735 on | |
| | **LHD** | AHA 8276 | 20 | 1 | (C) G-AN4-52390 on | |
| Moulding | | AHA 7541 | 21 | 1 | | |
| Screw | | RZZ 1010 | 22 | 4 | | |
| Washer—cup | | FWZ 210 | 23 | 4 | | |
| Rivet | | BRP 608 | 24 | 3 | | |
| Screw—long | | RTP 3008 | 25 | 2 | | |
| Screw—long | | RTP 3005 | 26 | 3 | | |
| Washer--cup | | FWP 710 | 27 | 5 | | |


§ This item is subject to safety regulations

**See title-page for application**

▼ Change point not available
† Revised Information. Issue 9

# TRIMMING DETAILS


| | Page | Plate |
|---|---|---|
| †BULK MATERIALS ... ... ... ... ... | BN 5 | |
| †CARPETS ... ... ... ... ... ... | BN 4, BN 5 | N 3 |
| †DRAUGHT EXCLUDERS ... ... ... ... | BN 2 | N 1 |
| †FINISHER—REAR COCKPIT FLANGE ... ... | BN 2 | N 1 |
| †FLOOR FITTINGS ... ... ... ... ... | BN 4, BN 5 | N 3 |
| †LINERS—TRIM ... ... ... ... ... ... | BN 2, BN 3 | N 2 |
| †MOULDINGS—DOOR TOP AND COCKPIT REAR SIDE ... ... ... ... ... ... ... | BN 2 | N 2 |
| †STRAP—DOOR CHECK ... ... ... ... | BN 2 | N 1 |
| †TRIM ROLLS ... ... ... ... ... ... | BN 3 | N 2 |




Issue 2

**PLATE N 1**

**TO FACE PAGE BN 2**

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|

## TRIMMING DETAILS


### LINERS, DOOR CHECK STRAPS, AND DRAUGHT EXCLUDERS

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **Liner—engine—Black** | | | | | |
| Front | AHA 7749 | 1 | 1 | | See (2) foot of page |
| Front | AHA 8964 | 1 | 1 | | (C) H–AN9 77591 on<br>(C) G–AN4–66226 on |
| Front (N. America) | AHA 8681 | 30 | 1 | | (C) H–AN9–72034 USA, ▼ Canada to 77590<br>(C) G–AN4–60441 USA, 64755 Canada to 66225 |
| Front (N. America) | †AHA 9169 | 30 | 1 | | (C) H–AN9–77591 on<br>(C) G–AN4– 66226 on |
| Side—RH | AHA 7750 | 2 | 1 | | See (2) foot of page |
| Side—LH | AHA 7751 | 3 | 1 | | See (2) foot of page |
| Side—RH | †AHA 8969 | 2 | 1 | | (C) H–AN9–77591 on |
| Side—LH | †AHA 8970 | 3 | 1 | | (C) G–AN4–66226 on |
| Screw | RTP 2604 | 4 | 8 | | |
| Washer—cup | FWP 906 | 5 | 8 | | |
| **Liner—scuttle** | | | | | |
| Red RH | AHA 7780 | 6 | 1 | | |
| Red LH | AHA 7781 | 7 | 1 | | See (2) foot of page |
| Black RH | AHA 7732 | 6 | 1 | | |
| Black LH | AHA 7733 | 7 | 1 | | |
| Black RH | †AHA 8975 | 6 | 1 | | (C) H–AN9–77591 on |
| Black LH | †AHA 8976 | 7 | 1 | | (C) G–AN4–66226 on |
| Blue RH | AHA 7734 | 6 | 1 | | (C) H–AN8–38829 to 64734 |
| Blue LH | AHA 7735 | 7 | 1 | | (C) G–AN3–25788 to 52389 |
| Screw | RTP 2604 | 8 | 6 | | |
| Washer—cup | FWP 906 | 9 | 6 | | |
| **Liner—sill** | | | | | |
| Red RH | AHA 6772 | 10 | 1 | | |
| Red LH | AHA 6780 | 11 | 1 | | See (2) foot of page |
| Black RH | AHH 6773 | 10 | 1 | | |
| Black LH | AHH 6781 | 11 | 1 | | |
| Black RH | †AHA 9004 | 10 | 1 | | (C) H–AN9–77591 on |
| Black LH | †AHA 9006 | 11 | 1 | | (C) G–AN4–66226 on |
| Blue RH | AHA 7520 | 10 | 1 | | (C) H–AN8–38829 to 64734 |
| Blue LH | AHA 7521 | 11 | 1 | | (C) G–AN3–25788 to 52389 |
| Screw | RTP 2604 | 12 | 8 | | |
| Washer—cup | FWP 906 | 13 | 8 | | |
| **Liner assembly—door** | | | | | |
| Red RH | AHA 7615 | 14 | 1 | | See (1) foot of page |
| Red LH | AHA 7616 | 15 | 1 | | See (1) foot of page |
| Red RH | AHA 8456 | 14 | 1 | | (C) H–AN9–72041 to 77590 |
| Red LH | AHA 8458 | 15 | 1 | | (C) G–AN4–60460 to 66225 |
| Black RH | AHA 7617 | 14 | 1 | | See (1) foot of page |
| Black LH | AHA 7618 | 15 | 1 | | See (1) foot of page |
| Black RH | AHA 8457 | 14 | 1 | | (C) H–AN9–72041 to 77590 |
| Black LH | AHA 8459 | 15 | 1 | | (C) G–AN4–60400 to 66225 |
| Black RH | †AHA 8905 | 14 | 1 | | (C) H–AN9–77591 on |
| Black LH | †AHA 8906 | 15 | 1 | | (C) G–AN4–66226 on |
| Blue—RH | AHA 7619 | 14 | 1 | | (C) H–AN8–38829 to 64734<br>(C) G–AN3–25788 to 52389 |
| Clip—liner | ADA 1874 | 16 | A/R | | |
| Panel—door trim—inner—RH | AHA 7484 | 17 | 1 | | |
| Panel—door trim—inner—LH | AHA 7485 | 18 | 1 | | |
| Screw | MTZ 603 | 19 | 2 | | |

**CHANGE POINTS**

(1) (C) H–AN8–38829 to 64734, (C) H–AN9–64735 to 72040, (C) G–AN3–25788 to 52389, (C) G–AN4–52390 to 60459

(2) (C) H–AN8–38829 to 64734, (C) H–AN9–64735 to 77590, (C) G–AN3–25788 to 52389, (C) G–AN4–52390 to 66225




Issue 8


**PLATE N 1** **TO FACE PAGE BN 2·1**


| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|

**Trimming Details**—*continued*
**Liners, Door Check Straps, and Draught Excluders**—*continued*

| | | | | | |
|---|---|---|---|---|---|
| **Strap—door check** | | | | | |
| Red | AHA 6881 | 20 | 2 | See (1) foot of page | |
| Black | AHA 6882 | 20 | 2 | | |
| Black | †AHA 9049 | 20 | 2 | (C) H–AN9–77591 on | |
| | | | | (C) C–AN4–66226 on | |
| Blue | AHA 7682 | 20 | 2 | (C) H–AN8–38829 to 64784 | |
| | | | | (C) G–AN3–25788 to 52889 | |
| Retainer—strap | 14A 764 | 21 | 2 | | |
| Bracket—strap | 14A 6745 | 22 | 2 | | |
| Screw | RMP 2316 | 23 | 4 | | |
| **Draught excluder—door 60" (152·4 cm)** | | | | | |
| Red | ~~27H 2855~~ | 24 | A/R | See (1) foot of page | Available in multiples of yards |
| Black | ~~27H 2854~~ | 24 | A/R | | |
| Blue | 27H 2858 | 24 | A/R | (C) H–AN8–38829 to 64784 | |
| | | | | (C) G–AN3–25788 to 52889 | |
| Clip—draught excluder | †14G 5716 | 25 | A/R | | W.S.E. use 18H 4014 |
| Clip—draught excluder | †18H 4014 | 25 | A/R | | |
| **Finisher—draught excluder** | | | | | |
| Front | AHB 9656 | 26 | 2 | | |
| Rear—RH | AHA 7505 | 27 | 1 | (C) H–AN8–38829 to 64784 | |
| Rear—LH | AHA 7506 | 28 | 1 | (C) G—AN3–25788 to 52398 | |
| Rear—RH | AHA 8162 | 27A | 1 | (C) H–AN9–64785 on | |
| Rear—LH | AHA 8163 | 28A | 1 | (C) G–AN4–52890 on | |
| Screw | PTP 603 | 29 | 4 | | |

**CHANGE POINTS**
(1) (C) H–AN8–38829 to 64784, (C) H–AN9–64785 to 77590, (C) G–AN3–25788 to 52889, (C) G–AN4–52890 to 66225


31
33
34
35
32
1
4
3
4
19
17
16
14
2
4
23
22
21
20
9
24
11
8
12
7
25
10
18
14
19
16
27
26
24A
13
19
15
17
14
25A
1A
4
3A
2A
4
5
6
4
E 1573


AJG7721
AHH8299
LN2203
31
33
34
35
32
1
4
3
2
19
17
16
14
23
22
21
20
9
24
11
8
12
7
25
10
18
14
19
16
27
26
15
17
24A
13
25A
1A
3A
2A
5
6
E 1573

Issue 2

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **Trimming Details**—*continued* | | | | | |
| **Liners, Door Check Straps, and Draught Excluders**—*continued* | | | | | |
| **Liner assembly—rear quarter** | | | | | |
| Red [ RH | AHA 7601 | 1 | 1 | | |
| [ LH | AHA 7602 | 2 | 1 | (C) H-AN8-38829 to 64734 | |
| Black—LH | AHA 7604 | 2 | 1 | (C) G-AN3-25788 to 52389 | |
| Blue [ RH | AHA 7605 | 1 | 1 | | |
| [ LH | AHA 7606 | 2 | 1 | | |
| Red [ RH | AHA 8220 | 1A | 1 | | |
| [ LH | AHA 8228 | 2A | 1 | (C) H-AN9-64735 to 77590 | |
| Black [ RH | AHA 8221 | 1A | 1 | (C) G-AN4-52390 to 66225 | |
| [ LH | AHA 8229 | 2A | 1 | | |
| Black [ RH | †AHA 8998 | 1A | 1 | (C) H-AN9-77591 on | |
| [ LH | †AHA 9000 | 2A | 1 | (C) G-AN4-66226 on | |
| **Liner assembly—rear bulkhead** | | | | | |
| Red | AHA 6784 | 3 | 1 | (C) H-AN8-38829 to 64734 | |
| Black | AHA 6785 | 3 | 1 | (C) G-AN3-25788 to 52389 | |
| Red | AHA 8231 | 3A | 1 | (C) H-AN9-64735 to 77590 | |
| Black | AHA 8232 | 3A | 1 | (C) G-AN4-52390 to 66225 | |
| Black | †AHA 8909 | | 1 | (C) H-AN9-77591 on | |
| | | | | (C) G-AN4-66226 on | |
| Clip—liner | ADA 1874 | 4 | 2 | | |
| Rivet | KMP 0835 | 5 | 8 | | |
| Washer—cup | FWP 906 | 6 | 8 | | |
| **Trim roll** | | | | | |
| Fascia—Black | AHA 7487 | 7 | 1 | (C) H-AN8-38829 to 64734 | |
| | | | | (C) H-AN9-64735 to 72038 USA, ▼ Canada | |
| | | | | (C) H-AN9-64735 to 77590 except N. America | |
| | | | | (C) G-AN3-25788 to 52389 | |
| | | | | (C) G-AN4-52390 to 60441 USA, ▼ Canada | |
| | | | | (C) G-AN4-52390 to 66225 except N. America | |
| Fascia—Black. **Except N. America** | †AHA 9028 | 7 | 1 | (C) H-AN9-77591 on | |
| | | | | (C) G-AN4-66226 on | |
| Cockpit rear centre—Black | AHA 6521 | 8 | 1 | (C) H-AN8-38829 to 64734 | |
| | | | | (C) G-AN3-25788 to 52389 | |
| **Moulding** | | | | | |
| Door top—RH | AHA 7412 | 9 | 1 | | |
| Door top—LH | AHA 7413 | 10 | 1 | | |
| Cockpit rear—RH | AHA 7414 | 11 | 1 | (C) H-AN8-38829 to 64734 | |
| Cockpit rear—LH | AHA 7415 | 12 | 1 | (C) G-AN3-25788 to 52389 | |
| Cockpit rear | AHA 8058 | 13 | 1 | (C) H-AN9-64735 to 77590 | |
| | | | | (C) G-AN4-52390 to 66225 | |
| Cockpit rear—Black | †AHA 9167 | | 1 | (C) H-AN9-77591 on | |
| | | | | (C) G-AN4-66226 on | |
| Stud plate—trim rolls and cockpit rear mouldings | AHH 6417 | 14 | 19 | (C) H-AN8-38829 to 64734 | |
| | | | | (C) G-AN3-25788 to 52389 | |
| Stud plate—trim roll | AHH 6417 | 14 | 10 | (C) H-AN9-64735 to 72033 USA, ▼ Canada | |
| | | | | (C) H-AN9-64735 on except N. America | |
| | | | | (C) G-AN4-52390 to 60441 USA, ▼ Canada | |
| | | | | (C) G-AN4-52390 to 60225 except N. America | |
| **Washer** | | | | | |
| Plain | PWZ 203 | 15 | 10 | | |
| Plain | PWZ 203 | 16 | 9 | | |
| Spring | †LWZ 203 | 17 | A/R | | |
| Shakeproof | LWZ 503 | 18 | 7 | | |
| Nut | †FNZ 103 | 19 | A/R | | |
| Stud plate—door top moulding | AHA 5701 | 20 | 4 | | |
| Washer—plain | PWZ 103 | 21 | 4 | | |
| Locknut | 53K 1420 | 22 | 4 | | |
| Screw | RMP 2316 | 23 | 2 | (C) H-AN8-38829 to 64734 | |
| | | | | (C) G-AN3-25788 to 52389 | |

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|

**Trimming Details** *continued*

**FLOOR FITTINGS**

| | | | | | | |
|---|---|---|---|---|---|---|
| **Carpet assembly—front—RH** | **RHD** | | | | | |
| Cardinal | AHA 6641 | 1 | 1 | (C) H-AN8-38829 to 55517. | | |
| | | | | (C) G-AN3-25788 to 42978 | | |
| Red | †AHA 7964 | 1 | 1 | See (1) foot of page | | |
| Black | AHA 6642 | 1 | 1 | | | |
| Blue | AHA 6644 | 1 | 1 | (C) H-AN8-38829 to 64734 | | |
| | | | | (C) G-AN3-25788 to 52389 | | |
| **Carpet assembly—front—LH** | **RHD** | | | | | |
| Cardinal | AHA 6645 | 2 | 1 | (C) H-AN8-38829 to 55517 | | |
| | | | | (C) G-AN3-25788 to 42978 | | |
| Red | †AHA 7965 | 2 | 1 | See (1) foot of page | | |
| Black | AHA 6646 | 2 | 1 | | | |
| Blue | AHA 6648 | 2 | 1 | (C) H-AN8-38829 to 64734 | | |
| | | | | (C) G-AN3-25788 to 52389 | | |
| **Carpet assembly—front—RH** | **LHD** | | | | | |
| Cardinal | AHA 6649 | 3 | 1 | (C) H-AN8-38829 to 55517 | | |
| | | | | (C) G-AN3-25788 to 42978 | | |
| Red | †AHA 7966 | 3 | 1 | See (1) foot of page | | |
| Black | AHA 6650 | 3 | 1 | | | |
| Blue | AHA 6652 | 3 | 1 | (C) H-AN8-38829 to 64734 | | |
| | | | | (C) G-AN3-25788 to 52389 | | |
| **Carpet assembly—front—LH** | **LHD** | | | | | |
| Cardinal | AHA 6653 | 4 | 1 | (C) H-AN8-38829 to 55517. | | |
| | | | | (C) G-AN3-25788 to 42978 | | |
| Red | AHA 7967 | 4 | 1 | See (2) foot of page | W.S.E. use AHA 8724 | |
| Red **N. America** | AHA 8724 | 13 | 1 | (C) H-AN9-72034 USA, ▼ Canada to 77590 | | |
| | | | | (C) G-AN4-60441 USA, 64755 Canada to 66225 | | |
| Black | AHA 6654 | 4 | 1 | See (3) foot of page | | |
| Black **N. America** | AHA 8725 | 13 | 1 | (C) H-AN9-72034 on USA, ▼ on Canada | | |
| | | | | (C) G-AN4-60441 on USA, 64756 on Canada | | |
| Blue | AHA 6656 | 4 | 1 | (C) H-AN8-38829 to 64734 | | |
| | | | | (C) G-AN3-25788 to 52389 | | |
| **Carpet assembly—rear compartment—centre** | | | | | | |
| Cardinal | AHA 6625 | 5 | 1 | (C) H-AN8-38829 to 55517 | | |
| | | | | (C) G-AN3-25788 to 42978 | | |
| Red | AHA 7961 | 5 | 1 | (C) H-AN8-55518 to 64734 | | |
| | | | | (C) G-AN3-42979 to 52389 | | |
| Red | AHA 8199 | 5 | 1 | (C) H-AN9-64735 to 77590 | | |
| | | | | (C) G-AN4-52390 to 66225 | | |
| Black | AHA 6626 | 5 | 1 | (C) H-AN8-38829 to 64734 | | |
| | | | | (C) G-AN3-25788 to 52389 | | |
| Black | AHA 8200 | 5 | 1 | (C) H-AN9-64735 to 77590 | | |
| | | | | (C) G-AN4-52390 to 66225 | | |
| Black | †AHA 8899 | 5 | 1 | (C) H-AN9-77591 on | | |
| | | | | (C) G-AN4-66226 on | | |
| Blue | AHA 6628 | 5 | 1 | (C) H-AN8-38829 to 64734 | | |
| | | | | (C) G-AN3-25788 to 52389 | | |
| **Carpet assembly—tunnel—front** | | | | | | |
| Cardinal | AHA 6617 | 6 | 1 | (C) H-AN8-38829 to 55517 | | |
| | | | | (C) G-AN3-25788 to 42978 | | |
| Red | †AHA 7968 | 6 | 1 | See (1) foot of page | | |
| Black | †AHA 6618 | 6 | 1 | See (4) foot of page | | |
| Black | †AHA 9210 | 6 | 1 | (C) H-AN9-78890 on | | |
| | | | | (C) G-AN4-67284 on | | |
| Blue | AHA 6620 | 6 | 1 | (C) H-AN8-38829 to 64734 | | |
| | | | | (C) G-AN3-25788 to 52389 | | |
| Fastener—carpet | 2H 8445 | 7 | 18 | | | |
| Ring—fastener to carpet | 14G 8736 | 8 | 18 | | | |
| Fastener—floor | ADB 4811 | 9 | 18 | | | |
| Screw—fastener to floor | CTZ 604 | 10 | 18 | | | |
| **Carpet—rear wheel arch** | | | | | | |
| Red RH | AHA 8202 | 11 | 1 | (C) H-AN9-64735 to 77590 | | |
| Red LH | AHA 8205 | 12 | 1 | (C) G-AN4-52390 to 66225 | | |
| Black RH | AHA 8203 | 11 | 1 | (C) H-AN9-64735 on | | |
| Black LH | AHA 8206 | 12 | 1 | (C) G-AN4-52390 on | | |

**CHANGE POINTS**

(1) (C) H-AN8-55518 to 64734, (C) H-AN9-64735 to 77590, (C) G-AN3-42979 to 52389, (C) G-AN4-52890 to 66225

(2) (C) H-AN8-55518 to 64734, (C) H-AN9-64735 to 72038 N. America, (C) H-AN9-64753 on except N. America, (C) G-AN3-42979 to 52389, (C) G-AN4-52390 to 60440 N. America, (C) G-AN4-60441 on except N. America

(3) (C) H-AN8-38829 to 64734, (C) H-AN9-64735 to 72038 N. America, (C) H-AN9-64753 on except N. America, (C) G-AN3-25788 to 52389, (C) G-AN4-52390 to 60440 N. America, (C) G-AN4-60441 on except N. America.

†(4) (C) H-AN8-38829 to 64734, (C) H-AN9-64735 to 78889, (C) G-AN3-25788 to 52889, (C) G-AN4-52390 to 67288.

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|

**Trimming Details**—*continued*

**BULK MATERIALS**

**Leathercloth—50″ (127 cm) wide—2-way stretch**

| | | | | | |
|---|---|---|---|---|---|
| Red | †1KL 1558 | A/R | See (1) foot of page | | Part No. change; was AHA 6890 |
| Black | 1KL 1113 | A/R | | | Part No. change; was AHA 6891 |
| Light blue | 1KL 1267 | A/R | (C) H–AN8–38829 to 64734<br>(C) G–AN3–25788 to 52389 | | Part No. change; was AHA 7530 |

**Leathercloth—50″ (127 cm) wide—2-way stretch**

| | | | | | |
|---|---|---|---|---|---|
| Red | †1AL 558 | A/R | See (1) foot of page | | Part No. change; was AHA 6894. W.S.E. use 1KL 1558 |
| Black | †1AL 113 | A/R | | | Part No. change; was AHA 6895. W.S.E. use 1KL 1113 |
| Light blue | †1AL 267 | A/R | (C) H–AN8–38829 to 64734<br>(C) G–AN3–25788 to 52389 | | Part No. change; was AHA 7581. W.S.E. use 1KL 1267 |
| Light Blue | †1KL 1267 | A/R | | | |

**Carpet**

| | | | | | |
|---|---|---|---|---|---|
| Cardinal Red | 5D 4199 | A/R | (C) H–AN8–38829 to 55517<br>(C) G–AN3–25788 to 42978 | | Part No. change; was AHA 6903 |
| Red | †5D 9363 | A/R | (C) H–AN8–55518 to 64734<br>(C) H–AN9–64735 to 77590<br>(C) G–AN3–42979 to 52389<br>(C) G–AN4–52390 to 66225 | | |
| Black | ADE 589 | A/R | | | |
| Blue | AHA 6906 | A/R | (C) H–AN8–38829 to 64734<br>(C) G–AN3–25788 to 52389 | | |
| Underfelt—mat | AAA 748 | A/R | | | |
| Material—anti-drum | 27H 6841 | 1 box | | | |


Supplied in multiples of yards

**CHANGE POINTS**

†(1) (C) H–AN8–38829 to 64734, (C) H–AN9–64735 to 77590, (C) G–AN3–25788 to 52389, (C) G–AN4–52390 to 66225


# SEATS AND FITTINGS


| | Page | Plate |
|---|---|---|
| †CUSHION—BUCKET SEAT ... ... ... | BO 2, BO 3 | O 1, O2 |
| †CUSHION—REAR COMPARTMENT... ... | BO 3 | O 2 |
| †RUNNERS—SEAT ... ... ... ... | BO 2, BO 3 | O 1, O 2 |
| †SQUAB—BUCKET SEAT ... ... ... | BO 2, BO 3 | O 1, O2 |


1
2
3
4
7
8
9
10
18
20
19
11
13
6
5
11
14
16
17
12
15
B 2585A

## SEATS AND FITTINGS

| DESCRIPTION | Part No. | Illus. No. | Quantity | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. DIST. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|
| **Squab assembly** | | | | | | | | |
| Red | †AHA 6922 | 1 | 2 | | | | (C) H-AN8-38829 to 55624<br>(C) G-AN3-25788 to 42826 | |
| Black | †AHA 6923 | 1 | 2 | | | | (C) H-AN8-38829 to 55372<br>(C) G-AN3-25788 to 42994 | |
| Light Blue | †AHA 7509 | 1 | 2 | | | | (C) H-AN8-38829 to 55536<br>(C) G-AN3-25788 to 43170 | |
| **Cover—squab** | | | | | | | | |
| Red | †AKE 5125 | 2 | 2 | | | | (C) H-AN8-38829 to 55624<br>(C) G-AN3-25788 to 42826 | |
| Black | †AKE 5126 | 2 | 2 | | | | (C) H-AN8-38829 to 55372<br>(C) G-AN3-25788 to 42994 | |
| Light Blue | †AKE 5247 | 2 | 2 | | | | (C) H-AN8-38829 to 55536<br>(C) G-AN3-25788 to 43170 | |
| Clip—trim | ADA 833 | 3 | 12 | | | | | |
| Clip—trim | 14A 4497 | 4 | 20 | | | | | |
| Nut—squab to pivot bracket | AHA 6219 | 5 | 4 | | | | | |
| Washer—plain—nut | PWZ 205 | 6 | 8 | | | | | |
| **Cushion assembly** | | | | | | | | |
| Red | AHA 7044 | 7 | 2 | | | | | |
| Black | AHA 7045 | 7 | 2 | | | | | |
| Light blue | AHA 7510 | 7 | 2 | | | | | |
| **Cover—cushion** | | | | | | | | |
| Red | AKE 5204 | 8 | 2 | | | | †(C) H-AN8-38829 to 55624 | |
| Black | AKE 5205 | 8 | 2 | | | | Red, 55372 Black, 55536 | |
| Light blue | AKE 5248 | 8 | 2 | | | | Light Blue | |
| Cushion (foam rubber) | AHA 6660 | 9 | 2 | | | | (C) G-AN3-25788 to 42826 | |
| Clip—trim | ADA 833 | 10 | 44 | | | | (Red, 42994 Black, 43170 | |
| Frame—seat base | 14A 4778 | 11 | 2 | | | | Light Blue | |
| **Runner—seat** | | | | | | | | |
| With catch—top—RH | 14A 5519 | 12 | 1 | | | | | |
| With catch—top—LH | 14A 5520 | 13 | 1 | | | | | |
| Less catch—top | 4G 877 | 14 | 2 | | | | | |
| Bottom—RH | AHA 5499 | 15 | 2 | | | | | |
| Bottom—LH | AHA 5500 | 16 | 2 | | | | | |
| Rivet—top runner to seat | CRS 0410 | 17 | 8 | | | | | |
| Screw—bottom runner to floor | HZS 0406 | 18 | 8 | | | | | |
| Washer—plain—screw | PWZ 104 | 19 | 8 | | | | | |
| Washer—spring—screw | LWZ 204 | 20 | 8 | | | | | |



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **Seats and Fittings**—*continued* | | | | | |
| **Squab assembly** | | | | | |
| Red RH | AHA 7990 | 1 | 1 | | |
| Red LH | AHA 7993 | 2 | 1 | | See (1) foot of page |
| Red RH **N. America** | AHA 8546 | 1 | 1 | | |
| Red LH **N. America** | AHA 8548 | 2 | 1 | | |
| Black RH | AHA 7991 | 1 | 1 | | |
| Black LH | AHA 7994 | 2 | 1 | | See (2) foot of page |
| Black RH **N. America** $ | AHA 8547 | 1 | 1 | | |
| Black LH **N. America** $ | AHA 8549 | 2 | 1 | | |
| Light Blue RH | AHA 7992 | 1 | 1 | | (C) H–AN8–55537 to 64734 |
| Light Blue LH | AHA 7995 | 2 | 1 | | (C) G–AN8–43171 to 52389 |
| **Cover—squab** | | | | | |
| Red RH | AHA 7922 | 3 | 1 | | See (1) foot of page |
| Red LH | AHA 7925 | 4 | 1 | | |
| Black RH | AHA 7923 | 3 | 1 | | See (2) foot of page |
| Black LH | AHA 7926 | 4 | 1 | | |
| Light Blue RH | AHA 7924 | 3 | 1 | | (C) H–AN8–55537 to 64734 |
| Light Blue LH | AHA 7927 | 4 | 1 | | (C) G–AN8–43171 to 52389 |
| **Frame—squab** | | | | | |
| Right-hand | AHA 7862 | 5 | 1 | | |
| Left-hand | AHA 7863 | 6 | 1 | | |
| Right-hand **N. America** $ | AHA 8521 | 5 | 1 | | |
| Left-hand **N. America** $ | AHA 8522 | 6 | 1 | | See (3) foot of page |
| Pad—squab—RH | AHA 7876 | 7 | 1 | | |
| Pad—squab—LH | AHA 7877 | 8 | 1 | | |
| Clip—trim | BHA 4339 | 9 | A/R | | |
| **Cushion assembly** | | | | | |
| Red | AHA 7996 | 10 | 2 | | See (1) foot of page |
| Red **N. America** | AHA 8544 | 10 | 1 | | |
| Black | AHA 7997 | 10 | 2 | | See (2) foot of page |
| Black **N. America** $ | AHA 8545 | 10 | 1 | | |
| Light Blue $ | AHA 7998 | 10 | 2 | | (C) H–AN8–55537 to 64734<br>(C) G–AN8–43171 to 52389 |
| **Cover—cushion** | | | | | |
| Red | AHA 7919 | 11 | 2 | | See (1) foot of page |
| Black | AHA 7920 | 11 | 2 | | See (2) foot of page |
| Light Blue | AHA 7921 | 11 | 2 | | (C) H–AN8–55537 to 64734<br>(C) G–AN8–43171 to 52389 |
| Frame—cushion | AHA 7861 | 12 | 2 | | |
| Frame—cushion **N. America** $ | AHA 8520 | 12 | 1 | | |
| Diaphragm—cushion $ | AHA 7878 | 13 | 2 | | |
| Hook—diaphragm $ | 24A 1078 | 14 | 16 | | |
| Hook—diaphragm | 24A 836 | 15 | 4 | | |
| Pad—cushion | AHA 7860 | 16 | 2 | | See (3) foot of page |
| Clip—trim | BHA 4339 | 9 | A/R | | |
| Screw—squab frame to cushion frame | HZS 0508 | 17 | 4 | | |
| Nut—lock | LNZ 205 | 18 | 4 | | |
| Washer—plain | PWZ 105 | 19 | 4 | | |
| Washer—plain | PWZ 305 | 19 | 4 | | |

$ This item is subject to safety regulations

**CHANGE POINTS**


†(1) (C) H–AN8–55625 to 64734, (C) H–AN9–64735 to 77590, (C) G–AN8–42827 to 52389, (C) G–AN4–52390 to 66225
†(2) (C) H–AN8–55378 to 64734, (C) H–AN9–64735 to 77590, (C) G–AN8–42995 to 52389, (C) G–AN4–52390 to 66225
†(3) (C) H–AN8–55625 to 64734 Red, (C) H–AN8–55378 to 64734 Black, (C) H–AN8–55537 to 64734 Blue, (C) H–AN9–64735 to 77590 (C) G–AN8–42827 to 52389 Red, (C) G–AN8–42995 to 52389 Black, (C) G–AN8–43171 to 52389 Blue, (C) G–AN4–52390 to 66225


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **Seats and Fittings**—*continued* | | | | | |
| **Runner—seat** | | | | | |
| (With catch)—top—RH | 14A 5519 | 20 | 1 | | |
| (Less catch)—top | 4G 877 | 22 | 2 | | |
| Bottom—RH | AHA 7883 | 23 | 2 | | |
| Bottom—LH | AHA 7884 | 24 | 2 | | |
| Screw—top runner to seat | CMZ 0420 | 25 | 16 | | |
| Nut—lock | LNZ 104 | 26 | 16 | See (1) foot of page | |
| Screw—bottom runner to floor | HZS 0406 | 27 | 4 | | |
| Washer—plain | PWZ 104 | 28 | 4 | | |
| Washer—spring | LWZ 204 | 29 | 4 | | |
| Washer—plain | PWZ 205 | 28 | 4 | | |
| Washer—spring | LWZ 205 | 29 | 4 | | |
| Nut | FNZ 105 | 30 | 4 | | |
| **Cushion—rear compartment** | | | | | |
| Red | AHA 6886 | 31 | 1 | (C) H–AN8–88829 to 64784 | |
| Black | AHA 6887 | 31 | 1 | (C) G–AN3–25788 to 52389 | |
| Light Blue | AHA 7523 | 31 | 1 | | |
| Red | AHA 8329 | 31 | 1 | (C) H–AN9–64785 to 77590 | |
| Black | AHA 8330 | 31 | 1 | (C) G–AN4–52390 to 66225 | |
| Black | †AHA 8989 | 31 | 1 | (C) H–AN9–77591 on<br>(C) G–AN4–66226 on | Optional extra |
| Peg—fastener—rear compartment cushion | LFP 116 | 32 | 2 | (C) H–AN8–88829 to 64784 | |
| Screw—peg to floor | RTP 603 | 33 | 4 | (C) H–AN9–64785 on | |
| Screw—rear compartment cushion to floor | PTZ 806 | 34 | 4 | (C) G–AN3–25788 to 52389<br>(C) G–AN4–52390 on | |

**CHANGE POINTS**


(1) (C) H–AN8–55625 to 64734 Red, (C) H–AN8–55373 to 64734 Black, (C) H–AN8–55537 to 64734 Blue, (C) H–AN9–64735 on, (C) G–AN3–42827 to 52389 Red, (C) G–AN3–42905 to 52389 Black, (C) G–AN3–43171 to 52389 Blue, (C) G–AN4–52390 on


22
2
4
6
8
9
26
25
23
24
19
21
20
18
1
3
7
5
9
10
11
17
16
12
14
15
13
E2639

**Seats and Fittings**—*continued*

**FIXED SEAT**
**(SPRITE MK. IV EXCEPT WEST GERMANY)**

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **Squab assembly—Black—RH** | †AHA 8943 | 1 | 1 | | Standard fitment North America |
| **Squab assembly—Black—LH** | †AHA 8945 | 2 | 1 | | |
| Cover—squab—Black—RH | †AHA 9144 | 3 | 1 | | |
| Cover—squab—Black—LH | †AHA 9145 | 4 | 1 | | |
| Frame—squab—RH | †AHA 8786 | 5 | 1 | | |
| Frame—squab—LH | †AHA 8787 | 6 | 1 | | |
| Pad—squab—RH | †AHA 9125 | 7 | 1 | | |
| Pad—squab—LH | †AHA 9126 | 8 | 1 | | |
| Clip—trim | †BHA 4339 | 9 | A/R | | |
| **Cushion assembly—Black** | †AHA 8941 | 10 | 2 | | |
| Cover—cushion—Black | †AHA 9124 | 11 | 2 | | |
| Frame—cushion | †AHA 8520 | 12 | 2 | | |
| Diaphragm—cushion | †AHA 7878 | 13 | 2 | (C) H–AN9–77591 on | |
| Hook—diaphragm | †24A 1078 | 14 | 16 | (C) G–AN4–66226 on | |
| Hook—diaphragm | †24A 836 | 15 | 4 | | |
| Pad—cushion | †AHA 8827 | 16 | 2 | | |
| Clip—trim | †BHA 4339 | 17 | A/R | | |
| Screw—squab frame to cushion frame | †HZS 0508 | 18 | 4 | | |
| Nut—lock | †LNZ 205 | 19 | 4 | | |
| Washer—plain | †PWZ 105 | 20 | 4 | | |
| Washer—plain | †PWZ 305 | 21 | 4 | | |
| Restraint—head—Black | †AHA 9089 | 22 | 2 | | |
| Clip—retaining—restraint | †AHH 9711 | 23 | 4 | | |
| Screw—clip | †PMZ 0806 | 24 | 4 | | |
| Bush—friction | †AHH 9441 | 25 | 4 | | |
| Sleeve—finishing | †AHH 9295 | 26 | 4 | | |


11
17
9
13
14
16
8
15
4
5
6
7
2
22
18
1
21
19
20
12
17
9
16
8
10
14
6
7
5
15
3
E2641

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|

**Seats and Fittings**—*continued*

**RECLINING SEAT (SPRITE MK. IV WEST GERMANY MIDGET MK. III STANDARD FITMENT)**

| | | | | | |
|---|---|---|---|---|---|
| **Seat assembly—Black—RH** | †AHA 8947 | 1 | 1 | | |
| **Seat assembly—Black—LH** | †AHA 8949 | 2 | 1 | | |
| Frame—RH | †AHA 8896 | 3 | 1 | | |
| Frame—LH | †AHA 8897 | 4 | 1 | | |
| Diaphragm—cushion | †AHA 7878 | 5 | 2 | | |
| Hook—diaphragm | †24A 1078 | 6 | 16 | | |
| Hook—diaphragm | †24A 836 | 7 | 4 | | |
| Pad—cushion | †AHA 8826 | 8 | 2 | | |
| Cover—cushion—Black | †AHA 9102 | 9 | 2 | | |
| Pad—squab—RH | †AHA 9125 | 10 | 1 | | |
| Pad—squab—LH | †AHA 9126 | 11 | 1 | †(C) H-AN9-77591 on | |
| Cover—squab—Black—RH | †AHA 9116 | 12 | 1 | (C) G-AN4-06226 on | |
| Cover—squab—Black—LH | †AHA 9117 | 13 | 1 | | |
| Handle—adjusting | †24B 4057 | 14 | 2 | | |
| Screw—handle | †54K 205 | 15 | 2 | | |
| Clip—trim | †BHA 4339 | 16 | A/R | | |
| Clip—spring | †14A 4497 | 17 | 6 | | |
| Restraint—head—Black | †AHA 9089 | 18 | 2 | | Standard fitment North America |
| Clip—retaining—restraint | †AHH 9711 | 19 | 4 | | |
| Screw—clip | †PMZ 0306 | 20 | 4 | | |
| Bush—friction | †AHH 9441 | 21 | 4 | | |
| Sleeve—finishing | †AHH 9295 | 22 | 4 | | |

# HEATER AND VENTILATION DETAILS


| | Page | Plate |
|---|---|---|
| †BLOWER—HEATER ... ... ... ... ... ... | BP 3 | P 2 |
| †CONTROL—FRESH-AIR UNIT ... ... ... ... | BP 4 | P 3 |
| †FRESH-AIR UNIT ... ... ... ... ... ... | BP 4 | P 3 |
| †HEATER UNIT ... ... ... ... ... ... ... | BP 2 | P 1 |
| †HOSE—FRESH-AIR ... ... ... ... ... ... | BP 4 | P 3 |
| †HOSES—HEATER ... ... ... ... ... ... | BP 2 | P 1 |
| †NOZZLE—DEMISTER ... ... ... ... ... ... | BP 2 | P 1 |
| †PIPE—WATER—HEATER ... ... ... ... ... | BP 2 | P 1 |
| †SWITCH—HEATER ... ... ... ... ... ... | BP 3 | P 2 |
| †TAP—WATER CONTROL ... ... ... ... ... | BP 2 | P 1 |




†Revised Information





PLATE P 1

TO FACE PAGE BP 2

## HEATING AND VENTILATING

### HEATER
**(Optional Extra, Standard Fitment N. America from (C) H–AN9–72034, (C) G–AN4–60441)**

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| Heater kit | NSP | 1 | | | For accessory kit see the 'Approved Accessories Salesman's Guide' |
| **Heater unit assembly** | 13H 54 | 1 | 1 | | |
| Radiator and seals | 17H 1590 | 2 | 1 | | |
| Tube inlet | †NSP | 3 | 1 | | Was 17H 1592 |
| Plate—front | †NSP | 4 | 1 | | Was 17H 1594 |
| Plate—rear | †NSP | 5 | 1 | See (1) foot of page | Was 17H 1596 |
| Grommet | 17H 1591 | 6 | 2 | | |
| Screw | 17H 1593 | 7 | 3 | | W.S.E. use PJZ 602 |
| Screw | PJZ 602 | 7 | 3 | | |
| Clip | 17H 1595 | 8 | 10 | | |
| **Heater unit assembly** | AHA 8090 | 1A | 1 | | |
| Radiator and seals | 17H 1590 | 2 | 1 | | |
| Plate—front | 17H 1594 | 4 | 1 | | |
| Plate—rear | 17H 1596 | 5 | 1 | See (2) foot of page. | |
| Seal | NSP | 9 | 4 | | Was 27H 8271 |
| Washer—water pipe | 27H 1253 | 10 | 2 | | |
| Clip | 17H 1595 | 8 | 5 | | |
| **Heater unit assembly** | S BHA 4744 | 35 | 1 | (C) H–AN9–72034 on N. America, ▼ on except N. America | |
| Radiator (with seals) | 37H 2797 | 2 | 1 | | |
| Washer—water pipe | 27H 1253 | 10 | 2 | (C) G–AN4–60441 on N. America, ▼ on except N. America | |
| Clip | 17H 1595 | 8 | 5 | | |
| Seal—heater base | 4B 9713 | 11 | 1 | | |
| Screw | PMZ 0410 | 12 | 4 | | |
| Washer—plain | PWZ 104 | 13 | 4 | | |
| Washer—spring | LWZ 204 | 14 | 4 | | |
| Tap—water control | ACA 5455 | 15 | 1 | | W.S.E. use AHA 8323 |
| Tap—water control | †AHA 8323 | 15 | 1 | | |
| Washer—tap | AAA 886 | 16 | 1 | | |
| Adaptor—tap | ACA 5456 | 17 | 1 | | |
| Washer—joint adaptor to cylinder head | 88G 221 | 18 | 1 | | Part No. change; was 2A 179 and 12A 82 |
| Screw | HZS 0406 | 19 | 2 | | |
| **Hose—water outlet** | †37H 537 | | A/R | | W.S.E. use 37H 3718 |
| **Hose—water outlet** | †37H 8718 | | A/R | | Supplied in multiples of feet |
| 9″ (22·86 cm) long | | 21 | 1 | | |
| **Hose** | | | | | |
| Heater to control tap | †AHA 5213 | 20 | 1 | | W.S.E. use AHA 8782 |
| Heater to control tap | †AHA 8782 | 20 | 1 | | |
| Heater to blower | AHA 6429 | 22 | 1 | See (1) foot of page. | |
| Heater to blower | AHA 8831 | 22A | 1 | See (2) foot of page | |
| Demister | †14A 4766 | 23 | 2 | | Use AHH 8394 for this application |
| Demister | AHH 8394 | 23 | 2 | | |
| Radiator hose to water outlet pipe | NSP | | 1 | | For service replacement use hose—radiator to pump 2A 2084 |
| Connector—hose | NSP | | 1 | | |
| Connector—hose | NSP | | 1 | | |
| Pipe—heater hose to radiator hose | AHA 5215 | 24 | 1 | See (1) foot of page. | |
| Pipe—heater hose to radiator hose | †12G 1785 | 24 | 1 | (C) H–AN9–64785 on (C) G–AN4–52390 on | |
| Clip | HCS 0507 | 25 | A/R | | |
| Clip | PCR 0809 | 26 | 2 | | |
| Nozzle—demister | 14A 1162 | 27 | 2 | See (3) foot of page. | |
| Duct—demister—RH | AHA 8565 | 36 | 1 | (C) H–AN9–72034 on N. America, ▼ on except N. America | |
| Duct—demister—LH | AHA 8566 | 37 | 1 | (C) G–AN4–60441 on N. America, ▼ on except N. America | |
| Screw | PTP 603 | 28 | 4 | | |
| **Elbow assembly—demister** | 14G 3499 | 29 | 2 | | |
| Clip | BMK 924 | 30 | 2 | | |
| Shim — control tap adjustment — ·028″ (·70 mm) | ACA 5172 | 31 | A/R | | |
| Shim — control tap adjustment — ·014″ (·35 mm) | ACA 5173 | 31 | A/R | | |
| Door—heater outlet | 13H 59 | 32 | 2 | | Standard fitment |
| Screw | PTZ 603 | 33 | 8 | | |
| Grommet | RFN 303 | 34 | 1 | | |

**CHANGE POINTS**

(1) (C) H–AN8–38829 to 64734, (C) G–AN3–25788 to 52389

(2) (C) H–AN9–64735 to 72033 N. America, (C) H–AN9–64785 to ▼ except N. America, (C) G–AN4–52389 to 60440 N. America, (C) G–AN4–52390 to ▼ except N. America


(3) (C) H–AN8–38829 to 64734 N. America, (C) H–AN9–64735 to 72033 N. America, (C) H–AN9–64785 to ▼ except N. America, (C) G–AN3–25788 to 52389, (C) G–AN4–52390 to 60440 N. America, (C) G–AN4–52390 to ▼ except N. America

S This item is subject to safety regulations


**See title-page for application**

▼ Change point not available

† Revised Information. Issue 7



1
1A
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
E1570

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **Heating and Ventilating**—*continued* | | | | | |
| **Heater**—*continued* | | | | | |
| **Blower assembly** | 13H 51 | 1 | 1 | (C) H-AN8-38829 to 64734 | |
| | | | | (C) G-AN3-25788 to 52389 | |
| | AHA 8001 | 1 | 1 | (C) H-AN9-64735 to 71120 | |
| | | | | (C) G-AN4-52390 to 58853 | |
| | AHA 8415 | 1A | 1 | (C) H-AN9-71121 to 72033 N. America | |
| | | | | (C) H-AN9-71121 to ▼ except N. America | |
| | | | | (C) G-AN4-58854 to 60440 N. America | |
| | | | | (C) G-AN4-58854 to ▼ except N. America | |
| Motor | 17H 1455 | 2 | 1 | (C) H-AN8-38829 to 64734 | |
| **Rotor (metal)** | 17H 1574 | 3 | 1 | (C) H-AN9-64735 to 72033 | Alternative to 17H 8108 |
| Nut—collet | 27H 602 | 4 | 1 | N. America | |
| **Rotor (plastic)** | 17H 8108 | 5 | 1 | (C) H-AN9-64735 to ▼ except N. America | Alternative to 17H 1574 |
| Ring—compression | 17H 6886 | 6 | 1 | | |
| Casing | 17H 819 | 7 | 1 | (C) G-AN3-25788 to 52389 | |
| Mesh—intake | NSP | 8 | 1 | (C) G-AN4-52390 to 60440 | Was 17H 1597 |
| Grommet | 24K 2085 | 9 | 3 | N. America | |
| | | | | (C) G-AN4-52390 to ▼ except N. America | |
| **Tube assembly—air intake** | AHA 8416 | 37 | 1 | (C) H-AN9-71121 to 72033 | |
| Clamp—cable | 27H 1193 | 38 | 1 | N. America | |
| Screw—clamp | 53K 126 | 39 | 1 | (C) H-AN9-71121 to ▼ except | |
| Washer—screw | LWZ 403 | 40 | 1 | N. America | |
| | | | | (C) G-AN4-58854 to 60440 N. America | |
| | | | | (C) G-AN4-58854 to ▼ except N. America | |
| Screw | HZS 0404 | 10 | 3 | (C) H-AN8-38829 to 64734 | |
| Washer—plain | PWZ 204 | 11 | 3 | (C) H-AN9-64735 to 72033 | |
| Washer—spring | LWZ 204 | 12 | 3 | N. America | |
| | | | | (C) H-AN9-64735 to ▼ except N. America | |
| | | | | (C) G-AN3-25788 to 52389 | |
| | | | | (C) G-AN4-52390 to 60440 N. America | |
| | | | | (C) G-AN4-52390 to ▼ except N. America | |
| **Blower assembly** | BHA 4745 | 41 | 1 | | |
| Motor and mounting plate | 87H 2794 | 2 | 1 | | |
| Casing | 17H 819 | 7 | 1 | | |
| Rotor | 87H 1572 | 42 | 1 | | |
| Spacer—bracket | 27H 1258 | 43 | 3 | | |
| Washer—bracket | PWZ 204 | 44 | 3 | | |
| Screw—bracket | 53K 126 | 45 | 6 | | |
| Grommet | 27H 1232 | 9 | 3 | (C) H-AN9-72034 on | |
| Nut | FNZ 103 | 46 | 6 | N. America, ▼ on except N. America | |
| Washer—shakeproof | LWZ 403 | 47 | 6 | (C) G-AN4-60441 on | |
| **Tube assembly—air intake** | AHA 8416 | 37 | 1 | N. America, ▼ on except N. America | |
| Clamp—cable | 27H 1193 | 38 | 1 | | |
| Screw—clamp | 53K 126 | 39 | 1 | | Part No. change; was 27H 4349 |
| Washer—screw | LWZ 403 | 40 | 1 | | |
| Bolt | HBZ 0408 | 10 | 3 | | |
| Washer—bolt | LWZ 204 | 12 | 3 | | |
| Nut—bolt | FNZ 104 | 48 | 3 | | |
| Hose—blower to inlet | 18H 58 | 13 | 1 | (C) H-AN8-38829 to 67484 | |
| | | | | (C) G-AN3-25788 to 52389 | |
| | | | | (C) H-AN9-64735 to 71120 | |
| | | | | (C) G-AN4-52390 to 58853 | |
| Hose—blower to inlet | AHA 8501 | 13 | 1 | (C) H-AN9-71121 on | |
| | | | | (C) G-AN4-58854 on | |
| Clip—hose | HCS 8036 | 14 | 2 | | |
| Clip—hose to wheel arch | AHH 5714 | 15 | 2 | | |
| Screw | PMZ 0310 | 16 | 1 | (C) H-AN9-64735 on | |
| Washer—plain | PWZ 103 | 17 | 1 | (C) G-AN4-52390 on | |
| Washer—spring | LWZ 203 | 18 | 1 | | |
| Nut | FNZ 103 | 19 | 1 | | |


1
1A
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
E1579

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|
| **Heating and Ventilating**—*continued* | | | | | |
| **Heater**—*continued* | | | | | |
| **Tube assembly—air intake** | AHA 8092 | 20 | 1 | | |
| Clamp—cable | 7H 1097 | 21 | 1 | | |
| Screw—clamp | LWZ 403 | 22 | 1 | (C) H-AN9-64785 to 71120 | |
| Washer—screw | 53K 126 | 23 | 1 | (C) G-AN4-52390 to 58853 | |
| Screw | PMZ 0806 | 24 | 3 | | |
| Washer—spring | LWZ 203 | 25 | 3 | | |
| Nut | FNZ 103 | 26 | 3 | | |
| **Switch assembly—heater** | BHA 4205 | 27 | 1 | (C) H-AN8-38829 to 64734<br>(C) G-AN8-25788 to 52389 | |
| | AHA 8317 | 27 | 1 | (C) H-AN9-64785 to 71120<br>(C) G-AN4-52390 to 58853 | |
| | § AHA 8417 | 27 | 1 | (C) H-AN9-71121 on<br>(C) G-AN4-58854 on | |
| Knob | § 17H 1602 | 28 | 1 | | |
| Pin—knob | 17H 1603 | 29 | 1 | | |
| Clip—knob | 17H 1601 | 30 | 1 | | |
| Locknut—round | 17H 823 | 31 | 1 | | |
| Locknut—hexagon | 17H 824 | 32 | 1 | | |
| Washer—spring | 17H 825 | 33 | 1 | | |
| Knob—rotary control | § †AHA 8716 | 49 | 1 | (C) H-AN9-72034 on<br>N. America, ▼ on except N. America | |
| Cable | § †AHC 752 | 50 | 1 | (C) G-AN4-60441 on<br>N. America, ▼ on except N. America | |
| Trunnion—control cable | 24G 1482 | 34 | 1 | | |
| Screw—trunnion | 53K 1016 | 35 | 1 | | |
| Connector—snap-switch to blower | 2H 3406 | 36 | 1 | | |
| **Control assembly—rotary—air valve** | †BHA 4792 | 51 | 1 | | |
| Nut—locking | †27H 1249 | 52 | 1 | | |
| Washer—spring | †27H 1250 | 53 | 1 | | |
| Clip—knob | †17H 1601 | 54 | 1 | (C) H-AN9-72034 on N. America, | |
| Pin—knob | †17H 1603 | 55 | 1 | ▼ on except N. America | |
| Clamp—cable | †27H 1193 | 56 | 1 | (C) G-AN4-60441 on N. America, | |
| Screw—clamp | †53K 126 | 57 | 1 | ▼ on except N. America | |
| Washer—shakeproof | †LWZ 403 | 58 | 1 | | |
| Rivet—control | AHH 6276 | 59 | 1 | (C) H-AN9-72034 to ▼<br>N. America<br>(C) G-AN4-60441 to ▼<br>N. America | |
| Rivet—control—**N. America** | AHH 8971 | 59 | 1 | (C) H-AN9-▼ on<br>(C) G-AN4-▼ on | |
| Washer—rivet | PWZ 102 | 60 | 1 | | |

§ This item is subject to safety regulations


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
B 6903A

| DESCRIPTION | Part No. | Illus. No. | Quantity | Change Point | REMARKS |
|---|---|---|---|---|---|

**Heating and Ventilating**—*continued*

**FRESH-AIR UNIT**
**(Optional Extra—Australia only)**

| | | | | | |
|---|---|---|---|---|---|
| Fresh-air unit kit | | | | | For accessory kit see the Approved Accessories Salesman's Guide' |
| **Fresh-air unit assembly** | 13H 56 | 1 | 1 | | |
| Clip | 17H 1605 | 3 | 4 | | |
| Flap—valve | NSP | 4 | 1 | | Was 17H 1606 |
| Grommet—seal flap | 17H 1607 | 5 | 1 | | |
| Arm and spindle—flap operating | 17H 1609 | 6 | 1 | | |
| Washer | 17H 1608 | 7 | 2 | | |
| Seal—fresh-air unit base | 4B 9713 | 8 | 1 | | |
| Screw | HZS 0404 | 9 | 4 | | |
| Washer—plain | PWZ 104 | 10 | 4 | | |
| Washer—spring | LWZ 204 | 11 | 4 | | |
| **Control assembly—push-pull** | 13H 57 | 12 | 1 | | |
| Knob | 14A 5772 | 13 | 1 | | |
| Pin—knob | 17H 1603 | 14 | 1 | | |
| Clip—knob | 17H 1601 | 15 | 1 | | |
| Locknut (round) | 17H 823 | 16 | 1 | | |
| Locknut (hexagon) | 17H 824 | 17 | 1 | | |
| Washer (rubber) | 27H 1198 | 18 | 1 | | |
| Washer—spring | 17H 825 | 19 | 1 | | |
| Trunnion—control cable | †14G 6451 | 20 | 1 | (C) H–AN8–38829 to 64734 | |
| Screw—trunnion | †AHH 5593 | 21 | 1 | (C) H–AN9–64735 to ▼ | |
| | | | | (C) G–AN3–25788 to 52389 | |
| | | | | (C) G–AN4–52390 to ▼ | |
| Trunnion—control cable | †24G 1482 | 20 | 1 | (C) H–AN9, G–AN4– ▼ on | |
| Screw—trunnion | †53K 1016 | 21 | 1 | | |
| Hose—fresh-air unit to inlet | †AHA 9172 | 30 | 1 | | |
| Clip—hose | †AHA 8768 | 31 | 2 | (C) H–AN9– ▼ on | |
| Screw—clip to wheel arch | †PMZ 0316 | 32 | 1 | (C) G–AN4– ▼ on | |
| Nut | †ANZ 108 | 33 | 2 | | |
| Washer—spring | †LWZ 208 | 34 | 2 | | |
| Screw | PMZ 0310 | 25 | 1 | | |
| Washer—plain | PWZ 108 | 26 | 1 | | |
| Washer—spring | LWZ 208 | 27 | 1 | | |
| Nut | FNZ 108 | 28 | 1 | | |
| Grommet | RFN 808 | 29 | 1 | | |

# PAINTS

| DESCRIPTION | Part No. | Illus. No. | Quantity | Stock recommds. DIST. Exp. | Stock recommds. DIST. UK | Stock recommds. DIST. D | Change Point | REMARKS |
|---|---|---|---|---|---|---|---|---|

**PAINTS—TOUCHING-UP—AIR-DRYING**

Tartan red (Code RD9)
Riviera Blue (Code BU44)
Old English White (Code WT3)
Black (Code BK1)
Fiesta Yellow (Code YL11) **Sprite**
British Racing Green—Dark (Code GN29)
Dove Grey (Code GR26)
Aluminium (Code AL1)
Pale Primrose (Code YL12) **Sprite**
†Basilica blue (code BU11)

For Part Nos., container sizes, primers, undercoats, and thinners, etc. refer to B.M.C. service paint scheme book

# MECHANICAL DETAILS

FOR MECHANICAL DETAILS APPLICABLE TO THESE MODELS REFERENCE SHOULD BE MADE TO THE FOLLOWING PUBLICATION:

MECHANICAL SERVICE PARTS LIST, AKD 3513