




Ill. No.	Part No.	DESCRIPTION	Qty.	Change Point	REMARKS
		PROPELLER SHAFT			
1	AHA 9053	SHAFT ASSEMBLY-PROPELLER	1	Use prior to CHA 336	
2	17H 3828	Flange-yoke	1		
3	37H 4149	Sleeve-yoke	1		
4	GUJ 101	Journal	2		
1	CHA 336	SHAFT ASSEMBLY-PROPELLER	1	(C)G-AN6-154101 ON	
	37H 4973	Flange-yoke(slip joint)	1		
	17H 3828	Flange-yoke(fixed joint)	1		
	37H 8817	Sleeve-yoke	1		
	GUJ 101	Journal	2		
9	HBZ 510	Bolt-shaft to pinion flange	4		
10	LWZ 305	Washer-spring	4		
11	LNZ 105	Nut	4		Alternatives
11	LNZ 205	Nut	4		
	144961	Bolt-shaft to gearbox flange	4		
	53K 1663	Nut	4		

107-F 2




Ill. No.	Part No.	DESCRIPTION	Qty.	Change Point	REMARKS
		REAR AXLE			
	NSP	AXLE ASSEMBLY	1		
1	BTA 694	CASE ASSEMBLY	1	Use proir to DAM 2483/4	Disc wheels only
	BTA 695	CASE ASSEMBLY	1		Wire wheels only
2	2A 7103	Nut-bearing retaining-RHT	1		Not supplied With DAM 2483 And DAM 2484
	1G 3584	Nut-bearing retaining-LHT	1		
3	2A 7226	Stud-gear carrier	8		
	DAM 2483	Case	1	(C)G-AN6 182001 ON	Disc wheels only
	DAM 2484	Case	1		Wire wheels only
4	2A 7250	Washer-bearing retaining nut	2		
5	1H 3364	Breather	1		
6	6K 499	Plug-drain	1		
7	6K 499	Plug-filler	1		
8	2A 7027	Gasket-gear carrier to axle case	1		
	NH 605041	Nut-gear carrier to axle case	8		
	LWZ 305	Washer-spring	8		
9	BTA 550	DIFFERENTIAL ASSEMBLY-9x38 TEETH(4.22:1 RATIO)	1	Use prior to BTA 1222	
9	BTA 1222	DIFFERENTIAL ASSEMBLY-10x39 TEETH(3.90:1 RATIO)	1	(C)H-AN9-77591 TO 85286 (C)H-AN10-85287 TO 86803 (C)A-AN10-86804 TO 87824 (C)G-AN4-66226 TO 74885 (C)G-AN5-74886 ON	
10	BTA 549	CARRIER ASSEMBLY	1		
11	51K 886	Stud-bearing cap	4		
	PWZ 107	Washer-plain	4		
	LWN 307	Washer-spring	4		
	FNN 107	Nut	4		
12	2K 5943	Bearing-differential	2		
		WASHER-BEARING PACKING			
13	2K 7779	.002"(.050mm)	A/R		
13	ATA 7269	.003"(.067mm)	A/R		
13	2K 7778	.004"(.101mm)	A/R		
13	2A 7271	.010"(.254mm)	A/R		
14	ATA 7036	Cage-differential	1		
15	ATA 7037	Wheel-differential	2		
16	ATA 7039	Washer-thrust-differential wheel	2		
17	2A 7015	Pinion-differential	2		
18	2A 7062	Washer-thrust-differential pinion	2		
19	2A 7016	Pin-pinion	1		
20	6K 631	Peg-pinion pin	1		

107-F 4



Ill. No.	Part No.	DESCRIPTION	Qty.	Change Point	REMARKS
		REAR AXLE-continued			
21	BTA 539	CROWN WHEEL AND PINION-9x38 TEETH(4.22:1 RATIO)	1	Use prior to BTA 1223	
21	BTA 1223	CROWN WHEEL AND PINION-10x39 TEETH(3.90:1 RATIO)	1	(C)H-AN9-77591 TO 85286 (C)H-AN10-85287 TO 86803 (C)A-AN10-86804 TO 87824 (C)G-AN4-66226 TO 74885 (C)G-AN5-74886 ON	
22	ATA 7232	Bolt-crown wheel to differential cage	6		
23	ATA 7044	Washer-lock	3		
		WASHER-PINION THRUST			
24	ATA 7123	.130"(3.30mm)	1		One used of SELECTED SIZE
24	ATA 7124	.128"(3.25mm)	1		
24	ATA 7125	.126"(3.20mm)	1		
24	ATA 7126	.124"(3.15mm)	NLA		
24	ATA 7127	.122"(3.10mm)	1		
24	ATA 7128	.120"(3.05mm)	1		
24	ATA 7129	.118"(3.00mm)	1		
24	ATA 7130	.116"(2.95mm)	NLA		
25	ATA 7166	Bearing-inner-pinion	1		
26	BTA 532	Spacer-bearing	1		
27	BTB 440	Bearing-outer-pinion	1		
28	88G 320	Seal-oil	1		
29	1G 7439	Cover-dust	1		
30	ATA 7056	Flange-universal joint	1		
	FNN 612	Nut	1		
	LWZ 212	Washer-spring	1		
31	BTA 806	Shaft-axle	2		Disc wheels only
32	BTA 807	Shaft-axle	2		Wire wheels only
33	2A 7091	Gasket-shaft to hub	2		
34	2A 7087	HUB ASSEMBLY $	2		Disc wheels only
35	2A 7089	Stud-wheel $	8		
36	88G 577	Nut-wheel stud $	8		
36	AHA 8785	Nut-wheel stud-CP	8		
34	BTA 490	HUB ASSEMBLY $	2		Wire wheels only
35	BTA 492	Stud-wheel $	8		
41	BTA 688	Extension-hub-RH $	1		
	BTA 689	Extension-hub-LH $	1		
37	2K 8160	Plug-welch	2		
38	ATA 7225	Ring-oil seal	2		
39	GHS 147	Seal-oil	2		
40	GHB 130	Bearing-hub	2		


$ This item is subject to safety regulations.



Ill. No.	Part No.	DESCRIPTION	Qty.	Change Point	REMARKS
		REAR BRAKES			
1	BTA 566	Plate-brake-RH $	1	Use prior to 37H 8804/5	
	BTA 567	Plate-brake-LH $	1		
1	37H 8804	Plate-brake-RH $	1	(C)G-AN6-154101 ON	
	37H 8805	Plate-brake-LH $	1		
	HZS 507	Screw	8		
	LNZ 205	Locknut	8		
2	GBS 512	SHOE ASSEMBLY-BRAKE $	2STS	Use prior to GBS 625.	
3	18G 8329	Lining $	1BOX		
2	GBS 625	SHOE ASSEMBLY-BRAKE $	2STS	(C)G-AN6-154101 ON	
4	17H 7947	Spring-shoe return-cylinder end-RH $	1		
5	17H 7948	Spring-shoe return-cylinder end-LH $	1		
6	17H 7621	Spring-shoe return-adjuster end $	2		
7	17H 7618	Tappet $	4		
8	17H 7619	Wedge $	2		
9	GWC 1102	CYLINDER ASSEMBLY-WHEEL $	2		
10	17H 8399	Piston $	4	Finished at (C)G-AN5-154100	
11	17H 7623	Screw-bleed $	2		
12	8G 8797	KIT-REPAIR-WHEEL CYLINDER $	2		
9	GWC 1129	CYLINDER ASSEMBLY-WHEEL $	2		
11	17H 7623	Screw-bleed $	2	(C)G-AN6-154101 ON	
12	BHM 7054	Kit-repair $	2		
13	17H 7613	Washer-Belleville-wheel cylinder fixing $	2		
14	17H 7622	Circlip-wheel cylinder fixing $	2		
15	17H 2824	Lever-handbrake-RH $	1		
	17H 2825	Lever-handbrake-LH $	1		
16	17H 7612	Boot-handbrake lever $	2		
17	2A 7168	Drum-brake $	2		
	CMZ 410	Screw	4		
	FNZ 506	Nut	8		Wire wheels ONLY
18	BTA 493	Washer-tab $	4		
19	2A 7228	Plug-drum(rubber)	2		


$ This item is subject to safety regulations

107-F08




Ill. No.	Part No.	DESCRIPTION	Qty.	Change Point	REMARKS
		REAR SPRINGS			
1	AHA 7184	SPRING ASSEMBLY	2		
2	AHA 7807	LEAF ASSEMBLY-MAIN	NLA		
3	AAA 629	Bush	2		
5	AHA 7551 M	Strip-interleaf	A/R		Supplied in 23 metre(25 yards) lengths
6	AHA 7813	Toe-bolt	2	(C)H-AN8-38829	
7	ACA 5000	Piece-distance-toe-bolt	2	TO 64734	
	LNZ 105	Nut-toe-bolt	2	(C)G-AN3-25788	
8	AHA 7359	Clip-long	4	TO 52389	
9	AHA 7360	Clip-intermediate	4		
10	AHA 7361	Clip-short	4		
11	AHB 6707	Pad-clip	6		
1	AHA 8093	SPRING ASSEMBLY	2		
2	AHA 7807	LEAF ASSEMBLY-MAIN	NLA		
3	AAA 629	Bush	2		
5	AHA 7551 M	Strip-interleaf	A/R		Supplied in 23 metre (25yards) lengths
6	AHA 7813	Toe-bolt	2		
7	ACA 5000	Piece-distance-toe-bolt	2	(C)H-AN9-64735	
	NH 605041	Nut-toe-bolt	2	TO 85286	Alternatives
	LNZ 405	Stiffnut	2	(C)H-AN10-85287	
8	AHA 8308	Clip-long	2	TO 86803	
8	AHA 7359	Clip-intermediate-long	4	(C)A-AN10-86804 TO	
9	AHA 7360	Clip-intermediate-short	4	87824	
10	AHA 7361	Clip-short	4	(C)G-AN4-52390	
11	AHB 6707	Pad-clip-long	2	TO 74885	
11	AHA 8307	Pad-clip-long	NLA	(C)G-AN5-74886 TO	
11	AHB 6707	Pad-clip-intermediate-long	4	154100	
11	AHB 6707	Pad-clip-intermediate-short	4		
1	CHA 493	SPRING ASSEMBLY $	2	(C)G-AN6-154101 ON	

107-F 10



Ill. No.	Part No.	DESCRIPTION	Qty.	Change Point	REMARKS
		REAR SPRING FIXINGS			
1	AHA 8097	Clip-spring to axle	4		
	WA 110061	Washer-plain	8		
	GHF 223	Nut	8		
2	ACA 5139	Plate-locating	4		
3	ACA 5138	Pad-seating	4		
4	AHA 7172	Bracket-shock absorber link to spring-RH	1		
	AHA 7173	Bracket-shock absorber link to spring-LH	1		
5	AHA 7201	Bracket-spring	2		
	HZS 507	Screw	6	Finished at (C)G-AN5-154100	
	PWZ 105	Washer-plain	6		
	WL 600051	Washer-spring	6		
	LNZ 105	Nut	6		
	HZS 505	Screw	6	(C)G-AN6-154101 ON	
	WL 600051	Washer-spring	6		
6	AHA 7174	Mounting-spring-front $	2		
7	AHA 7180	Bolt-spring to front bracket $	2		
8	AHA 7178	Washer-distance	4		
9	AHA 7179	Washer-special	4		
	LWZ 207	Washer-spring	2		
	SH 606101	Screw	4		
	HZS 607	Screw	4	Use prior to HZS 614	
	HZS 614	Screw	NLA	(C)G-AN6-154101 ON	
	WA 110061	Washer-plain	4		
	LWZ 206	Washer-spring	8		
10	AHA 7686	Plate-shackle(with pin) $	2		
11	AHA 7687	Plate-shackle $	2		
12	AHA 7182	Bush-shackle	8		
	LWZ 206	Washer-spring	4		
	FNZ 106	Nut	4		
13	AHH 7074	Rubber-bump	2	Use prior to AHH 9158	
13	AHH 9158	Rubber-bump	2	(C)H-AN10-85309 TO 86803 (C)A-AN10-86804 TO 87824 (C)G-AN5-77979 ON	
14	AHH 5081	Strap-rebound	2	Use prior to BHH 989	
14	BHH 989	Strap-rebound	2	(C)G-AN6-154101 ON	
	HBZ 630	Bolt	2		
	PWZ 206	Washer-plain	4		
	LWZ 206	Washer-spring	4		
	FNZ 106	Nut	4		

$ This item is subject to safety regulations



Ill. No.	Part No.	DESCRIPTION	Qty.	Change Point	REMARKS
		REAR SHOCK ABSORBERS			
1	GSA 149	SHOCK ABSORBER-REAR(LESS LINK)-RH	1		
	GSA 150	SHOCK ABSORBER-REAR(LESS LINK)-LH	1		
2	17H 9275	LINK ASSEMBLY $	2	Use prior to AAU 1949	
2	AAU 1949	LINK ASSEMBLY $	2	(C)G-AN6-157672 ON	
3	97H 222	Bush-link-top(rubber) $	2		
	FNZ 507	Nut	2		
	LWZ 307	Washer-spring	2		
	FNZ 508	Nut	2		
	LWZ 308	Washer-spring	2		
	HZS 612	Bolt	4		
	PWZ 206	Washer-plain	4		
	GHF 223	Nut	4		
	WA 110061	Washer-plain	4		
	LWZ 206	Washer-spring	4		

$ This item is subject to safety regulations

107-F 14