








| Ill. No. | Part No. | DESCRIPTION | Qty. | Change Point | REMARKS |
|---|---|---|---|---|---|
| | | **DOORS AND FITTINGS.** | | | |
| 1 | AHA 8518 | DOOR ASSEMBLY-RH | NLA | Use prior to AHA 8436 and AHA 8437 | |
| | AHA 8519 | DOOR ASSEMBLY-LH | NLA | | |
| 1 | AHA 8436 | DOOR ASSEMBLY-RH $ | 1 | (C)H-AN9-72041 TO 85286<br>(C)H-AN10-85287 TO 86803<br>(C)A-AN10-86804 TO 87824<br>(C)G-AN4-60460 TO 74885<br>(C)G-AN5-74886 TO 123730 N.America<br>(C)G-AN5-74886 TO 138000 except N.America | |
| | AHA 8437 | DOOR ASSEMBLY-LH $ | 1 | | |
| 1 | CZJ 478 | DOOR ASSEMBLY-RH $ | 1 | (C)G-AN5-138001 TO 154100<br>(C)G-AN6-154101 ON | Except USA and Canada. |
| | CZJ 479 | DOOR ASSEMBLY-LH $ | 1 | | |
| 1 | CZJ 452 | DOOR ASSEMBLY-RH $ | 1 | (C)G-AN5-123731 TO 138000 | |
| | CZJ 453 | DOOR ASSEMBLY-LH $ | 1 | | |
| 1 | CZJ 480 | DOOR ASSEMBLY-RH $ | 1 | (C)G-AN5-138001 TO 154100<br>(C)G-AN6-154101 ON | USA and Canada. |
| | CZJ 481 | DOOR ASSEMBLY-LH $ | 1 | | |
| 2 | AHA 7428 | Hinge $ | 4 | | |
| | HZS 505 | Screw | 8 | | |
| | LWZ 505 | Washer-shakeproof | 8 | | |
| | PMZ 408 | Screw | 12 | | |
| | LWZ 404 | Washer-shakeproof | 12 | | |
| 3 | AHA 5823 | Moulding-side-door-RH | 1 | Use prior to (C)G-AN4-74885 | Midget. |
| | AHA 5824 | Moulding-side-door-LH | 1 | | |
| 4 | AHA 5817 | Stud plate-moulding | 2 | | |
| | LWZ 203 | Washer-spring | 2 | | |
| | FNZ 103 | Nut | 2 | | |
| 5 | ALA 3647 | Clip-moulding | 10 | | |
| 6 | DMP 721 | Rivet | 10 | | |
| 7 | 4B 3479 | Pull-door | 2 | See(1)foot of page | |
| 8 | CZA 2365 | End-door pull-RH | 2 | (C)H-AN9-72041 TO 85286<br>(C)H-AN10-85287 TO 86803<br>(C)A-AN10-86804 TO 87824<br>(C)G-AN4-60460 TO 74885<br>(C)G-AN5-74886 TO 105500 | |
| | CZA 2366 | End-door pull-LH | 2 | | |
| 9 | CZA 2364 | Handle-door pull | 2 | | |
| | RMP 310 | Screw | 4 | | |

CHANGE POINTS.
(1).(C)H-AN8-30829 TO 64734,(C)H-AN9-64735 TO 70240,(C)G-AN3-25788 TO 52389, (C)G-AN4-52390 TO 60459.

$ This item is subject to safety regulations.



107-J 2









| Ill. No. | Part No. | DESCRIPTION | Qty. | Change Point | REMARKS |
|---|---|---|---|---|---|
| | | **DOORS AND FITTINGS-continued.** | | | |
| 10 | AHA 7634 | Seal-waist-door outer-RH | 1 | | |
| | AHA 7635 | Seal-waist-door outer-LH | 1 | | |
| 11 | 14A 6797 | Clip-seal | 14 | | |
| 12 | AHA 7719 | Weatherstrip-door inner-RH $ | 1 | | |
| | AHA 7720 | Weatherstrip-door inner-LH $ | 1 | | |
| 13 | AHA 7838 | Clip-weatherstrip | 12 | | |
| 14 | 37H 1811 | Door-seal-front-upper | 2 | (C)H-AN9-69428 TO 85286<br>(C)H-AN10-85287 TO 86803<br>(C)A-AN10-86804 TO 87824<br>(C)G-AN4-56971 TO 74885<br>(C)G-AN5-74886 TO 154100<br>(C)G-AN6-154101 ON | |
| | GWS 121 | Tape-sealing | A/R | | Supplied in 50 metre rolls. |

$ This item is subject to safety regulations.



107-J04









| Ill. No. | Part No. | DESCRIPTION | Qty. | Change Point | REMARKS |
|---|---|---|---|---|---|
| | | **DOOR LOCKS AND HANDLES** | | | |
| 1 | AHA 7144 | Remote control-lock-RH $ | 1 | | |
| | AHA 7145 | Remote control-lock-LH $ | 1 | | |
| | PMZ 308 | Screw | 6 | | |
| | PWZ 103 | Washer-plain | 6 | | |
| | LWZ 203 | Washer-spring | 6 | | |
| 2 | AHA 7033 | Lock-door-RH | 1 | See(1)foot of page | |
| | AHA 7034 | Lock-door-LH | 1 | | |
| 2 | AHA 9173 | Lock-door-RH $ | 1 | (C)H-AN9-72041 TO 85286 | |
| | AHA 9174 | Lock-door-LH $ | 1 | | |
| 3 | AHA 8433 | Handle-remote control $ | 2 | (C)H-AN10-85287 TO 86803 | |
| | LWZ 203 | Washer-spring | 4 | (C)A-AN10-86804 TO 87824 | |
| | PMZ 308 | Screw-handle to remote control | 2 | (C)G-AN4-60460 TO 74885 | |
| | | | | (C)G-AN5-74886 TO 154100 | |
| | | | | (C)G-AN6-154101 ON | |
| 3 | AHA 7037 | Handle-remote control | 2 | See(1)foot of page | |
| | CMZ 416 | Screw-lock to door | 6 | | |
| 4 | AHA 7040 | Escutcheon-handle-locking-RH | 1 | | Locking handles fitted to both doors from (C)H-AN9-69049 (C)G-AN4-56715 |
| | AHA 7041 | Escutcheon-handle-locking-LH | 1 | | |
| | MTP 402 | Screw | 4 | | |
| 5 | AHA 7157 | HANDLE ASSEMBLY-DOOR | 2 | See(1)foot of page | |
| 6 | AHA 7188 | Button-push | 2 | | |
| | LWN 403 | Washer-shakeproof | 2 | | |
| | LWZ 203 | Washer-spring | 2 | | |
| 5 | AHA 8530 | HANDLE ASSEMBLY-DOOR $ | 2 | (C)H-AN9-72041 TO 85286 | |
| 8 | 37H 3717 | Button-push $ | 2 | (C)H-AN10-85287 TO 86803 | |
| | AJD 8012 Z | Nut-lock | 2 | (C)A-AN10-86804 TO 87824 | |
| 9 | 14G 2792 | Washer-seating $ | 2 | (C)G-AN4-60460 TO 74885 | |
| | | | | (C)G-AN5-74886 TO 154100 | |
| | | | | (C)G-AN6-154101 ON | |
| 9 | 14G 2792 | Washer-handle to door-rear(fibre) $ | 2 | | |
| | FNZ 103 | Nut | 2 | | |
| | 53K 126 | Screw | 2 | | |
| | PWZ 103 | Washer-plain | 4 | | |
| | LWZ 203 | Washer-spring | 4 | | |

CHANGE POINTS
(1) (C)H-AN8-38829 TO 64734, (C)H-AN9-64735 TO 70240, (C)G-AN3-25788 TO 52389, (C)G-AN4-52390 TO 60459

$ This item is subject to safety regulations









| Ill. No. | Part No. | DESCRIPTION | Qty. | Change Point | REMARKS |
|---|---|---|---|---|---|
| | | **DOOR LOCKS AND HANDLES-continued** | | | |
| 10 | AHA 7035 | Striker-lock-RH | NLA | See(1)foot of page | |
| | AHA 7036 | Striker-lock-LH | 1 | | |
| 10 | CZA 3310 | Striker-lock-RH $ | 1 | (C)H-AN9-72041 TO 85286 (C)H-AN10-85287 TO 86803 (C)A-AN10-86804 TO 87824 (C)G-AN4-60460 TO 74885 (C)G-AN5-74886 TO 154100 (C)G-AN6-154101 ON | |
| | CZA 3311 | Striker-lock-LH $ | 1 | | |
| | | SHIM-STRIKER | | | |
| 11 | AHH 8715 | .06"(1.6mm) $ | A/R | | |
| 11 | BHH 342 | .03"(.80mm) $ | A/R | | |
| 12 | AHH 8589 | Plate-tapping-lower-striker | NLA | | |
| 13 | AHA 7085 | Plate-tapping-upper-striker $ | 2 | | |
| | CMZ 402 | Screw-long | 2 | Use prior to AHH 9239 | |
| 14 | AHH 9239 | Screw-long | 2 | (C)H-AN9-78137 TO 85286 (C)H-AN10-85287 TO 86803 (C)A-AN10-86804 TO 87824 (C)G-AN4-66667 TO 74885 (C)G-AN5-74886 TO 154100 (C)G-AN6-154101 ON | |
| | CMZ 410 | Screw-short | 4 | | |
| 15 | AHA 7378 | LOCK-PRIVATE-RH | 1 | See(1)foot of page | |
| | AHA 7379 | LOCK-PRIVATE-LH | 1 | | |
| 15 | AHA 8531 | LOCK-PRIVATE-RH $ | 1 | (C)H-AN9-72041 TO 85286 (C)H-AN10-85287 TO 86803 (C)A-AN10-86804 TO 87824 (C)G-AN4-60460 TO 74885 (C)G-AN5-74886 TO 154100 (C)G-AN6-154101 ON | |
| | AHA 8532 | LOCK-PRIVATE-LH $ | 1 | | |
| | AHA 7405 | Clip-private lock | 1 | | |
| 16 | AHA 7404 | Barrel-lock $ | NLA | | |
| 18 | AHA 7408 | Clip-retaining | 2 | | |

CHANGE POINTS
(1),(C)H-AN8-38829 TO 64734,(C)H-AN9-64735 TO 72040,(C)G-AN3-25788 TO 52389,,
(C)G-AN4-52390 TO 60459.

$ This item is subject to safety regulations



107-J 8









| Ill. No. | Part No. | DESCRIPTION | Qty. | Change Point | REMARKS |
|---|---|---|---|---|---|
| | | **WINDOWS AND WINDOW REGULATORS** | | | |
| 1 | AHA 7056 | Glass-door-RH $ | 1 | See(1)foot of page | |
| | AHA 7057 | Glass-door-LH $ | 1 | | |
| 1 | AHA 8431 | Glass-door-RH $ | 1 | (C)H-AN9-72041 TO 85286 (C)H-AN10-85287 TO 86803 (C)A-AN10-86804 TO 87824 (C)G-AN4-60460 TO 74885 (C)G-AN5-74886 TO 154100 (C)G-AN6-154101 ON | |
| | AHA 8432 | Glass-door-LH $ | 1 | | |
| 2 | 37H 4297 | Channel-glazing-46.7cm-18.375" | A/R | | Supplied in multiples of feet (30.5cm) |
| 3 | AHA 7042 | Channel-lower | 2 | | |
| 4 | AHA 8405 | CHANNEL ASSEMBLY-REAR-RH | 1 | | |
| | AHA 8406 | CHANNEL ASSEMBLY-REAR-LH | 1 | | |
| | HZS 404 | Screw-bracket and channel top to door | 6 | | |
| | NH 604041 | Nut-channel to bracket | 2 | | |
| | PWZ 104 | Washer-plain | 8 | | |
| | LWZ 204 | Washer-spring | 8 | | |
| 5 | AHA 7431 | Bracket-glass stop | NLA | | |
| | PTZ 1004 | Screw-bracket to door | 4 | | |
| | PFS 410 | Nut-spring-screw | 4 | | |
| 6 | AHA 7038 | Regulator-window-RH | 1 | See(1)foot of page | |
| | AHA 7039 | Regulator-window-LH | 1 | | |
| 6 | AHA 8533 | Regulator-window-RH $ | 1 | (C)H-AN9-72041 TO 85286 (C)H-AN10-85287 TO 86803 (C)A-AN10-86804 TO 87824 (C)G-AN4-60460 TO 74885 (C)G-AN5-74886 TO 154100 (C)G-AN6-154101 ON | |
| | AHA 8534 | Regulator-window-LH $ | 1 | | |

CHANGE POINTS.
(1) (C)H-AN8-38829 TO 64734,(C)H-AN9-64735 TO 72040,(C)G-AN3-25788 TO 523899, (C)G-AN4-52390 TO 60459

$ This item is subject to safety regulations



107-J 10









| Ill. No. | Part No. | DESCRIPTION | Qty. | Change Point | REMARKS |
|---|---|---|---|---|---|
| | | **WINDOWS AND WINDOW REGULATORS-continued** | | | |
| | HZS 404 | Screw-regulator to door | 8 | | |
| | PWZ 204 | Washer-plain-screw | 8 | | |
| | LWZ 204 | Washer-spring-screw | 8 | | |
| 7 | ADH 5481 | Handle-regulator | 2 | | |
| 8 | ADB 709 | Esctucheon-handle | 2 | | See(1)foot of page |
| 9 | ALH 1527 | Pin-handle to regulator | 2 | | |
| 10 | CZA 7109 | Handle-regulator $ | 2 | | (C)H-AN9-72041 |
| 11 | AHA 8517 | Escutcheon-handle to door | 2 | | TO 85286 |
| | CZA 7194 | Screw-flanged | 2 | | (C)H-AN10-85287 |
| | PMZ 308 | Screw-handle to regulator | 2 | | TO 86803 |
| | LWZ 203 | Washer-spring | 2 | | (C)A-AN10-86804 |
| | | | | | TO 87824 |
| | | | | | (C)G-AN4-60460 |
| | | | | | TO 74885 |
| | | | | | (C)G-AN5-74886 TO |
| | | | | | 154100 |
| | | | | | (C)G-AN6-154101 ON |
| 13 | AHA 7703 | Stop-regulator arm | NLA | | |
| | NH 605041 | Nut-stop to door | 2 | | |
| | PWZ 105 | Washer-plain-nut | 2 | | |
| | LWZ 505 | Washer-shakeproof-nut | 2 | | |

CHANGE POINTS.
(1).(C)H-AN8-38829 TO 64734,(C)H-AN9-64735 TO 72040,(C)G-AN3-25788 TO 52389, (C)G-AN4-52390 TO 60459

$ This item is subject to safety regulations



107-J 12









| Ill. No. | Part No. | DESCRIPTION | Qty. | Change Point | REMARKS |
|---|---|---|---|---|---|
| | | **WINDOW VENTILATORS** | | | |
| 1 | 18G 8466 | VENTILATOR ASSEMBLY(WITH CURVED LOCKING HANDLE) DOOR-RH $ | 1 | | |
| | 18G 8467 | VENTILATOR ASSEMBLY(WITH CURVED LOCKING HANDLE) DOOR-LH $ | 1 | | |
| 1 | 18G 8468 | VENTILATOR ASSEMBLY(WITH FLAT LOCKING HANDLE) DOOR-RH $ | 1 | Use prior to AHA 9973 and AHA 9974 | |
| | 18G 8469 | VENTILATOR ASSEMBLY(WITH FLAT LOCKING HANDLE) DOOR-LH $ | NLA | | Use AHA 9974 |
| 1 | AHA 9973 | VENTILATOR ASSEMBLY-RH $ | 1 | (C)G-AN5-121650 TO 154100 (C)G-AN6-154101 ON | |
| | AHA 9974 | VENTILATOR ASSEMBLY-LH $ | 1 | | |
| 2 | AHA 7402 | Frame-outer-RH | 1 | Use prior to AHA 9991,AHA 9992, AHA 9989 and AHA 9990 | |
| | AHA 7403 | Frame-outer-LH | 1 | | |
| 3 | AHA 7480 | Frame-inner-RH | 1 | | |
| | AHA 7481 | Frame-inner-LH | 1 | | |
| 2 | AHA 9991 | Frame-outer-RH | 1 | (C)G-AN5-121650 TO 154100 (C)G-AN6-154101 ON | |
| | AHA 9992 | Frame-outer-LH | 1 | | |
| 3 | AHA 9989 | Frame-inner-RH | 1 | | |
| | AHA 9990 | Frame-inner-LH | 1 | | |
| 4 | AHA 7482 | Glass-RH $ | 1 | | |
| | AHA 7483 | Glass-LH $ | 1 | | |
| 5 | 27H 8705 M | Rubber-glazing-19"(49cm) | A/R | | Supplied in multiples of metres(39.37") |
| 6 | AHA 7416 | Rubber-sealing-outer frame-RH | 1 | | |
| | AHA 7417 | Rubber-sealing-outer frame-LH | 1 | | |
| 7 | AHA 7463 | Pivot-top-upper half-RH | 1 | Use prior to AHA 9982,AHA 9983 AHA 9984,AHA 9985 and AHA 9981. | |
| | AHA 7464 | Pivot-top-upper half-LH | NLA | | |
| 8 | AHA 7465 | Pivot-top-lower half-RH | NLA | | |
| | AHA 7466 | Pivot-top-lower half-LH | 1 | | |
| 9 | AHA 7468 | Pivot-bottom | 2 | | |
| 7 | AHA 9982 | Pivot-upper half-RH | 1 | (C)G-AN5-121650 TO 154100 (C)G-AN6-154101 ON | |
| | AHA 9983 | Pivot-upper half-LH | 1 | | |
| 8 | AHA 9984 | Pivot-lower half-RH | 1 | | |
| | AHA 9985 | Pivot-lower half-LH | 1 | | |
| 9 | AHA 9981 | Pivot-lower | 2 | | |
| 10 | AHA 7775 | Rivet-top pivot to inner frame | 4 | | |
| 11 | AHA 7467 | Distance-tube-bottom pivot | 2 | | |
| 12 | AHA 7544 | Spring-bottom pivot | 2 | | |
| | PWZ 104 | Washer-plain-bottom pivot | 4 | | |
| | LWZ 204 | Washer-spring-bottom pivot | 2 | | |
| | NH 604041 | Nut-bottom pivot to frame | 4 | | |
| 13 | 27H 3351 | Bracket curved locking handle(with pivot) | NLA | | |
| 13 | 37H 4347 | Bracket flat locking handle (with pivot) | NLA | | |
| 14 | AHA 7554 | Rivet-bracket to inner frame | 2 | | |
| 15 | AHA 7473 | Washer-waved | 2 | | |

$ This item is subject to safety regulations.



107-J 14








| Ill. No. | Part No. | DESCRIPTION | Qty. | Change Point | REMARKS |
|---|---|---|---|---|---|
| | | **WINDOW VENTILATORS-continued** | | | |
| 16 | AHA 7469 | Handle-curved locking-RH | NLA | | |
| | AHA 7470 | Handle-curved locking-LH | 1 | | |
| 17 | AHA 8446 | Handle-flat locking-RH $ | 1 | | |
| | AHA 8447 | Handle-flat locking-LH $ | 1 | | |
| 18 | AHA 7474 | Pin-locking handle $ | 2 | | |
| 19 | AHA 7475 | Plate-catch-locking handle-RH $ | 1 | | |
| | AHA 7476 | Plate-catch-locking handle-LH $ | 1 | | |
| 20 | AHA 7484 | Capping-front corner-RH | 1 | Use prior to AHA 9993 and AHA 9994 | |
| | AHA 7485 | Capping-front corner-LH | 1 | | |
| 20 | AHA 9993 | Capping-corner-RH | 1 | (C)G-AN5-121650 TO 154100 | |
| | AHA 9994 | Capping-corner-LH | 1 | (C)G-AN6-154101 ON | |
| | CZP 404 | Screw-capping to frame-side | 2 | | |
| 21 | AHH 8935 | Block-top corner(rubber) | 2 | Use prior to AHA 9986,AHA 9987 and AHA 9988. | |
| 22 | AHA 7477 | Channel-drain-RH | 1 | | |
| | AHA 7478 | Channel-drain-LH | 1 | | |
| 21 | AHA 9986 | Block-corner | 2 | (C)G-AN5-121650 TO 154100 | |
| 22 | AHA 9987 | Channel-drain-RH | 1 | | |
| | AHA 9988 | Channel-drain-LH | 1 | (C)G-AN6-154101 ON | |
| 23 | AHH 7448 | Channel-door glass | 2 | | |
| 24 | AHA 7543 | Plate-stud-ventilator | NLA | | |
| 25 | AHA 7746 | Seal-ventilator to door-RH | 1 | | |
| | AHA 7747 | Seal-ventilator to door-LH | 1 | | |
| 26 | AHH 6343 | Nut-ventilator to door waist | NLA | | |
| | PWZ 204 | Washer-plain-nut | 4 | | |
| | LWZ 304 | Washer-spring-nut | 4 | | |
| | HZS 507 | Screw-ventilator to door front lower | 4 | | |
| | WL 600051 | Washer-spring | 4 | | |
| | KXR 416 | Rivet-packing to frame foot | 2 | | |
| | HZS 404 | Screw-bracket to door | 4 | | |
| | PWZ 104 | Washer-plain-screw | 4 | | |
| | LWZ 204 | Washer-spring-screw | 4 | | |
| | PWZ 104 | Washer-plain-stud plate | 2 | | |
| | LWZ 204 | Washer-spring-stud plate | 2 | | |
| | NH 604041 | Nut-stud plate | 2 | | |

$ This item is subject to safety regulations.



107-J 16